




NEW
WALL
SERIES
LIGHT
IN
THE BOOK






installation
in different
directions





code **JLWA377**
 casing steel / white painting lamping
 COB 5W / Ra>90 / 430LM Beam 20
 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP20




code **JLWA378**
 casing steel / white painting lamping
 COB 5W / Ra>90 / 430LM Beam 20
 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP20





2020 NEW SERIES OF LED READING LIGHTS






code **JLWA375-BK**
 casing steel+fabric / black painting
 lamping LED 3W+E14 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20


code **JLWA375-WT**
 casing steel+fabric / white painting
 lamping LED 3W+E14 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20

code **JLWA375-CR**
 casing steel+fabric / chrome plated
 lamping LED 3W+E14 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20


Supplied with a 4W E14 LED bulb




Spot on the right side




Spot on the right side




Spot on the bottom side




swing the arm and the spot
to change the installation







horizontal installation



vertical installation

code **JLWA334S-BK**

casing steel / black painting

lamping LED 3W spot+3W background light
/ Ra>80 /120LM+400lm

Beam 30 degree for the spot

2700K/**3000K**/4000K/6000K

installation     IP20

code **JLWA334S-WT**

casing steel / white painting


lamping LED 3W spot+3W background light
/ Ra>80 /120LM+400lm

Beam 30 degree for the spot

2700K/**3000K**/4000K/6000K


installation     IP20





code **JLWA379-WT**
 casing steel / white painting
 lamping LED 1W spot+3W background light
 / Ra>80 /70LM+240lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20

code **JLWA379-BK**
 casing steel / black painting
 lamping LED 1W spot+3W background light
 / Ra>80 /70LM+240lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20




code **JLWA374-BK**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **JLWA374-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **JLWA374-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **JLWA374-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm





code **JLWA373-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 /120LM Beam
 30 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP20
 recessed cut-off 110X35mm

code **JLWA373-WT**
 casing aluminum / white painting


code **LWA373-SL**
 casing aluminum / anodized silver



2020 SPRING
NEW
PENDENT LIGHT
SERIES

FEEL THE
NATURE
AT HOME






JLPL348



JLPL350



JLPL349

code JLPL348

surface
customizable  chrome plated

casing aluminum+ beech / anodized gold / lamping COB 5W / Ra>90 /430LM /Beam 15 /24 /38 /60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x110mm 2meter cable / cable length customizable

code JLPL349

surface
customizable  chrome plated

casing aluminum+beech / anodized gold / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x130mm 2meter cable / cable length customizable

code JLPL350

surface
customizable  chrome plated

casing aluminum+beech / anodized gold / lamping E27 Socket / supplier with a 4W dia80mm LED bulb 3000K default

installation     IP20 lamp shade dia 160mm x160mm 2meter cable / cable length customizable







JLPL353-BK
SMALL
DIA 90MM
SPHEROID



JLPL354-BK
MEDIUM
DIA 115MM
SPHEROID

code	JLPL353-BK	surface customizable	 anodized gold brushed linear	 white paint similar to RAL9003
casing	aluminum+acrylic / black painting / lamping LED 4W / Ra>80 / 400LM / acrylic diffuser / 2700K/3000K/4000K/6000K			
installation	    IP20	lamp shade dia 90mm x90mm 2meter cable / cable length customizable		

code	JLPL354-BK	surface customizable	 anodized gold brushed linear	 white paint similar to RAL9003
casing	aluminum+acrylic / black painting / lamping LED 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K lamp			
installation	    IP20	shade dia 115mm x115mm 2meter cable / cable length customizable		



JLPL353-CR
SMALL
DIA 90MM
SPHEROID




JLPL354-CR
MEDIUM
DIA 115MM
SPHEROID

code	JLPL353-CR	surface customizable	 anodized gold brushed linear	 white paint similar to RAL9003
casing	aluminum+acrylic / chrome plated /	lamping	LED 4W / Ra>80 / 400LM / acrylic diffuser / 2700K/	<u>3000K</u> /4000K/6000K
installation	    IP20	lamp shade dia 90mm x90mm 2meter cable / cable length customizable		


code	JLPL354-CR	surface customizable	 anodized gold brushed linear	 white paint similar to RAL9003
casing	aluminum+acrylic / chrome plated /	lamping	LED 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/	<u>4000K</u> /6000K
installation	    IP20	lamp shade dia 115mm x115mm 2meter cable / cable length customizable		




MEASUREMENTS FOR THE PENDENTS




JLPL348




JLPL349



JLPL350



JLPL353




JLPL354



2020
SPRING
NEW
SURFACE
CEILING
DOWN
LIGHTS






code JLBL245
casing aluminum / black painting
+anodized gold
lamping COB 5W / Ra>90 / 430lm
2700K/3000K/4000K/6000K
Beam 30 degree

surface customizable
concrete grey paint similar to RAL7037
white paint similar to RAL9003


lens available
10° narrow beam
20° spot
30° default flood



code JLBL246
casing aluminum / black painting
+anodized gold
lamping COB 9W / Ra>90 / 800lm
2700K/3000K/4000K/6000K
Beam 30 degree

surface customizable
concrete grey paint similar to RAL7037
white paint similar to RAL9003

lens available
10° narrow beam
20° spot
30° default flood




code JLBL247
casing aluminum / black painting
+anodized gold
lamping COB 12W / Ra>90 / 900lm
2700K/3000K/4000K/6000K
Beam 30 degree

surface customizable
concrete grey paint similar to RAL7037
white paint similar to RAL9003


lens available
10° narrow beam
20° spot
30° default flood





code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLBL241-BK	aluminum+beech	black paint	COB 5W	Ra>90	430lm	38 degree	2700K/3000K /4000K/6000K
JLBL241-WT	aluminum+beech	white paint	COB 5W	Ra>90	430lm	38 degree	2700K/3000K /4000K/6000K
JLBL241-GD	aluminum+beech	anodized gold	COB 5W	Ra>90	430lm	38 degree	2700K/3000K /4000K/6000K
JLBL241-CR	aluminum+beech	chrome plated	COB 5W	Ra>90	430lm	38 degree	2700K/3000K /4000K/6000K



	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLBL242-BK	aluminum+beech	black paint	COB 12W	Ra>90	900lm	38 degree	2700K/3000K /4000K/6000K
	JLBL242-WT	aluminum+beech	white paint	COB 12W	Ra>90	900lm	38 degree	2700K/3000K /4000K/6000K
	JLBL242-GD	aluminum+beech	anodized gold	COB 12W	Ra>90	900lm	38 degree	2700K/3000K /4000K/6000K
	JLBL242-CR	aluminum+beech	chrome plated	COB 12W	Ra>90	900lm	38 degree	2700K/3000K /4000K/6000K



2020
SPRING
NEW
TRACK
SPOT
LIGHT





code JLSP194
casing aluminum
finishing black paint+anodized gold
lamping COB 9W
Lumens 800LM
CRI Ra>90
Beam10 / 20 / 30 degree
lamp color 2700K/ 3000K/4000K/6000K
Input AC220-240V
installation single circuit/3 line track



Net Weight 0.65kg

lens available





code JLSP195
casing aluminum
finishing black paint+anodized gold
lamping COB 16W
Lumens 1400LM
CRI Ra>90
Beam10 / 20 / 30 degree
lamp color 2700K/ 3000K/4000K/6000K
Input AC220-240V
installation single circuit/3 line track



Net Weight 0.95kg

lens available





code JLSP196
casing aluminum
finishing black paint+anodized gold
lamping COB 24W
Lumens 1900LM
CRI Ra>90
Beam10 / 20 / 30 degree
lamp color 2700K/ 3000K/4000K/6000K
Input AC220-240V
installation single circuit/3 line track



Net Weight 1.25kg

lens available








code **JLSP197-WT**
casing aluminum+steel
finishing white paint
lamping COB 5W Lumens
430LM
CRI Ra>90
Beam20 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track




▲ Net Weight 0.35kg

lens available



surface customizable
chrome plated
concrete grey paint similar to RAL7037




code **JLSP198-WT**
casing aluminum+steel
finishing white paint
lamping COB 12W Lumens
900LM
CRI Ra>90
Beam20 degree
lamp color 2700K/3000K/4000K/6000K
Input AC220-240V
installation single circuit/2 line track




▲ Net Weight 0.55kg

lens available



surface customizable
chrome plated
concrete grey paint similar to RAL7037








code **JLSP197-BK**
 casing aluminum+steel
 finishing black paint
 lamping COB 5W Lumens
 430LM
 CRI Ra>90
 Beam20 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation single circuit/2 line track




 Net Weight 0.35kg

lens available



surface customizable  chrome plated
 concrete grey paint similar to RAL7037




code **JLSP198-BK**
 casing aluminum+steel
 finishing black paint
 lamping COB 12W Lumens
 900LM
 CRI Ra>90
 Beam20 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/2 line track




 Net Weight 0.55kg

lens available



surface customizable  chrome plated
 concrete grey paint similar to RAL7037









2020
SPRING
NEW
OUTDOOR
LIGHT






code **JLWA366**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 /120LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65




code **JLWA367**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 /120LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65




code **JLWA368**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 /120LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65





code **JLWA288A-BK**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam adjustable when moving the
 shield sheet inside the lamp
 varies from 0 to 90 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65



code **JLWA288A-WT**
 casing aluminum / white painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam adjustable when moving the
 shield sheet inside the lamp
 varies from 0 to 90 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65



LED GARDEN AND PATH LIGHTS

code JLFL030

JLFL031

JLFL032

casing aluminum

finishing black painting

lamping LED 3W

Lumens 120LM

CRI Ra>80

Beam Solid acrylic diffuser

led color 2700K/3000K/4000K/6000K

RED / GREEN / BLUE

Input AC100-240V

external power-supply

installation    IP65

code JLFL030-12V

JLFL031-12V

JLFL032-12V




Input DC12/24V

external power-supply

installation in parallel

surface
customizable


 concrete grey paint
similar to RAL7037



JLFL030



JLFL031



JLFL032

