

2021 NEW
DECORATIVE
WALL
LIGHTS

MINIMALIST
STYLE

METALLIC
TEXTURE

SUPER
SLIM
AND
PURENESS



SUPER SLIM
BRUSHED
AND
ANODIZED
BLACK BASE




SUPER THIN
GOLD
BRUSHED
ROD







code **JLWA389**
 casing aluminum / anodized black + gold
 lamping LED 6W / Ra>80 / 600LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20



code **JLWA390**
 casing aluminum / anodized black + gold
 lamping LED 10W / Ra>80 / 1000LM
 Beam indirect light
 2700K/~~3000K~~/4000K/6000K
 installation   **CE**  **IP20**



code **JLWA392**
 casing aluminum / anodized black + gold
 lamping LED 12W / Ra>80 / 1200LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20



code **JLWA391**

casing aluminum / anodized black + gold


lamping LED 8W / Ra>80 / 800LM

Beam indirect light



2700K/**3000K**/4000K/6000K

installation     IP20









code **JLWA393**
 casing aluminum / anodized black + gold
 lamping LED 20W / Ra>80 / 2000LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20



2021 NEW SERIES OF LED READING LIGHTS







code **JLWA420-BK**

casing steel+fabric / black painting

lampping E14 / supplied with a 4W bulb

Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **JLWA420-WT**

casing steel+fabric / white painting

lampping E14 / supplied with a 4W bulb


Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20





code **JLWA422-BK**

casing steel+fabric / black painting

lampping E14 / supplied with a 4W bulb

Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **JLWA422-WT**

casing steel+fabric / white painting


lampping E14 / supplied with a 4W bulb

Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20




wireless charging board
on the bottom

code **JLWA421-BK**
 casing steel+fabric / black painting
 lamping E14 / supplied with a 4W bulb
 Ra>80 / 320LM / 3000K
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A
 installation IP20

code **JLWA421-WT**
 casing steel+fabric / white painting
 lamping E14 / supplied with a 4W bulb
 Ra>80 / 320LM / 3000K
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A
 installation IP20








wireless charging board
on the left side

code **JLWA417-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A


code **JLWA417-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A



wireless charging board
on the right side

code **JLWA419-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A


code **JLWA419-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A



wireless charging
board on the top side

code **JLWA418-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A


code **JLWA418-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A



super slim surface mount
reading light

code **JLWA376-BK**
 casing aluminum / black painting
 lamping LED 3W/ Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation     IP20

lamp arm rotatable 180 degree from
one side to another, and the head
rotatable 350 degree



super slim surface mount
reading light


code **JLWA376-WT**
 casing aluminum / black painting
 lamping LED 3W/ Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation     IP20

lamp arm rotatable 180 degree from
one side to another, and the head
rotatable 350 degree

MINIMALIST
STYLE LED LAMPS
WALL/TABLE/FLOOR
LEAF SERIES







code **JLTL037**

casing steel + aluminum

finishing black painting + anodized gold


lamping SMD 4W / Ra>80 / 400LM

Beam 2700K/3000K/4000K/6000K

installation   **CE**  **IP20**

supplied with 1.5meter EU standard plug
switch in the base





code **JLFL047**

casing steel + aluminum

finishing black painting + anodized gold

lamping SMD 18W / Ra>80 / 1800LM

Beam 2700K/3000K/4000K/6000K


installation     IP20

supplied with 1.5meter EU standard plug
Touching switch in the base to dim the light









code **JLWA395**

casing steel + aluminum

finishing black painting + anodized gold


lampping SMD 2W / Ra>80 / 200LM

Beam 2700K/3000K/4000K/6000K

installation     IP20

surface customizable  white paint similar to RAL9003

 black paint equal to RAL9011



code **JLWA394**

casing steel + aluminum

finishing black painting + anodized gold

lampping SMD 2W / Ra>80 / 200LM



Beam 2700K/3000K/4000K/6000K

installation     IP20

surface customizable  white paint similar to RAL9003

 black paint equal to RAL9011





code **JLPL357**

casing steel + aluminum

finishing black painting + anodized gold

lampping SMD 14W / Ra>80 / 1400LM

Beam 2700K/3000K/4000K/6000K

installation     IP20


surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037




2021
NEW LED
SURFACE
DOWN
LIGHT
SERIES

ANTI-GLARE HIGH EFFICIENCY UP TO 42W/3300lm LED DOWNLIGHT




high efficiency
chrome plated
reflector
high lumen output



strong and solid heat sink
makes lamp low temperature
and high output efficiency
and also longer life span



lamp shade made from steel
make this series economic choice
standard color black and white,
grey painting is customizable



CREE COB and good reflector
makes a perfect light emission



The whole series adopt high
quality certificated power supply
up to 20000hrs long life span
and 5 five years guarantee








surface
customizable

concrete grey paint
similar to RAL7037



Equal to 4 inch

code **JLBL274-BK / JLBL274-WT**

casing aluminum / black / white painting

lampping CREE COB 1507 / 6W

CRI Ra>90



Lumens 610 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation     IP20

test condition: ta 25 degree / 3000K




29.7 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	504.75	0.530
	2.0	126.19	1.061
	3.0	56.08	1.591
	4.0	31.55	2.121
	5.0	20.19	2.651
	6.0	14.02	3.182



surface
customizable

concrete grey paint
similar to RAL7037



Equal to 5 inch

code **JLBL275-BK / JLBL275-WT**

casing aluminum / black / white painting

lampping CREE COB 1507 / 12W

CRI Ra>90



Lumens 930 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation     IP20

test condition: ta 25 degree / 3000K




25.4 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	973.67	0.451
	2.0	243.42	0.901
	3.0	108.19	1.352
	4.0	60.85	1.803
	5.0	38.95	2.254
	6.0	27.05	2.704



surface
customizable

■ concrete grey paint
similar to RAL7037



Equal to 6 inch

code **JLBL276-BK / JLBL276-WT**

casing aluminum / black / white painting

lampping CREE COB 18 16 / 20W

CRI Ra>90



Lumens 1950 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation IP20

test condition: ta 25 degree / 3000K




30.2 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	1806.52	0.540
	2.0	451.63	1.079
	3.0	200.72	1.619
	4.0	112.91	2.159
	5.0	72.26	2.698
	6.0	50.18	3.238



surface
customizable

■ concrete grey paint
similar to RAL7037



Equal to 7 inch

code **JLBL277-BK / JLBL277-WT**

casing aluminum / black / white painting

lampping CREE COB 18 20 / 28W

CRI Ra>90



Lumens 2500 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation IP20

test condition: ta 25 degree / 3000K




26.6 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	2412.31	0.473
	2.0	603.08	0.946
	3.0	268.03	1.418
	4.0	150.77	1.891
	5.0	96.49	2.364
	6.0	67.01	2.837



surface
customizable

■ concrete grey paint
similar to RAL 7037



Equal to 8 inch

code **JLBL278-BK / JLBL278-WT**

casing aluminum / black / white painting

lampping CREE COB 2520 / 42W

CRI Ra>90



Lumens 3300 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K


installation IP20

test condition: ta 25 degree / 3000K



28.4 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	2978.02	0.506
	2.0	744.50	1.012
	3.0	330.89	1.518
	4.0	186.13	2.024
	5.0	119.12	2.530
	6.0	82.72	3.036






NEW
SUPER SLIM
HIGH POWER
LED SPOT
LIGHT
SERIES









IP20

code **JLBL264-WT**
 casing aluminum / white painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




IP20

code **JLBL265-WT**
 casing aluminum / white painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




IP20

code **JLBL264-BK**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




IP20

code **JLBL265-BK**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




IP20

code **JLBL266-WT**
 casing aluminum / white painting
 lamping COB 2x9W / Ra>90 / 1440lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




IP20

code **JLBL267-WT**
 casing aluminum / white painting
 lamping COB 3x9W / Ra>90 / 2160lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb



IP20


code **JLBL266-BK**
 casing aluminum / black painting
 lamping COB 2x9W / Ra>90 / 1440lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




IP20

code **JLBL267-BK**
 casing aluminum / black painting
 lamping COB 3x9W / Ra>90 / 2160lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb







code **JLBL268-WT**
 casing aluminum / white painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb



code **JLBL269-WT**
 casing aluminum / white painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




code **JLBL268-BK**
 casing aluminum / black painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb




code **JLBL269-BK**
 casing aluminum / black painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/3000K/4000K/6000K
 Beam 10/20/30 degree
 with 3mm honeycomb






code **JLBL271-WT**
 casing aluminum / white painting
 lamping COB 3x16W / Ra>90 / 3840lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb

IP20




code **JLBL270-WT**
 casing aluminum / white painting
 lamping COB 2x16W / Ra>90 / 2560lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb

IP20



code **JLBL271-BK**
 casing aluminum / black painting
 lamping COB 3x16W / Ra>90 / 3840lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb

IP20



code **JLBL270-BK**
 casing aluminum / black painting
 lamping COB 2x16W / Ra>90 / 2560lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb

IP20





code **JLDC418**
casing aluminum / white painting
lamping cob 9W / Ra>90 / 720LM
Beam 10 / **20** / 30 degree
2700K/**3000K**/4000K/6000K

installation cut-out 155x155mm

code **JLDC419**
casing aluminum / white painting
lamping cob 2x9W / Ra>90 / 1440LM
Beam 10 / **20** / 30 degree
2700K/**3000K**/4000K/6000K

installation cut-out 295x155mm



code **JLDC420**
casing aluminum / white painting
lamping cob 16W / Ra>90 / 1280LM
Beam 10 / **20** / 30 degree
2700K/**3000K**/4000K/6000K

installation cut-out 185x185mm

code **JLDC421**
casing aluminum / white painting
lamping cob 2x16W / Ra>90 / 2560LM
Beam 10 / **20** / 30 degree
2700K/**3000K**/4000K/6000K

installation cut-out 360x185mm





code **JLSP227-WT**

casing aluminum

finishing white painting

lampping COB 9W

Lumens 720LM

CRI Ra>90

Beam 10/20/30 degree
with 3mm honeycomb

lamp color 2700K/3000K/4000K/6000K


Input AC220-240V

installation 3-line track




 Net Weight 0.82 kg

lens available



surface customizable  concrete grey paint similar to RAL7037



code **JLSP228-WT**

casing aluminum

finishing white painting

lampping COB 16W

Lumens 1280LM

CRI Ra>90

Beam 10/20/30 degree
with 3mm honeycomb

lamp color 2700K/3000K/4000K/6000K


Input AC220-240V

installation 3-line track




 Net Weight 0.82 kg

lens available



surface customizable  concrete grey paint similar to RAL7037







code **JLSP227-BK**

casing aluminum

finishing black painting

lampping COB 9W

Lumens 720LM

CRI Ra>90

Beam 10/20/30 degree
with 3mm honeycomb

lamp color 2700K/3000K/4000K/6000K


Input AC220-240V

installation 3-line track




Net Weight 0.82 kg

lens available



surface customizable concrete grey paint similar to RAL7037



code **JLSP228-BK**

casing aluminum

finishing black painting

lampping COB 16W

Lumens 1280LM

CRI Ra>90

Beam 10/20/30 degree
with 3mm honeycomb

lamp color 2700K/3000K/4000K/6000K


Input AC220-240V

installation 3-line track





Net Weight 0.82 kg

lens available



surface customizable concrete grey paint similar to RAL7037





code **JLPL358**

surface
customizable


black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 2X12W / Ra>90 / 1800LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation     IP20

lamp shade 358x192mm x 40mm 1.2meter cable / cable length customizable



code **JLPL359**


surface
customizable

■ black paint
equal to RAL9011

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 3X12W / Ra>90 / 2700LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 507x192mm x 40mm 1.2meter cable / cable length customizable



code **JLPL360**

surface
customizable


■ black paint
equal to RAL9011

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 4X12W / Ra>90 / 3600LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade 656x192mm x 40mm 1.2meter cable / cable length customizable





2021 SPRING
NEW
PENDENT LIGHT
SERIES





code **JLPL364-BK** surface customizable  chrome plated  concrete grey paint similar to RAL7037
casing aluminum / black painting / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear
installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

code **JLPL364-WT** surface customizable  chrome plated  concrete grey paint similar to RAL7037
casing aluminum / white painting / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear
installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

code **JLPL364-GD** surface customizable  chrome plated  concrete grey paint similar to RAL7037
casing aluminum / ^{black painting}_{+anodized gold} / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear
installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable





code **JLPL366-BK**

casing aluminum / black painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable

code **JLPL366-WT**

casing aluminum / white painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable

code **JLPL366-GR**

casing aluminum / grey painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable



code **JLPL367-BK**

casing aluminum / black painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable

code **JLPL367-WT**

casing aluminum / white painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable

code **JLPL367-GR**

casing aluminum / grey painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable





code **JLPL368-BK**

casing aluminum / black painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable

code **JLPL368-WT**

casing aluminum / white painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable

code **JLPL368-GR**

casing aluminum / grey painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable



code **JLPL369-BK**

casing aluminum / black painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable

code **JLPL369-WT**

casing aluminum / white painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable


code **JLPL369-GR**

casing aluminum / grey painting / 7xGu10 socket / bulb not included max 7x20W /


installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable




MEASUREMENTS FOR THE PENDENTS




JLPL364




JLPL366



JLPL367




JLPL368




JLPL369

E27 SOCKET PENDENT LIGHT SERIES







code **JLPL313-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓢ ⒸⒺ Ⓜ IP20 ⚡ 0.75kg



code **JLPL314-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓢ ⒸⒺ Ⓜ IP20 ⚡ 1.31kg



code **JLPL315-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
    **IP20**  **0.87kg**




code **JLPL316-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
    **IP20**  **0.98kg**



code **JLPL317-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable


IP20
 1.13kg




code **JLPL317-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable

IP20
 1.13kg






code **JLPL313-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 IP20 0.75kg



code **JLPL314-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 IP20 1.31kg



code **JLPL315-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable






IP20
 0.87kg



code **JLPL316-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable

IP20
 0.98kg

2021 SPRING NEW GARDEN LIGHT





LED GARDEN AND PATH LIGHTS

code **JLFL041**

JLFL042

JLFL043

casing aluminum

finishing black painting

lampping COB 6W

Lumens 500LM

CRI Ra>90

Beam Solid acrylic diffuser/
Laser cut inside and reflect
and diffuse the light

led color 2700K/3000K/4000K/6000K

Input AC 100-240V

built-in power-supply

installation    IP65

code **JLFL041-IN12**

JLFL042-IN12





JLFL043-IN12

Input DC 12/24V

built-in power-supply

installation in parallel


surface
customizable
 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
JLFL041	60	460	110
JLFL042	60	660	110
JLFL043	60	810	110



LED GARDEN AND PATH LIGHTS



code **JLFL044**

JLFL045

JLFL046

casing aluminum

finishing black painting

lamping COB 9W

Lumens 800LM

CRI Ra>90

Beam Solid acrylic diffuser/

Laser cut inside and reflect

and diffuse the light

led color 2700K/**3000K**/4000K/6000K

Input AC100-240V

built-in power-supply

installation   **CE IP65**

code **JLFL044-IN12**

JLFL045-IN12

JLFL046-IN12

Input DC12/24V

built-in power-supply


installation in parallel

surface
customizable

 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
JLFL044	102	230	80
JLFL045	102	430	80
JLFL046	102	630	80





LED GARDEN AND PATH LIGHTS

code **JLFL048**

JLFL049

casing aluminum

brass shade

finishing black painting

lampping SMD 6W

Lumens 600LM

CRI Ra>80

Beam acrylic diffuser

led color 2700K/3000K/4000K/6000K

Input AC 100-240V

built-in power-supply

installation   IP65

code **JLFL048-IN12**

JLFL049-IN12





Input DC 12/24V

built-in power-supply


installation in parallel

surface
customizable

 concrete grey paint
similar to RAL7037




code	A/mm	B/mm	C/mm	D/mm
JLFL048	125	380	75	60
JLFL049	125	800	75	60











code **JLFL050**
 casing stainless steel
 finishing grey painting
 lamping E14 socket
 Supplied with
 4W led candle lamp
 Lumens 360LM
 CRI Ra>80
 Beam laser cut shape
 lamp color 2700K/~~3000K~~/4000K/6000K
 Input AC220-240V
 lamp inside changeable
 installation   **CE** **IP65**

surface
 customizable


 black paint
 equal to RAL9011



code **JLFL051**
 casing stainless steel
 finishing grey painting
 lamping E14 socket
 Supplied with
 4W led candle lamp
 Lumens 360LM
 CRI Ra>80
 Beam laser cut shape
 lamp color 2700K/~~3000K~~/4000K/6000K
 Input AC220-240V
 lamp inside changeable
 installation   **CE** **IP65**

surface
 customizable

 black paint
 equal to RAL9011









A modern outdoor lighting installation on a white wall at night. Two black, rectangular wall sconces are mounted on the wall. Each sconce has three vertical light tubes that emit a warm, golden glow. The light tubes are arranged in a slightly staggered fashion, creating a rhythmic pattern of light and shadow. The wall is a clean, white surface, and the floor is a light-colored, polished concrete with dark lines. In the background, a dark doorway is visible, and a small potted plant sits on the floor to the left. The overall atmosphere is minimalist and sophisticated.

2021
NEW
OUTDOOR
WALL
LIGHTS







code **JLWA405-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA406-BK**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>80 / 600LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65



code **JLWA407-BK**
 casing aluminum / black painting
 lamping LED 4x3W / Ra>80 / 1200LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65





code **JLWA408-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>90 / 300LM
 Beam 60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA409-BK**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>90 / 600LM
 Beam 60 degree
 2700K/3000K/4000K/6000K
 installation     IP65








code **JLWA410-BK**
 casing aluminum / black painting
 lamping LED 3X3W / Ra>90 / 900LM
 Beam 60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA411-BK**
 casing aluminum / black painting
 lamping LED 4x3W / Ra>90 / 1200LM
 Beam 60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



code **JLWA405-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA406-WT**
 casing aluminum / white painting
 lamping LED 2x3W / Ra>80 / 600LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA407-WT**
 casing aluminum / white painting
 lamping LED 4x3W / Ra>80 / 1200LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65







code **JLWA408-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>90 / 300LM
 Beam 60 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




code **JLWA409-WT**
 casing aluminum / white painting
 lamping LED 2x3W / Ra>90 / 600LM
 Beam 60 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




code **JLWA410-WT**
 casing aluminum / white painting
 lamping LED 3X3W / Ra>90 / 900LM
 Beam 60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



code **JLWA411-WT**
 casing aluminum / white painting
 lamping LED 4x3W / Ra>90 / 1200LM
 Beam 60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA412**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA413**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65






code **JLWA414**
 casing aluminum / black painting
 lamping LED 9W / Ra>80 / 900LM
 Beam wide flood
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA415**
 casing aluminum / black painting
 lamping LED 2x9W / Ra>80 / 1800LM
 Beam wide flood
 2700K/3000K/4000K/6000K
 installation     IP65









code **JLWA396**
 casing aluminum / black painting
 lamping LED 10W / Ra>80 / 1000LM
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




code **JLWA397**
 casing aluminum / black painting
 lamping LED 2x 10W / Ra>80 / 2000LM
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP65






code **JLWA398**
 casing aluminum / black painting
 lamping COB 20W / Ra>90 / 1600LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation     IP65

Watt can be customized to 24W/28W
 24W lumen output 1920lm
 28W lumen output 2240lm



code **JLWA399**
 casing aluminum / black painting
 lamping COB 2x20W / Ra>90 / 3200LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation     IP65

Watt can be customized to 2x24W/2x28W
 2x24W lumen output 3840lm
 2x28W lumen output 4480lm



code **JLWA380**
 casing brass shade / black painting
 lamping led 6W / Ra>80 / 600LM
 Beam indirect light/acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP65

lamp shade made by copper