




John Light

seek the brightest.

CATALOG
PRODUCE



Compania noastră a fost înființată în anul 2013. Începând din acest an, am extins activitatea și în județele limitrofe, oferind servicii cu specific personalizat în domeniul iluminatului economic și a soluțiilor de optimizare a consumurilor energetice de orice natură, inclusiv obținerea de energie electrică din surse regenerabile.

În acest context, am decis să ne focalizăm activitatea în primul rând pentru realizarea unor soluții personalizate și optimizate pentru iluminat cu LED, folosind mijloace și tehnologii de ultimă generație, pentru a realiza performanță la nivelul la care raportul cost/rendament să fie maxim.

Oferim soluții complexe de înlocuire în totalitate a iluminatului incandescent, fluorescent și cu vaporii, în urma unor analize specifice și audit energetic, pentru sedii de firme, interioare și cu parcuri întinse, cu soluții personalizate de tip LED, până la nivel de proiectare personalizată a reflectoarelor sau clopotelor LED, cu mare capacitate de iluminare sau oricare tip de corp de iluminat care se pretează soluției.

Am realizat soluții la cheie, cu specifice de iluminare (flux luminos dirijat, protecția ochilor și iluminare uniformă de înaltă calitate, mediu cu risc chimic) pentru industria tipografică, hale industriale, depozite de logistica, parcuri, drumuri de acces, soluții de iluminare specifică pentru terenuri de agrement (minifotbal pe suprafețe sintetice, patinoare etc.).

În acest context, vă putem oferi gamă largă de soluții și servicii în domeniul energetic, în mod special pentru iluminat, folosind tehnologie de ultimă generație la calitate excepțională precum și analize și studii de fezabilitate în domeniul energetic pe complex industrial și/sau clădiri civile.

În speranța unei bune colaborări

Ionuț Popa
MANAGING PARTNER





www.johnlight.ro



CATEGORII PRODUSE

CORPURI DE ILUMINAT INTERIOR

Candelabre

Veioze si lampi de birou

Aplice

Pendule

Tracklight

Spoturi

Plafoniere & Palfoniere - Downlight

CORPURI DE ILUMINAT EXTERIOR

Spoturi (Iluminat Arhitectural)

Spoturi Incastrat | Exterior | Piscina

Stalpi (Iluminat Gradina)

Lampi Solare (Garden light)

Proiectoare





John Light

seek the brightest.

JOHNLIGHT S.R.L.

Mobil: +40 786 219 920



E-mail: office@johnlight.ro

C.U.I. RO 31220600

Nr. O.R.C. J/31/53/2013;

RO39BTRLRONCRT0280233701 (RON)

Sample page



code	JLSLO11	
casing	aluminum / anodized silver	
lampping	LED 1W / Ra>80 / 70LM	
Beam	60 degree / no lense	
	2700K/3000K/4000K/6000K	
installation		
	installed with standard 86x86mm switch box	
supply with standard 86mm switch box		
surface customizable	black paint equal to RAL9011	

Descriptions

- | | | |
|--|--|---|
| ① product photo | ⑤ lamp power / color rendering index
lumen output (after chip,before lense or reflector) | ⑧ installation involved icons
check below remarks |
| ② product measurements
size line drawing | ⑥ lens or reflector angle
the angle listed is available option,
while the number covered by grey block
is the default lens or reflector angle | ⑨ cut-off size for the lamp or installation
box when there is any need
only showed in a recessed lamp |
| ③ product item No. | ⑦ led color
the CCT listed is available option,
while the CCT covered by grey block
is the default LED color | ⑩ comments about the lamp |
| ④ lamp material and
lamp finishing and color. | | ⑪ custom-made lamp finishings or colors
available |
| | | ⑫ rotate angle vertical and horizontal |

Icons

installation positions	electrical isolation classes	other icons	protection degree
wall surface mount	class I / earth connected	cut-off size for recessed installation	IP20 protected against solid object diameter> 12mm no resistant to any water
ceiling surface mount	class II / without earth connected but double isolation	fixture can be installed on the flammable surface	IP44 protected against solid object diameter> 1mm and splash-proof
pendant surface mount	lamp working in low volatage	ce approved / listed	IP65 dust tight and jet-proof
wall recessed mount		vertical rotate angle	IP67 dust-tight and water-tight
ceiling recessed mount		horizontal rotate angle	
track installation			
inground installation			
ground surface mount			
table/floor lamp			

FINISHINGS AND COLORS

anodization



anodized silver
original



anodized silver
brushed circular



anodized gold
brushed circular



anodized silver
brushed linear



anodized black
sandblasted



anodized silver
sandblasted



anodized gold
sandblasted

powder coating



black paint
equal to
RAL9011



white paint
similar to
RAL9003



concrete grey
similar to
RAL7037

electrical plating



chrome plated



gold plated

LIGHT EMISSION ANGLE

narrow beam



lens



lens / reflector



lens

spot



lens



reflector



reflector

flood



lens



reflector

wide flood



lens / reflector

DIMMING TECHNOLOGY

■ TRIAC DIMMING

Most lamp in the book can be custom made to TRIAC dimming driver / dimming from 3watt to 40watt / dimming from 10% to 100%

Compatible with most of system in the market such as SIEMENS/PHILIPS/SCHNEIDER/LUTRON/OSRAM/ABB and etc.

Compatible with trail edge and leading edge / Dimming with NO FLASHING

Need a TRIAC dimmer supplied by qualified supplier to operate the dimming system

Advantage: easy wiring, low cost system and dimmer / Disadvantage: always compatibility problems

■ 0/1-10V DIMMING

Due to the big size of 0/1-10V dimming driver, not all lamp can be changed to this type of dimming driver, please consult with our engineer for more info.

Dimming by special system and dimmer through two positive and negative control cable.

Advantage: no compatibility problem / Disadvantage: high cost of system and wiring of control cable

■ DALI SYSTEM

Dimming and controlled by DALI PROTOCOL

due to the big size of the driver, not all lamp can be changed to this type of dimming driver, please consult with our engineer for more info.

Advantage: no compatibility problem, good dimming effect, long distance control / Disadvantage: high cost of system and driver

CATEGORIES

Residential Part



LED DECORATIVE LIGHTS
PAGE 33-56



LED SURFACE WALL LIGHTS
PAGE 62-109



LED STEP LIGHTS
PAGE 114-120



LED READING LIGHTS
PAGE 124-161



LED BATHROOM LIGHTS
PAGE 164-175



LED PENDANT LIGHTS
PAGE 178-273



LED SURFACE DOWN LIGHTS
PAGE 276-329



LED CHANDELIER
PAGE 331-353



LED TABLE/FLOOR LAMPS
PAGE 355-365

Office Part



LED OFFICE PENDANT LIGHTS
PAGE 366-385



LED PANEL LIGHTS
PAGE 386-393

Architecture Part



LED SURFACE SPOT LIGHTS
PAGE 394-419



LED TRACK LIGHTS
PAGE 420-451



LED RECESSED SPOT LIGHTS
PAGE 452-489



LED GRILLE LIGHTS
PAGE 490-515



LED RECESSED DOWN LIGHTS
PAGE 516-525



LED CABINET LIGHTS
PAGE 526-535

Outdoor Part



LED OUTDOOR WALL LIGHTS
PAGE 536-571



LED OUTDOOR INGROUND LIGHTS
PAGE 572-583



LED OUTDOOR SPOT LIGHTS
PAGE 584-589



LED GARDEN LIGHTS
PAGE 590-599



LED OUTDOOR RECESSED AND SURFACE DOWN LIGHTS
PAGE 600-603

Basic light and GU10/AR111 Lamp Casing



LED TUBES/STRIPS/BULBS
PAGE 604-617



GU10 CASING
PAGE 618-627




AR111 LAMP CASING
PAGE 628-644



INDEX

RESIDENTIAL PART

LED DECORATIVE LIGHTS




JLWA158 P33 JLWA159 P34 JLWA160 P34 JLWA156 P36 JLWA157 P35 JLWA166 P37 JLWA167 P38



JLWA276-SL P39 JLWA277-SL P39 JLWA276-BK P40 JLWA277-BK P40 JLWA278-SL P41



JLWA027 P44 JLWA028 P44 JLWA029 P44 JLHL025/1 P45 JLHL025/2 P46



JLWA071 P47 JLWA072 P47 JLWA073 P47 JLDC908 P48 JLDC909 P48 JLHL8022L P50 JLHL8004L P50




JLWA300A-WT P52 JLWA300B-WT P52 JLWA300C-WT P53 JLWA300D-WT P54 JLWA300E-WT P54 JLWA300F-WT P55 JLWA300G-WT P55




JLWA300H-WT P56 JLWA300J-WT P56


LED WALL LIGHTS SURFACE MOUNT




JLWA051 P62 JLWA052 P62 JLWA106 P63 JLWA138 P64 JLWA183 P65 JLWA182 P65 JLWA184 P66



JLWA185 P66 JLHL004/1 P67 JLHL004/2 P67 JLWA101 P68 JLWA103 P68 JLWA105 P68



LED
STEP
LIGHTS



JLWL003 P114 JLWL004 P114 JLWL001 P113 JLWL002 P113 JLWL009 P116 JLWL008 P116



JLWL009A P117 JLWL008A P117 JLWL013 P119 JLWL011 P119 JLWL013A P120 JLWL011A P120 JLWL012A P120

LED
READING
LIGHTS



JLWA219-WT P124 JLWA219-BK P124 JLWA219-SL P124 JLWA219-CR P124 JLWA219-RG P124 JLWA220-WT P125 JLWA220-BK P125



JLWA220-SL P126 JLWA220-CR P125 JLWA319-WT P128 JLWA319-BK P128 JLWA319-SL P128 JLWA319-CR P128



JLWA320-WT P128 JLWA320-BK P128 JLWA320-SL P128 JLWA320-CR P128 JLWA260-BK P130 JLWA260-WT P130 JLWA260-CR P130



JLWA259-BK P131 JLWA259-WT P131 JLWA259-CR P131 JLWA322-CR P132 JLWA322-GD P133 JLWA322-WT P133 JLWA322-BK P133





JLWA321-CR P134 JLWA321-GD P135 JLWA321-WT P135 JLWA321-BK P135 JLWA315-WT P136 JLWA315-BK P136 JLWA315-CR P136




JLWA314-WT P137 JLWA314-BK P137 JLWA314-CR P137 JLWA317-WT P138 JLWA317-BK P138 JLWA317-CR P138









JLWA316-WT P139 JLWA316-BK P139 JLWA316-CR P138 JLWA205 P141 JLWA206 P141 JLWA203 P141 JLWA204 P141





LED BATHROOM LIGHTS




LED PENDANT LIGHTS







LED
SURFACE
DOWN
LIGHTS



						
JLBL104 P279	JLBL105 P279	JLBL106 P279		JLBL118 P281	JLBL119 P281	JLBL120 P281
						
JLBL135 P282	JLBL136 P282	JLBL137 P282	JLBL135-WT P283	JLBL136-WT P283	JLBL137-WT P283	
						
JLBL172-SL P285	JLBL172-BK P285	JLBL201-WT P288	JLBL202-WT P288	JLBL203-W P288	JLBL201-BK P290	JLBL202-BK P290
						
JLBL203-BK P290	JLBL204-WT P289	JLBL205-WT P289	JLBL206-WT P289	JLBL204-BK P291	JLBL205-BK P291	JLBL206-BK P292
						
JLBL074-BK P294	JLBL075-BK P294	JLBL074-WT P294	JLBL075-WT P294	JLBL176 P294	JLBL177 P294	
						
JLBL001-WT P300	JLBL001-WT P300	JLBL001-WT P300	JLBL001-WT P301	JLBL001-WT P301	JLBL001-WT P301	
						
JLBL173 P303	JLBL174 P303	JLBL175 P303	JLBL057 P305	JLBL050 P305	JLBL602 P305	
						
JLBL096 P307	JLBL095 P307	JLBL098 P307	JLBL099 P307	JLBL049 P309	JLBL054 P309	
						
JLBL111-BK P310	JLBL111-SL P310	JLBL110-BK P310	JLBL110-WT P310		JLBL048-BK P311	JLBL048-WT P311




JLBL229-GD P328

LED CHANDELIER





LED TABLE AND FLOOR LIGHTS



INDEX

OFFICE PART

LED OFFICE PENDANT LIGHTS



JLPL159-SL P368




JLPL159-BK P368




JLPL160-SL P370



JLPL160-BK P370



JLPL161-SL P371



JLPL161-BK P371



JLPL291-BK P372



JLPL291-WT P372



JLPL291-SL P373



JLPL291-GD P373



JLQL004-BK P374



JLQL004-SL P374



JLQL004-WT P374



JLPL210 P376



JLPL211 P376



JLPL311-BK P377



JLPL311-WT P377



JLPL301 P378



JLPL302-BK P379



JLPL302-WT P379



JLPL302-RD P380



JLPL302-YW P380



JLPL302-GN P380



JLPL119 P382



JLPL120 P382



JLPL148 P383



JLPL147 P383




JLPL139-BK P384



JLPL140-BK P385

LED PANEL LIGHTS



JLQL001-BK P388



JLQL001-WT P388



JLQL001-SL P388



JLQL002-BK P389



JLQL002-WT P389



JLQL002-SL P389



JLQL013-WT P392



JLQL014-WT P392



JLQL011-WT P393



JLQL011-SL P393



JLQL012-WT P393



JLQL012-SL P393

INDEX

ARCHITECTURE PART

LED
SPOTLIGHT
SURFACE
MOUNT





LED
TRACK
LIGHTS



LED
SPOTLIGHT
RECESSED



JLDC880 SERIES P458



JLDC880A SERIES P458



JLDC001A-GD P461



JLDC001A-BK P461



JLDC001A-SL P461



JLDC001A-WT P461



JLDC992-BK P464



JLDC992-GD P464



JLDC992-SL P464



JLDC992-WT P464



JLDC993-BK P464



JLDC993-GD P464



JLDC993-SL P464



JLDC993-WT P464



JLDC994-SL P466



JLDC995-SL P466



JLDC996-SL P466



JLDC997-SL P466



JLDC994-WT P467



JLDC995-WT P467



JLDC996-WT P467



JLDC997-WT P467



JLDC926-WT P468



JLDC927-WT P468



JLDC928-WT P468



JLDC926-SL P468



JLDC927-SL P468



JLDC928-SL P468



JLDC926A-SL P470



JLDC927A-SL P470



JLDC928A-SL P470



JLDC926A-WT P470



JLDC927A-WT P470



JLDC928A-W P470



JLDC979B P472



JLDC978B P472



JLDC978A P472



JLDC979A P472



JLDC935A P474



JLDC936A P474



JLDC938A P474



JLDC985 P476



JLDC984 P476



JLDC988-WT P480



JLDC989-WT P480



JLDC990-WT P481



JLDC991-WT P481



JLDC988-BK P480



JLDC989-BK P480



JLDC990-BK P481



JLDC991-BK P481



JLDC988-GD P480



JLDC989-GD P480



JLDC990-GD P481



JLDC991-GD P481



JLDC339 P484



JLDC340 P484



JLDC341 P484



JLDC207 P482




JLDC207 P482





JLDC207 P482





LED
GRILLE
LIGHT
RECESSED



LED
DOWN
LIGHT
RECESSED




LED
CABINET
LIGHTS



INDEX


OUTDOOR PARTS

LED OUTDOOR WALL LIGHTS




JLWA215

P538




JLWA216

P538




JLWA253

P539




JLWA254

P539



JLWA217

P542



JLWA218

P542




JLWA256

P543




JLWA258

P543



JLWA173A

P544




JLWA174A

P544



JLWA250

P546



JLWA251

P546



JLWA248

P547



JLWA249

P547



JLWA213

P548



JLWA214

P548




JLWA210

P549



JLWA211

P549



JLWA135

P550



JLWA139

P551



JLWA310

P552



JLWA311

P553



JLWA312

P553



JLWA291A

P554



JLWA292A

P555



JLWA293A

P555



JLWA300A-BK

P557



JLWA300B-BK

P557




JLWA300C-BK

P556



JLWA300D-BK

P558



JLWA300E-BK

P558



JLWA300F-BK

P558



JLWA300G-BK

P560



JLWA300H-BK

P558




JLWA300J-BK

P560



JLWA288-BK

P562



JLWA288-WT

P562



JLWA279

P564



JLWA280

P564




JLWA281

P564




JLODL007

P567




JLODL008

P567



JLODL009

P567




JLODL010

P567



JLODL025

P568



JLODL026

P568




JLODL027

P568




JLODL043

P569



JLODL042

P570



JLODL041

P570

LED
OUTDOOR
INGROUND
LIGHTS




LED
OUTDOOR
SPOT
LIGHTS





LED
GARDEN
PATH
LIGHTS






www.johnlight.ro




ACCESEAZĂ
WEBSITE
John Light
seek the brightest.





LED
DECO-
RATIVE
WALL
LIGHTS





LIGHT
BEGINS
FROM
DARKNESS





code **JLWA161**

casing steel / white painting


lamping LED 4X1W / Ra>80 / 280LM

Beam 8 degree /

2700K/~~3000K~~/4000K/6000K


installation      IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **JLWA 158**
 casing steel / white painting
 lamping LED 4X1W / Ra>80 /280LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable  black paint
 equal to RAL9011
 concrete grey paint
 similar to RAL7037




code **JLWA159**
 casing steel / white painting
 lamping LED 1X1W / Ra>80 / 70LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **JLWA160**
 casing steel / white painting
 lamping LED 2X1W / Ra>80 / 140LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037






code **JLWA156**
 casing steel / white painting
 lamping LED 2X1W / Ra>80 / 140LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP20



code **JLWA157**
 casing steel / white painting
 lamping LED 3X1W / Ra>80 / 210LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA 166**

casing steel / white painting

lamping LED 1W / Ra>80 / 70LM



Beam 8 degree /

2700K/3000K/4000K/6000K

installation     IP20

surface
customizable  black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037





code **JLWA 167**

casing steel / white painting

lamping LED 2x1W / Ra>80 / 140LM


Beam 8 degree /

2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint equal to RAL9011

 concrete grey paint similar to RAL7037





code **JLWA276-SL**
 casing Aluminium / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA277-SL**
 casing Aluminium / anodized silver
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree up/ 8 degree down
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA276-BK**
 casing Aluminium / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA277-BK**
 casing Aluminium / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree up/ 8 degree down
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA278-SL**
 casing Aluminium / anodized silver
 lamping up LED 3W / Ra>80 / 120LM
 down cob 6W / Ra>90 / 440lm
 Beam 8 degree up/38 degree down
 2700K/3000K/4000K/6000K
 installation     IP20



surface
 customizable

 black paint
 equal to RAL9011
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037

code **JLWA278-BK**
 casing Aluminium / anodized black








code **JLWA027**
 casing Aluminium / anodized silver
 lamping LED 2x1W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 / red / green / blue

installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA028**
 casing Aluminium / anodized silver
 lamping LED 3x1W / Ra>80 / 210LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 / red / green / blue

installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA029**
 casing Aluminium / anodized silver
 lamping LED 4x1W / Ra>80 / 280LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 / red / green / blue



installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLHL025/1**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 10 degree /
 2700K/~~3000K~~/4000K/6000K
 red / green /blue
 installation     IP20

surface customizable  black paint
 equal to RAL9011
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037




code **JLHL025/2**
 casing aluminum / anodized silver
 lamping LED 2x1W / Ra>80 / 140LM
 Beam 10 degree /
 2700K/**3000K**/4000K/6000K
 red / green /blue
 installation     IP20

surface customizable  black paint
 equal to RAL9011
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037




code **JLWA071**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 red / green /blue
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA072**
 casing aluminum / anodized silver
 lamping LED 2X1W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 red / green /blue
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA073**
 casing aluminum / anodized silver
 lamping LED 3X1W / Ra>80 / 210LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 red / green /blue
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **JLDC908**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 red / green /blue
 installation  **CE**  **IP20**
 Dia 20mm

surface customizable  black paint
 equal to RAL9011
 concrete grey paint
 similar to RAL7037




code **JLDC909**
 casing aluminum / white painting
 lamping LED 2x1W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 red / green /blue
 installation  **CE**  **IP20**
 Dia 20mm

surface customizable  black paint
 equal to RAL9011
 concrete grey paint
 similar to RAL7037





code **JLHL8022L**
 casing aluminum / anodized silver
 lamping LED 5W / Ra>90 / 430LM
 Beam glass cover
 2700K/3000K/4000K/6000K
 installation      IP20




code **JLHL8004L**
 casing aluminum / anodized silver
 lamping LED 5W / Ra>90 / 430LM
 Beam glass cover
 2700K/3000K/4000K/6000K
 installation      IP20






code **JLWA300A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA300B-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 600LM
 Beam 8 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA300C-WT**

casing aluminum / white paint

lampping LED 12W / Ra>80 / 1200LM

Beam 8 degree /


2700K/**3000K**/4000K/6000K

installation     IP65

surface customizable  black paint equal to RAL9011

 concrete grey paint similar to RAL7037





code **JLWA300D-WT**

casing aluminum / white paint


lamping LED 6W / Ra>90 / 500LM

Beam 80 degree /
2700K/**3000K**/4000K/6000K

installation IP65

surface customizable black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code **JLWA300E-WT**

casing aluminum / white paint



lamping LED 6W / Ra>90 / 500LM

Beam 90 degree /
2700K/**3000K**/4000K/6000K

installation IP65


surface customizable black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code **JLWA300G-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam decorative/
 2700K/**3000K**/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **JLWA300F-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 60 degree /
 2700K/**3000K**/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **JLWA300H-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 60 degree up / 8 degree down
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA300J-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 80 degree up / 8 degree down
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037











LED
WALL
LIGHTS
SURFACE
MOUNT






code **JLWA051**
 casing aluminium / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 45 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA052**
 casing aluminium / anodized silver
 lamping LED 2W / Ra>80 / 140LM
 Beam 45 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code JLWA 106
casing aluminium / anodized black
lamping LED 3W / Ra>80 / 210LM
Beam 30 degree / 
2700K/3000K/4000K/6000K
installation     IP20



code **JLWA138**

casing aluminum lamp / black paint
steel reflector / white paint

lampping LED 6W / Ra>80 / 420LM

Beam 60 degree /

2700K/3000K/4000K/6000K


installation     IP20

surface
customizable  black paint
equal to RAL9011

 white paint
similar to RAL9003


 concrete grey paint
similar to RAL7037

reflector installed seperately
reflector angle adjustable




code **JLWA 183**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 / 140LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA 182**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA184**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no reflector /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA185**
 casing aluminum / anodized silver
 lamping COB 10W / Ra>90 / 860LM
 Beam no reflector /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLHL004/1**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense / no cover
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLHL004/2**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 / 140LM
 Beam no lense / no cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037











code **JLWA103**
 casing aluminum / anodized silver
 lamping LED 4W / Ra>80 / 280LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA101**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA105**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 420LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA022**
 casing aluminum / white paint
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA024**
 casing aluminum / white paint
 lamping LED 4W / Ra>80 / 280LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA026**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 420LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037








code **JLWA 165**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 240LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037




code **JLWA 164**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037









code **JLWA270-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no lense / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA269-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no lense / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA117**

casing aluminum / anodized silver
 lamping cob 2x5W / Ra>90 / 860LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA119**



casing aluminum / anodized silver
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **JLWA116**
 casing aluminum / anodized silver
 lamping cob 2x5W / Ra>90 / 860LM
 Beam 38 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA118**
 casing aluminum / anodized silver
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 38 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA264**
 casing aluminum / white paint
 lamping cob 5W / Ra>90 / 430LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **JLWA265**
 casing aluminum / white paint
 lamping cob 2x6W / Ra>90 / 1000LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA266**
 casing aluminum / white paint
 lamping cob 4x6W / Ra>90 / 2000LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037









code **JLWA267**
 casing aluminum / white paint
 lamping cob 12W / Ra>90 / 900LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20



surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA268**
 casing aluminum / white paint
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037






code **JLWA226**
 casing aluminum / anodized black
 lamping LED 2x1W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA241**
 casing aluminum / anodized black
 lamping LED 6x1W / Ra>80 / 280LM
 Beam Acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA240**
 casing aluminum / anodized black
 lamping LED 10x1W / Ra>80 / 700LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA239**
 casing aluminum / anodized black
 lamping LED 6x1W / Ra>80 / 420LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA242**
 casing aluminum / anodized black
 lamping LED 10x1W / Ra>80 / 700LM
 Beam Acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA 137**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 210LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLWA 134**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA115**

casing aluminum / white paint

lampping LED 8W / Ra>80 / 800LM

Beam indirect light

2700K/**3000K**/4000K/6000K

installation     IP20

surface customizable  black paint
equal to RAL9011

 concrete grey paint
similar to RAL7037

code **JLHL8072/1**

casing aluminum / anodized silver

lampping cob 5W / Ra>90 / 430LM

Beam white glass shade /

2700K/**3000K**/4000K/6000K

installation     IP20

surface customizable  black paint
equal to RAL9011

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037









code **JLWA223**
 casing aluminum / chrome plated
 lamping led 6W / Ra>80 / 600LM
 Beam light inside the ring /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **JLWA222**
 casing aluminum / chrome plated
 lamping led 6W / Ra>80 / 600LM
 Beam light inside the ring /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037







code **JLWA 149-WT**
 casing aluminum / white paint
 lamping LED 8W / Ra>80 / 800LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable


- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code **JLWA 150-WT**
 casing aluminum / white paint
 lamping LED 12W / Ra>80 / 1200LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable


- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code **JLWA 151-WT**
 casing aluminum / white paint
 lamping LED 20W / Ra>80 / 1600LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation IP20



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code **JLWA 141**
 casing aluminum / white paint
 lamping LED 4W / Ra>80 / 400LM
 Beam indirect light
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver brushed linear



code **JLWA 142**
 casing aluminum / white paint
 lamping LED 8W / Ra>80 / 800LM
 Beam indirect light
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver brushed linear




code **JLWA221**
 casing Steel / white paint
 lamping LED 6W / Ra>80 / 600LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 Installation     IP20

surface
customizable




 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037
 anodized silver
brushed linear




code **JLWA228A-BK**
 casing Steel cover / black paint
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20

cover customizable aluminum cover in any color
 consult with our sale manager stainless steel nickle/gold cover
 other material other color



code **JLWA228A-WT**
 casing Steel cover / white paint
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20

cover customizable aluminum cover in any color
 consult with our sale manager stainless steel nickle/gold cover
 other material other color





JLWA228B



JLWA228C



JLWA228D



JLWA228E

code **JLWA228B/C/D/E**

casing nickle stainless steel cover

lamping LED 4W / Ra>80 / 400LM

Beam acrylic diffuser


2700K/3000K/4000K/6000K

installation     IP20

cover customizable consult with our sale manager

cover material customizable  aluminum cover in any color
 stainless steel nickle/gold cover

cover can be laser cut with any number or any character



LUNAR ECLIPSE

The idea of this series comes from the eclipse. The pure soft warm light comes out from the back of shiny chrome plated hemisphere, just like the lunar eclipse in the vast sky. The interesting is that we didn't make it a flat circle but a pure sphere, with half chrome plated steel hemisphere, and another half acrylic hemisphere as lighting diffuser. Of course there is a little aluminium part as the installation base, which you would not see when the whole lamp is installed.

The clever part of this design is that we put the power-supply and the led chips and also the heat sink in the plated hemisphere, so that the light can disperse as much as it can to the wall and as soft as it can be.

This series are very good decoration to the wall, no matter they are lighted on or off. The sphere is solid and it is objective and beautiful no matter from which angle you have seen it. You can put two or three sizes in the same wall, and a group of three or five lamps can give the wall amazing effects.


code **JLWA282**
 casing Steel / chrome plated
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003




code **JLWA283**
 casing Steel / chrome plated
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003




code **JLWA284**
 casing Steel / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003








code **JLWA243**
 casing aluminum / anodized black
 lamping LED 10W / Ra>80 / 1000LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20  90°

surface customizable

-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037
-  anodized silver brushed linear







code **JLWA244**

casing aluminum / anodized black

lamping LED 10W / Ra>80 / 1000LM

Beam indirect light

2700K/3000K/4000K/6000K

installation     IP20  90°

surface customizable  white paint similar to RAL9003


 concrete grey paint similar to RAL7037

 anodized silver brushed linear




code **JLWA302**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 300LM
 Beam indirect light / acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA303**
 casing aluminum / chrome plated
 lamping LED 4W / Ra>80 / 400LM
 Beam indirect light / acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037










code **JLWA304**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam indirect light / acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037














code **JLWA295A-WT**
JLWA295A-BK
 casing aluminum / steel cover /
 white paint / black paint
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20



code **JLWA296A-WT**
JLWA296A-BK
 casing aluminum / steel cover /
 white paint / black paint
 lamping LED 6W / Ra>80 /600LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20



code **JLWA294A-WT**
JLWA294A-BK
 casing aluminum / steel cover /
 white paint / black paint
 lamping LED 9W / Ra>80 /900LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20




code **JLWA295B**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **JLWA295C**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **JLWA296B**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 6W / Ra>80 /600LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **JLWA294C**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 9W / Ra>80 /900LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing





code **JLWA294B**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 9W / Ra>80 /900LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing








code **JLWA318-WT**
 casing steel sheet / white paint / aluminum heat sink
 lamping LED 18W / Ra>80 / 1800LM
 Beam indirect light / 2700K/3000K/4000K/6000K
 installation     IP20


code **JLWA318-GR**
 casing steel sheet / grey paint

Related product type
 ceiling surface mount / pendant



LED STEP LIGHT









code **JLSL001**


casing aluminum / anodized silver

lampping LED 1W / Ra>80 / 70LM

Beam no lense /

2700K/~~3000K~~/4000K/6000K

installation   **IP20**



 dia 45x95mm
for installation box
for concrete wall

 dia 40mm recessed
for wooden wall

supply with aluminum installation box

code **JLSL002**

casing aluminum / anodized silver

lampping LED 1W / Ra>80 / 70LM

Beam no lense /

2700K/~~3000K~~/4000K/6000K


installation   **IP20**



 dia 45x95mm
for installation box
for concrete wall


 dia 40mm recessed
for wooden wall

supply with aluminum installation box



code **JLSL003**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K

installation   IP20



 dia 45x95mm
for installation box
for concrete wall


 dia 40mm recessed
for wooden wall

supply with aluminum installation box



code **JLSL004**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K


installation   IP20



 dia 45x95mm
for installation box
for concrete wall

 dia 40mm recessed
for wooden wall

supply with aluminum installation box





code **JLSL008**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**



supply with aluminum installation box

code **JLSL009**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**



supply with aluminum installation box

code **JLSL008A**

casing aluminum / anodized silver

stainless steel cover / nickel

lamping LED 1W / Ra>80 / 70LM

Beam acrylic diffuser/

2700K/3000K/4000K/6000K

installation     IP20



supply with aluminum installation box

code **JLSL009A**

casing aluminum / anodized silver

stainless steel cover / nickel

lamping LED 1W / Ra>80 / 70LM

Beam acrylic diffuser/

2700K/3000K/4000K/6000K



installation     IP20





supply with aluminum installation box

surface customizable

	anodized silver brushed linear
	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003
	concrete grey paint similar to RAL7037







code **JLSLO11**

casing aluminum / anodized silver

lampping LED 1W / Ra>80 / 70LM

Beam 60 degree / no lense


2700K/~~3000K~~/4000K/6000K

installation     IP20



installed with standard
86x86mm switch box

supply with standard 86mm switch box



code **JLSLO13**

casing aluminum / anodized silver

lampping LED 1W / Ra>80 / 70LM

Beam 30 degree / no lense



2700K/~~3000K~~/4000K/6000K

installation     IP20



installed with standard
86x86mm switch box


supply with standard 86mm switch box



code **JLSL011A**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam glass diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**

 installed with standard 86x86mm switch box


supply with standard 86mm switch box



code **JLSL012A**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam glass diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**

 installed with standard 86x86mm switch box

supply with standard 86mm switch box





code **JLSL013A**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam glass diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**


 installed with standard 86x86mm switch box

supply with standard 86mm switch box





LED
READING
LIGHTS

An illustration of three security cameras mounted on a wall. The top camera is angled downwards and to the left, casting a yellow beam of light. The middle camera is angled downwards and to the right, casting a yellow beam of light. The bottom camera is angled downwards and to the left, casting a yellow beam of light. A cable runs from the bottom camera, curving upwards and to the right, connecting to a small rectangular device. The background is white, and the right edge of the image is a solid grey vertical bar.

FOR
BEDROOM



JLWA219-BK



JLWA219-WT



JLWA219-SL



JLWA219-CR



JLWA219-RG



JLWA220-BK




JLWA220-WT



JLWA220-SL



JLWA220-CR



code **JLWA219-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation **IP20**

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down




code **JLWA219-BK**
 casing aluminum / black paint

code **JLWA219-CR**
 casing aluminum / chrome plated

code **JLWA219-SL**
 casing aluminum / anodized silver

code **JLWA219-RG**
 casing aluminum / anodized rose gold



code **JLWA220-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation **IP20**

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down




code **JLWA220-BK**
 casing aluminum / black paint

code **JLWA220-CR**
 casing aluminum / chrome plated


code **JLWA220-SL**
 casing aluminum / anodized silver

code **JLWA220-RD**
 casing aluminum / anodized rose gold


HOW IT WORKS




STEP1
 Cut hole
 pattern
 on the wall




STEP2
 Put the
 driver
 and
 connect
 the main




STEP3
 Connect
 the lamp
 to the
 driver



STEP6
 Turn on
 the main
 and press
 to light
 it on



STEP5
 Fix the
 cover to
 the
 installed
 lamp



STEP4
 Fix the
 lamp
 with
 screws





JLWA319-WT



JLWA320-WT



JLWA319-BK



JLWA320-BK



JLWA319-SL




JLWA320-SL



JLWA319-CR



JLWA320-CR



SMALLER VERSION FOR LWA219 SERIES



code **JLWA319-WT**

casing aluminum / white paint

lampping LED 1W / Ra>80 /70LM

Beam 30 degree /

2700K/~~3000K~~/4000K/6000K

installation IP20

cut-off dia55mm
by 60mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
in ,the light switched off

the head can be rotated 350 degree
left and right, 90 degree up and down



code **JLWA319-BK**

casing aluminum / black paint

code **JLWA319-CR**


casing aluminum / chrome plated

code **JLWA319-SL**

casing aluminum / anodized silver

code **JLWA319-RG**

casing aluminum / anodized rose gold



SMALLER VERSION FOR LWA220 SERIES



code **JLWA320-WT**

casing aluminum / white paint

lampping LED 1W / Ra>80 /70LM

Beam 30 degree /

2700K/~~3000K~~/4000K/6000K

installation IP20

cut-off dia55mm
by 60mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
in ,the light switched off

the head can be rotated 350 degree
left and right, 90 degree up and down



code **JLWA320-BK**

casing aluminum / black paint

code **JLWA320-CR**

casing aluminum / chrome plated


code **JLWA320-SL**

casing aluminum / anodized silver


code **JLWA320-RG**

casing aluminum / anodized rose gold


HOW IT WORKS




STEP1
Cut hole
pattern
on the wall




STEP2
Put the
driver
and
connect
the main




STEP3
Connect
the lamp
to the
driver



STEP6
Turn on
the main
and press
to light
it on



STEP5
Fix the
cover
to the
installed
lamp



STEP4
Fix the
lamp
with
screws




code **JLWA260-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation   **IP20**

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable  anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



 cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llation.




code **JLWA260-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation   **IP20**

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable  anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



 cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llation.




code **JLWA260-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation   **IP20**

supplied with installation box and driver

with touching sensor switch


the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable  anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



 cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llation.



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.


code **JLWA259-BK**
casing aluminum / black paint
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/~~3000K~~/4000K/6000K
installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver
brushed circular
anodized gold
brushed circular
concrete grey paint
similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.


code **JLWA259-WT**
casing aluminum / white paint
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/~~3000K~~/4000K/6000K
installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver
brushed circular
anodized gold
brushed circular
concrete grey paint
similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.

code **JLWA259-CR**
casing aluminum / Chrome plated
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/~~3000K~~/4000K/6000K
installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver
brushed circular
anodized gold
brushed circular
concrete grey paint
similar to RAL7037



THE BEST READING LAMP EVER DESIGNED
 360 DEGREE FREE TURNING
 DEEP RECESSED LIGHT
 FOR ANTI-GLARE PURPOSE
 TURNING BACK AND SWITCHED OFF
 SMART AND EASY INSTALLATION
 BY SCREWING IN ONE NUT
 CHROME /GOLD PLATED
 BLACK / WHITE PAINTING
 FOUR FINISHINGS AVAILABLE
 SMALL/BIG TWO SIZES OPTIONAL



code **JLWA322-CR**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation    IP20
 cut-off 150x45mm
 by 105mm depth hole for
 installation box and driver


supplied with installation box and driver

with built-in switch, when head pressed
 in, the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **JLWA322-BK**
 casing aluminum / black paint
 code **JLWA322-WT**
 casing aluminum / white paint
 code **JLWA322-GD**
 casing aluminum / gold plated

surface customizable  anodized silver
 brushed linear
 concrete grey paint
 similar to RAL7037





JLWA322 - BK




LWA322 - WT




LWA322 - GD


HOW IT WORKS




STEP 1
Cut hole
pattern
on the
wall




STEP 2
Put the
driver
and
connect
to the
main




STEP 3
Fix the
metal
parts
to the
lamp
with the
long nut




STEP 3
Connect
the lamp
with the
driver



STEP 4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction
to fasten
the metal
part



STEP 5
Pull out
the lamp
head
and light
it on



THE BEST READING LAMP EVER DESIGNED

360 DEGREE FREE TURNING

DEEP RECESSED LIGHT

FOR ANTI-GLARE PURPOSE

TURNING BACK AND SWITCHED OFF

SMART AND EASY INSTALLATION

BY SCREWING IN ONE NUT

CHROME /GOLD PLATED

BLACK / WHITE PAINTING

FOUR FINISHINGS AVAILABLE

SMALL/BIG TWO SIZES OPTIONAL

code **JLWA321-CR**

casing aluminum / chrome plated

lamplight LED 3W / Ra>80 / 120LM

Beam 30 degree /
2700K/3000K/4000K/6000K

installation     IP20

 cut-off 125x35mm
by 105mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
in, the light switched off

the head can be rotated 350 degree
left and right, 90 degree up and down

code **JLWA321-BK**

casing aluminum / black paint

code **JLWA321-WT**

casing aluminum / white paint

code **JLWA321-GD**

casing aluminum / gold plated

surface
customizable  anodized silver
brushed linear

 concrete grey paint
similar to RAL7037



LWA321 - WT




LWA321 - BK




LWA321 - GD


HOW IT WORKS




STEP 1
Cut hole
pattern on the
wall




STEP 2
Put the
driver and
connect to the
main




STEP 3
Fix the
metal
parts to the
lamp
with the
long nut




STEP 3
Connect
the lamp
with the
driver



STEP 4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction to
fasten the
metal part



STEP 5
Pull out
the lamp
head
and light
it on




code **JLWA315-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA315-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA315-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA314-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA314-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA314-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA317-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA317-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA317-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available




surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **JLWA316-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available



surface customizable
 anodized silver brushed circular
 anodized gold sandblasted
 concrete grey paint similar to RAL7037




code **JLWA316-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch


lens available



surface customizable
 anodized silver brushed circular
 anodized gold sandblasted
 concrete grey paint similar to RAL7037




code **JLWA316-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available




surface customizable
 anodized silver brushed circular
 anodized gold sandblasted
 concrete grey paint similar to RAL7037






code **JLWA205**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA206**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA203**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA204**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037







code **JLWA067**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLWA070B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLWA070**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLWA061**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLHL9003/1**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLWA067B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLWA224**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003



code **JLWA225**
 casing aluminum / chrome plated
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **JLHL8019A**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20



code **JLHL8019B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003
 anodized black sandblasted
 concrete grey paint similar to RAL7037




code **JLWA186**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam No lense / acrylic cover
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003



code **JLWA230A-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 supplied with installation box and driver
 with touching sensor switch
 surface customizable  white paint similar to RAL9003
 black paint equal to RAL9011




 cut-off dia82mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for installation.




code **JLWA230-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 supplied with installation box and driver
 with touching sensor switch
 surface customizable  white paint similar to RAL9003
 black paint equal to RAL9011



 cut-off dia82mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for installation.




code **JLWA230A-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver

with touching sensor switch

cut-off dia82mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.




code **JLWA230A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver

with touching sensor switch

cut-off dia82mm
 by 60mm depth hole for
 installation box and driver


if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



code **JLWA232A-BK**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 anodized silver brushed linear
 chrome plated

with touching sensor switch



code **JLWA231A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized black sandblasted
 anodized silver brushed linear
 chrome plated

with touching sensor switch



code **JLWA232A-BK**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003
 anodized silver brushed linear
 chrome plated

with touching sensor switch

with 1 meter cable
 plug can customized EU/AU/US standard




code **JLWA231A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  anodized black sandblasted
 anodized silver brushed linear
 chrome plated


with touching sensor switch

with 1 meter cable
 plug can customized EU/AU/US standard




code **JLWA 187-BK**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037
 anodized silver brushed circular
 anodized gold brushed circular



code **JLWA 188**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable  white paint similar to RAL9003









code **JLWA200-BK**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation      IP20

code **JLWA200-WT**
 casing aluminum / White paint





code **JLWA297-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  chrome plated
 concrete grey paint similar to RAL7037

code **JLWA297-BK**
 casing aluminum / black paint


code **JLWA297-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  chrome plated
 concrete grey paint similar to RAL7037

code **JLWA297-SL**
 casing aluminum / anodized silver








code **JLWA298**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With switch on the base

surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037




code **JLWA299**
 casing aluminum / chrome plated
 lamping LED 12W / Ra>80 / 1200LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037




code **JLWA298A**
 casing aluminum / chrome plated
 lamping Shade LED 6W / Ra>80 / 600LM
 Goose LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037




code **JLWA299A**
 casing aluminum / chrome plated
 lamping Shade LED 12W / Ra>80 / 1200LM
 Goose LED 2x3W / Ra>80 / 240LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With four switches on the base


surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037




code **JLWA289-BK**
 casing aluminum / anodized black
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003



code **JLWA289-SL**
 casing aluminum / anodized silver
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003



code **JLWA289-GD**
 casing aluminum / anodized gold
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **JLWA207B**
 casing aluminum / anodized silver
 lamping Shade cob 5W / Ra>90 / 430LM
 Goose LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface customizable

	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003




code **JLWA208B**
 casing aluminum / anodized silver
 lamping Shade cob 5W / Ra>90 / 430LM
 Goose LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface customizable

	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003




code **JLWA209B**
 casing aluminum / anodized silver
 lamping Shade cob 5W / Ra>90 / 430LM
 Goose LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20


With two switches on the base

surface customizable

	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003








code **JLWA207A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K

installation IP20

With switch on the base

surface customizable

	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003




code **JLWA208A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K

installation IP20

With switch on the base

surface customizable

	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003



code **JLWA209A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K

installation IP20


With switch on the base

surface customizable

	anodized gold brushed circular
	black paint equal to RAL9011
	white paint similar to RAL9003


LED BATHROOM LIGHT





code **JLWA 151-SL**
 casing Aluminum / anodized silver
 lamping LED 20W / Ra>80 / 2000LM
 Beam up and down light /
 2700K/3000K/4000K/6000K
 installation     IP20

surface
 customizable  black paint
 equal to RAL9011
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLWA 149-SL**

casing Aluminum / anodized silver

lamping LED 8W / Ra>80 / 800LM

Beam up and down light /


2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037



code **JLWA 150-SL**

casing Aluminum / anodized silver

lamping LED 12W / Ra>80 / 1200LM

Beam up and down light /

2700K/3000K/4000K/6000K


installation     IP20

surface customizable  black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037





code **JLWA 196**

casing Aluminum / anodized black

lamping LED 12W / Ra>80 / 840LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K


Installation     IP20

surface
customizable

 anodized silver
brushed linear

 white paint
similar to RAL9003


 concrete grey paint
similar to RAL7037



code **JLWA195**
 casing Aluminum / anodized silver
 lamping LED 6W / Ra>80 / 420LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  anodized silver brushed linear
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **JLWA237**



casing Aluminum / chrome plated

lamppng LED 3x3W / Ra>80 / 360LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint
equal to RAL9011
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



code **JLWA238**

casing Aluminum / chrome plated


lamppng LED 4x3W / Ra>80 / 480LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation     IP20


surface customizable  black paint
equal to RAL9011
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037






code **JLWA189**
 casing Aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized silver sandblasted




code **JLWA190**
 casing Aluminum / anodized black
 lamping LED 3x3W / Ra>80 / 360LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized silver sandblasted




code **JLWA191**
 casing Aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized silver sandblasted




code **JLWA192**
 casing Aluminum / anodized black
 lamping LED 3x3W / Ra>80 / 360LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized silver sandblasted



code **JLWA193**
 casing Aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation IP20


surface customizable anodized silver sandblasted



code **JLWA194**
 casing Aluminum / anodized black
 lamping LED 3x3W / Ra>80 / 360LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable anodized silver sandblasted





code **JLWA235**

casing steel / chrome plated

lamplng LED 3x1W / Ra>80 / 210LM

Beam acrylic diffuser /


2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037



code **JLWA236**

casing steel / chrome plated

lamplng LED 4x1W / Ra>80 / 280LM

Beam acrylic diffuser /


2700K/3000K/4000K/6000K

installation     IP20

surface customizable  black paint equal to RAL9011


 white paint similar to RAL9003

 concrete grey paint similar to RAL7037





code **JLWA285**
 casing Aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation   **CE**  **IP20**

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA286**
 casing Aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation   **CE**  **IP20**

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA287**
 casing Aluminum / chrome plated
 lamping LED 10W / Ra>80 / 1000LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation   **CE**  **IP20**

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



LED PENDA

NT LIGHTS



code JLHLO12-WT

surface
customizable



chrome plated



concrete grey paint
similar to RAL7037



anodized gold
brushed circular

casing aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable



code JLHLO12-BK

surface
customizable



chrome plated



concrete grey paint
similar to RAL7037



anodized gold
brushed circular

casing aluminum / black painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable











code JLPL045-BK

surface
customizable



chrome plated



concrete grey paint
similar to RAL7037



anodized gold
brushed linear

casing aluminum / black painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 25x25mm x 350mm 1meter cable / cable length customizable



code JLPL045-WT

surface
customizable



chrome plated



concrete grey paint
similar to RAL7037




anodized gold
brushed linear

casing aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 25x25mm x 350mm 1meter cable / cable length customizable







code JLPL201-RD / JLPL201-BK / JLPL201-WT

casing aluminum / red/black/white painting / lamping LED 1W / Ra>80 / 70LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 16mm x 1100mm 1meter cable / cable length customizable

surface
customizable



chrome plated




concrete grey paint
similar to RAL7037



anodized gold
brushed linear









JLPL149



JLPL151



JLPL150

code **JLPL149**

casing aluminum / anodized black / lamping LED 3W / Ra>80 / 210LM / Beam 30 degree / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia38mm x 385mm 1meter cable / cable length customizable

code **JLPL150**

casing aluminum / anodized black / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia54mm x 635mm 1meter cable / cable length customizable

code **JLPL151**

casing aluminum / anodized black / lamping LED 9W / Ra>80 / 630LM / Beam 30 degree / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia70mm x 920mm 1meter cable / cable length customizable





code JLPL264-BK / JLPL264-CR / JLPL264-WT

surface
customizable

concrete grey paint
similar to RAL7037

casing Steel tube / black/chrome/white painting / lamping cob 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable



code JLPL226-CR / JLPL226-BK / JLPL226-WT

surface
customizable

concrete grey paint
similar to RAL7037

casing steel tube / chrome/black/white painting / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable







code JLPL274-BK / JLPL264-WT

surface
customizable

concrete grey paint
similar to RAL7037

casing Steel tube and shade / black/white painting / lamping cob 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x 580mm 1meter cable / cable length customizable





JLPL 152-BK



JLPL 153-BK



JLPL 152-WT



JLPL155-BK



JLPL155-WT



JLPL154-BK



JLPL153-WT







code JLPL152-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL152-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL153-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL153-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL154-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL154-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL155-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 300mm 1meter cable / cable length customizable

code JLPL155-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 100mm x 120mm 1meter cable / cable length customizable



LPL287-BK



LPL288-BK



LPL286-BK



LPL290-BK

code JLPL286-BK / JLPL286-WT

surface
customizable



chrome plated



concrete grey paint
similar to RAL7037



anodized gold
brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 75mm 2meter cable / cable length customizable

code JLPL287-BK / JLPL287-WT

surface
customizable



chrome plated



concrete grey paint
similar to RAL7037



anodized gold
brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 65mm x 75mm 2meter cable / cable length customizable



code **JLPL288-BK / JLPL288-WT** surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 75mm x 80mm 2meter cable / cable length customizable

code **JLPL290-BK / JLPL290-WT** surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 68mm x 75mm 2meter cable / cable length customizable



code **JLPL268-BK**

surface
customizable

concrete grey paint
similar to RAL7037

casing beech rod and aluminum / anodized black / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code **JLPL268-CR**

surface
customizable

concrete grey paint
similar to RAL7037

casing beech rod and aluminum / Chrome plated / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code **JLPL268-WT**

surface
customizable

concrete grey paint
similar to RAL7037

casing beech rod and aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable





code **JLPL262**

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 60x60x300mm 1meter cable / cable length customizable

code **JLPL263**

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 105x105x240mm 1meter cable / cable length customizable



JLPL 191



JLPL 190

code **JLPL 190** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 5W / Ra>90 / 430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 60x230mm 1meter cable / cable length customizable

code **JLPL 191** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 12W / Ra>90 / 900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 102x260mm 1meter cable / cable length customizable



code **JLPL119**

surface
customizable

■ black paint
equal to RAL9011

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation ■ ■ ■ ■ IP20 lamp shade dia 60x100mm 1meter cable / cable length customizable

code **JLPL120**

surface
customizable

■ black paint
equal to RAL9011

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation ■ ■ ■ ■ IP20 lamp shade dia 102x100mm 1meter cable / cable length customizable



code **JLPL185**

surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 5W / Ra>90 / 430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 60x60x280mm 1meter cable / cable length customizable

code **JLPL186**

surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 12W / Ra>90 / 900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 105x105x150mm 1meter cable / cable length customizable



code **JLPL185**

surface
customizable

black paint
equal to RAL9011

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / anodized silver / lamping COB 5W / Ra>90 / 430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 60x60x280mm 1meter cable / cable length customizable

code **JLPL186**

surface
customizable

black paint
equal to RAL9011

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / anodized silver / lamping COB 12W / Ra>90 / 900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 105x105x150mm 1meter cable / cable length customizable



code **JLPL 166-BK** surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / black painting / lamping LED 3x4W / Ra>80 / 1200LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable/ 50x30x670mm base



code **JLPL 167-BK** surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / black painting / lamping LED 4x4W / Ra>80 / 1600LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable/ 50x30x955mm base



code **JLPL 168-BK** surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / black painting / lamping LED 3x4W / Ra>80 / 1200LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1 meter cable / cable length customizable/ 720mm length



code **JLPL 169-BK**

surface
customizable

white paint
similar to RAL9003

chrome plated

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / black painting / lamping LED 4x4W / Ra>80 / 1600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1 meter cable / cable length customizable/ 1000mm length



code **JLPL170-BK**

surface
customizable

white paint
similar to RAL9003

chrome plated

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / black painting / lamping LED 5x4W / Ra>80 / 2000LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable/ 1000mm length





code JLPL187

surface
customizable



white paint
similar to RAL9003



chrome plated



concrete grey paint
similar to RAL7037



anodized gold
brushed circular

casing aluminum / anodized black / lamping LED 3W / Ra>80 / 120LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable



code JLPL188

surface
customizable

white paint
similar to RAL9003


chrome plated

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black / lamping LED 3x3W / Ra>80 / 360LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable / base 50x30x500mm









JLPL 174



JLPL 176

code **JLPL 174** surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia 60mm x 157mm 1meter cable / cable length customizable

code **JLPL 176** surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia 110mm x 62mm 1meter cable / cable length customizable



JLPL236



JLPL237



JLPL238

code **JLPL236**

surface
customizable

white paint
similar to RAL9003

chrome plated

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 60mm x 195mm / 1meter cable / cable length customizable

code **JLPL237**

surface
customizable

white paint
similar to RAL9003

chrome plated

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 80mm x 115mm / 1meter cable / cable length customizable

code **JLPL238**

surface
customizable

white paint
similar to RAL9003

chrome plated

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 110mm x 70mm / 1meter cable / cable length customizable



code JLPL239

surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3x5W / Ra>90 / 1290LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade as line drawing / 1 meter cable / cable length customizable



code **JLPL273**

surface
customizable



black paint
equal to RAL9011



chrome plated



concrete grey paint
similar to RAL7037

casing steel / white painting / lamping SMD 7x6W / Ra>80 / 4200LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade totally dia320x320mm / 1meter cable / cable length customizable



code **JLPL272**

surface
customizable



black paint
equal to RAL9011



chrome plated



concrete grey paint
similar to RAL7037

casing steel / white painting / lamping SMD 3x6W / Ra>80 / 1800LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade totally dia 220x290mm / 1meter cable / cable length customizable

code **JLPL271**

surface
customizable



black paint
equal to RAL9011



chrome plated



concrete grey paint
similar to RAL7037

casing steel / white painting / lamping SMD 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 100x290mm / 1meter cable / cable length customizable



code **JLPL292-BK**

casing aluminum / anodized black / lamping E27 Socket / bulb not inculed

installation     IP20

lamp shade dia 140x230mm / 1meter cable / cable length customizable

surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037

code **JLPL292-GD**

casing aluminum / anodized gold / lamping E27 Socket / bulb not inculed

installation     IP20

lamp shade dia 140x230mm / 1meter cable / cable length customizable

surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037

code **JLPL292-SL**

casing aluminum / anodized silver / lamping E27 Socket / bulb not inculed

installation     IP20

lamp shade dia 140x230mm / 1meter cable / cable length customizable

surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



code **JLPL293-BK**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping SMD 6W / Ra>80 / 600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

code **JLPL293-SL**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping SMD 6W / Ra>80 / 600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

code **JLPL293-GD**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized gold / lamping SMD 6W / Ra>80 / 600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable





surface
customizable

all following color
can be seperately
used for up and down
ring shade

-  black paint
equal to RAL9011
-  white paint
similar to RAL9003
-  concrete grey paint
similar to RAL7037
-  anodized silver
brushed circular

code JLPL173-BK / JLPL173-CR / JLPL173-GD

casing aluminum / down ring white painting + up ring black painting / chrome plated / anodized gold / lamping E27 Socket / bulb not inculed

installation     IP20 lamp shade dia148x270mm / 1meter cable / cable length customizable



JLPL217



JLPL215

code JLPL217

casing aluminum heat sink and ceramic shade / lighting COB 5W / Ra>90 / 430LM / no reflector / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade dia 205mm x 100mm 1meter cable / cable length customizable

code JLPL215

casing aluminum heat sink and ceramic shade / lighting COB 5W / Ra>90 / 430LM / no reflector / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 180mm x 100mm 1meter cable / cable length customizable





JLPL281



JLPL279

code JLPL281

surface
customizable



white paint
similar to RAL9003



concrete grey paint
similar to RAL7037



anodized black
sandblasted

casing aluminum heat sink and crystal glass shade / chrome / lamping SMD 4W / Ra>80 / 400LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 350mm x 145mm 1meter cable / cable length customizable / check page 001 for line drawing

code JLPL279

surface
customizable



white paint
similar to RAL9003



concrete grey paint
similar to RAL7037



anodized black
sandblasted

casing aluminum heat sink and crystal glass shade / chrome / lamping SMD 10W / Ra>80 / 1000LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 220mm x 220mm 1meter cable / cable length customizable / check page 001 for line drawing



JLPL280



JLPL282

code **JLPL280**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized black sandblasted

casing aluminum case and crystal glass shade / chrome / E27 socket / bulb not included /

installation     IP20 lamp shade dia 220mm x 220mm 1meter cable / cable length customizable / check page 001 for line drawing

code **JLPL282**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized black sandblasted

casing aluminum case and crystal glass shade / chrome / E27 socket / bulb not included /

installation     IP20 lamp shade dia 350mm x 130mm 1meter cable / cable length customizable / check page 001 for line drawing







code **JLPL194**

surface
customizable

anodized silver
brushed circular

anodized black
sandblasted

white paint
similar to RAL9003

casing aluminum / chrome plated / lamping LED 20W / Ra>80 / 2000LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia 102mm x H32mmx total 742mm long / 1meter cable / cable length customizable



code **JLPL205**

surface
customizable

black paint
equal to RAL9011

white paint
similar to RAL9003

anodized gold
sandblasted

casing aluminum / anodized silver / lamping LED 20W / Ra>80 / 2000LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade 120mm x 29mm x 1100mm long / 1meter cable / cable length customizable





JLPL 196



JLPL 197

code **JLPL 196**

surface
customizable



black paint
equal to RAL9011



white paint
similar to RAL9003



anodized silver
brushed circular



anodized gold
brushed circular

casing aluminum / chrome plated / lamping LED 18W / Ra>80 / 1800LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade totally dia 385 mm / 1 meter cable / cable length customizable

code **JLPL 197**

surface
customizable



black paint
equal to RAL9011



white paint
similar to RAL9003



anodized silver
brushed circular



anodized gold
brushed circular

casing aluminum / chrome plated / lamping LED 36W / Ra>80 / 3600LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade totally dia 424 mm / 1 meter cable / cable length customizable





code JLPL212-BK

surface
customizable

concrete grey paint
similar to RAL7037

anodized silver
sandblasted

anodized gold
sandblasted

casing aluminum / black painting / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade total dia 585mm / 1meter cable / cable length customizable



code **JLPL212-WT**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ anodized silver
sandblasted

■ anodized gold
sandblasted

casing aluminum / white painting / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade total dia 585mm / 1meter cable / cable length customizable



code JLPL213-BK

surface
customizable

concrete grey paint
similar to RAL7037

anodized silver
sandblasted

anodized gold
sandblasted

casing aluminum / black painting / lamping LED 24x3W / Ra>80 / 2880LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade total dia 655mm / 1meter cable / cable length customizable



code JLPL213-WT

surface
customizable



concrete grey paint
similar to RAL7037



anodized silver
sandblasted



anodized gold
sandblasted

casing aluminum / White painting / lamping LED 24x3W / Ra>80 /2880LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade total dia 655mm / 1meter cable / cable length customizable










JLPL214-BK



JLPL214-WT





code **JLPL214-BK**

surface
customizable



concrete grey paint
similar to RAL7037



anodized silver
sandblasted



anodized gold
sandblasted

casing aluminum / black painting / lamping LED 42x3W / Ra>80 / 5040LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade total dia 775mm / 1meter cable / cable length customizable

code **JLPL214-WT**

surface
customizable



concrete grey paint
similar to RAL7037



anodized silver
sandblasted




anodized gold
sandblasted

casing aluminum / white painting / lamping LED 42x3W / Ra>80 / 5040LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade total dia 775mm / 1meter cable / cable length customizable



code **JLPL256**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

anodized gold
sandblasted

casing aluminum / black painting / lamping LED 108W / Ra>80 / 10800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 Ring dia 659/790/922mm / 1meter cable / cable length customizable





code **JLPL252**

surface
customizable



white paint
similar to RAL9003



concrete grey paint
similar to RAL7037



anodized gold
sandblasted

casing aluminum / black painting / lamping LED 24W / Ra>80 / 2400LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 527mm / 1meter cable / cable length customizable

code **JLPL253**

surface
customizable



white paint
similar to RAL9003



concrete grey paint
similar to RAL7037



anodized gold
sandblasted

casing aluminum / black painting / lamping LED 30W / Ra>80 / 3000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 659mm / 1meter cable / cable length customizable



code **JLPL254**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

anodized gold
sandblasted

casing aluminum / black painting / lamping LED 36W / Ra>80 / 3600LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 Ring dia 790mm / 1 meter cable / cable length customizable

code **JLPL255**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

anodized gold
sandblasted

casing aluminum / black painting / lamping LED 42W / Ra>80 / 4200LM / acrylic cover / 2700K/3000K/4000K/6000K


installation     IP20 Ring dia 922mm / 1 meter cable / cable length customizable



JLPL222



JLPL221



JLPL223

code **JLPL221**

surface
customizable

concrete grey paint
similar to RAL7037

white paint
similar to RAL9003

casing aluminum heat sink / white paint inside / black paint outside / lamping COB 9W / Ra>90 / 800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 250 mm x 200mm 1meter cable / cable length customizable

code **JLPL222**

surface
customizable

concrete grey paint
similar to RAL7037

white paint
similar to RAL9003

casing aluminum heat sink / white paint inside / black paint outside / lamping COB 9W / Ra>90 / 800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 200 mm x 180mm 1meter cable / cable length customizable

code **JLPL223**

surface
customizable

concrete grey paint
similar to RAL7037


white paint
similar to RAL9003

casing aluminum heat sink / white paint inside / black paint outside / lamping COB 9W / Ra>90 / 800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade dia 300 mm x 90mm 1meter cable / cable length customizable



JLPL 164



JLPL 162



JLPL 163

code **JLPL 162**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / white paint inside / lamping COB 9W / Ra>90 / 800LM / acrylic cover inside / 2700K/3000K/4000K/6000K
steel shade black paint outside

installation ■ ■ ■ ■ IP20 lamp shade dia 360 mm x 95mm 1meter cable / cable length customizable

code **JLPL 163**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / white paint inside / lamping COB 9W / Ra>90 / 800LM / acrylic cover inside / 2700K/3000K/4000K/6000K
steel shade black paint outside

installation ■ ■ ■ ■ IP20 lamp shade dia 350 mm x 173mm 1meter cable / cable length customizable

code **JLPL 164**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / white paint inside / lamping COB 9W / Ra>90 / 800LM / acrylic cover inside / 2700K/3000K/4000K/6000K
steel shade black paint outside

installation ■ ■ ■ ■ IP20 lamp shade dia 270 mm x 185mm 1meter cable / cable length customizable



code **JLPL 172-GD**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / gold plated
steel shade stainless steel reflector / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code **JLPL 172-RG**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / rose gold plated
steel shade stainless steel reflector / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code **JLPL 172-CR**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / chrome plated
steel shade stainless steel reflector / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable



code **JLPL171-GD**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / gold plated stainless steel reflector / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation ■ ■ ■ IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code **JLPL171-RG**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / rose gold plated stainless steel reflector / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation ■ ■ ■ IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code **JLPL171-CR**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

casing aluminum heat sink / chrome plated stainless steel reflector / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation ■ ■ ■ IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable



code **JLPL172-BK / JLPL172-WT**

casing aluminum heat sink / black / white paint / for outside and white paint / lamping

installation     **IP20**

lamp shade dia 380 mm / 1meter cable / cable length customizable

surface customizable  concrete grey paint similar to RAL7037

2700K/3000K/4000K/6000K

code **JLPL172-RD / JLPL172-YW / JLPL172-GN**

casing aluminum heat sink / red / yellow / green paint / for outside and white paint / lamping

installation     **IP20**

lamp shade dia 380 mm / 1meter cable / cable length customizable

surface customizable  concrete grey paint similar to RAL7037

2700K/3000K/4000K/6000K



code JLPL171-BK / JLPL171-WT

casing aluminum heat sink / steel shade black / white paint for outside and white paint for down side

installation     IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

surface customizable  concrete grey paint similar to RAL7037

2700K/3000K/4000K/6000K

code JLPL171-RD / JLPL171-YW / JLPL172-GN

casing aluminum heat sink / steel shade red / yellow / green paint for outside and white paint for down side

installation     IP20


lamp shade dia 380 mm / 1meter cable / cable length customizable

surface customizable  concrete grey paint similar to RAL7037


2700K/3000K/4000K/6000K



Cone -shape
base with no
installation
nuts outside
makes the
whole lamp
harmonious



Spot light inside
the cape
makes this series
unique
it becomes a
hanging spotlight
when people
thinks it is diffused



It has a perfect
structure with
no any screw
or nuts outside
the lamp
the whole design
looks so harmonius

code JLPL227-WT / JLPL227-GR / JLPL227-BK

casing aluminum heat sink / white / grey / black / lamping COB 5W / Ra>90 / 430LM / 10/23/38 degree / 2700K/3000K/4000K/6000K
steel shade inside and outside

installation     IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable



code **JLPL172-BK / JLPL172-WT**

casing aluminum heat sink / black / white paint
steel shade / for outside and white paint / lamping

installation     **IP20**

lamp shade dia 380 mm / 1meter cable / cable length customizable

surface customizable  concrete grey paint similar to RAL7037

2700K/3000K/4000K/6000K

code **JLPL172-RD / JLPL172-YW / JLPL172-GN**


casing aluminum heat sink / red / yellow / green paint
steel shade / for outside and white paint / lamping

installation     **IP20**

lamp shade dia 380 mm / 1meter cable / cable length customizable

surface customizable  concrete grey paint similar to RAL7037


2700K/3000K/4000K/6000K



Cone -shape
base with no
installation
nuts outside
makes the
whole lamp
harmonious



With a little
aluminum piece
the acrylic cover
installed on the
cape diffuses
the light soft
and even



It has a perfect
structure with
no any screw
or nuts outside
the lamp
the whole design
looks so harmonius

code **JLPL298-BK / JLPL298-WT**

casing aluminum heat sink / black / white paint
steel shade inside and outside

installation     IP20

lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable

surface
customizable

 concrete grey paint
similar to RAL7037


/ lamping SMD 10W / Ra>80 / 1000LM / acrylic diffuser / 2700K/3000K/4000K/6000K



Cone -shape
base with no
installation
nuts outside
makes the
whole lamp
harmonious



With a little
aluminum piece
the acrylic cover
installed on the
cape diffuses
the light soft
and even



It has a perfect
structure with
no any screw
or nuts outside
the lamp
the whole design
looks so harmonius

code JLPL299-WT / JLPL299-BK

casing aluminum heat sink / white / black paint
steel shade inside and outside

installation     IP20

lamp shade dia 310 mm x 213mm 1meter cable / cable length customizable


surface
customizable

 concrete grey paint
similar to RAL7037

2700K/3000K/4000K/6000K



RELATED PRODUCTS IN THIS SERIES



Wall type
in white
LWA318-WT



Wall type
in grey
LWA318-GR



Ceiling type
in white
LBL231-WT



Ceiling type
in grey
LBL231-GR

code **JLPL312-WT**


casing aluminum heat sink / white paint / lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable

surface customizable  black paint equal to RAL9011



RELATED PRODUCTS IN THIS SERIES



Wall type
in white
LWA318-WT



Wall type
in grey
LWA318-GR



Ceiling type
in white
LBL231-WT



Ceiling type
in grey
LBL231-GR

code **JLPL312-GR**

casing aluminum heat sink / grey paint
steel sheet


installation     IP20

lamp sheet Max dia 550 mm / 1meter cable / cable length customizable


surface customizable  black paint
equal to RAL9011

lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

LED PENDANT MEASUREMENTS




JLHL012




JLPL045




JLPL201



JLPL149



JLPL150




JLPL151




JLPL264




JLPL226



JLPL274




JLPL152




JLPL153



JLPL154



JLPL155




JLPL286




JLPL287



JLPL288




JLPL290



JLPL268



JLPL262




JLPL263



JLPL190



JLPL191




JLPL119




JLPL120

LED PENDANT MEASUREMENTS




JLPL185


JLPL186




JLPL165




JLPL166




JLPL167




JLPL168




JLPL169



JLPL170




JLPL187



JLPL188



JLPL174



JLPL176




JLPL236




JLPL237



JLPL238



JLPL239



JLPL273


LED PENDANT MEASUREMENTS



JLPL272



JLPL271




JLPL292




JLPL293




JLPL173




JLPL217




JLPL215



JLPL281




JLPL279




JLPL282




JLPL280



JLPL194




JLPL205




JLPL196




JLPL197



JLPL212




JLPL213



JLPL214

LED PENDANT MEASUREMENTS




JLPL252

JLPL253

JLPL254

JLPL255

JLPL256



JLPL221


JLPL222

JLPL223

JLPL162

JLPL163

JLPL164




JLPL171

JLPL172

JLPL227



JLPL228




JLPL298

JLPL299

JLPL312





LED CEILING LIGHT












code **JLBL 104**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / white painting / lamping SMD 4W / Ra>80 / 400LM / wide flood / 2700K/3000K/4000K/6000K

installation ■ ⊕ CE V IP20




code **JLBL 105**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / white painting / lamping SMD 10W / Ra>80 / 1000LM / wide flood / 2700K/3000K/4000K/6000K

installation ■ ⊕ CE V IP20




code **JLBL 106**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / white painting / lamping SMD 20W / Ra>80 / 2000LM / wide flood / 2700K/3000K/4000K/6000K

installation ■ ⊕ CE V IP20





code **JLBL 118** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 / 430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **JLBL 119** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 9W / Ra>90 / 800LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **JLBL 120** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 12W / Ra>90 / 900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL 135-BK**


surface
customizable

concrete grey paint
similar to RAL7037

anodized gold
sandblasted

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL 136-BK**


surface
customizable

concrete grey paint
similar to RAL7037

anodized gold
sandblasted

casing aluminum / black painting / lamping COB 9W / Ra>90 / 800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL 137-BK**


surface
customizable

concrete grey paint
similar to RAL7037

anodized gold
sandblasted

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL 135-WT**


surface
customizable

■ concrete grey paint
similar to RAL7037

■ anodized gold
sandblasted

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code **JLBL 136-WT**


surface
customizable

■ concrete grey paint
similar to RAL7037

■ anodized gold
sandblasted

casing aluminum / white painting / lamping COB 9W / Ra>90 / 800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code **JLBL 137-WT**

surface
customizable




■ concrete grey paint
similar to RAL7037

■ anodized gold
sandblasted

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001






code **JLBL 172-BK**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed

casing aluminum / anodized black / lamping SMD 10W / Ra>80 / 1000LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL 172-SL**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed

casing aluminum / anodized silver / lamping SMD 10W / Ra>80 / 1000LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001



GO RIGHT AHEAD

THRIVING FLOURISHING





Microwave sensor
customizable



Dimming
customizable

TRIAC
DALI
0/1-10V



code **JLBL201-WT**

TUV / SAA / cTUVus approved

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **JLBL202-WT**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code **JLBL203-WT**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




Microwave sensor
customizable



Dimming
customizable

TRIAC
DALI
0/1-10V




code **JLBL203-WT**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **JLBL204-WT**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code **JLBL205-WT**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



Mircrowave sensor
customizable



Dimming
customizable

TRIAC
DALI
0/1-10V



code **JLBL201-BK**


TUV / SAA / cTUVus approved

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **JLBL202-BK**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code **JLBL203-BK**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



Mircrowave sensor
customizable




Dimming
customizable

TRIAC

DALI

0/1-10V




code **JLBL203-BK**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **JLBL204-BK**

surface
customizable

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code **JLBL205-BK**

surface
customizable


concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V








code **JLBLO74-WT / JLBLO74-BK**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white/black painting / lamping LED 6x2W / Ra>80 / 1134 LM / 10/20/30/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBLO75-WT / JLBLO75-BK**


surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white/black painting / lamping LED 12x2W / Ra>80 / 2268 LM / 10/20/30/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001








code **JLBL176**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL177**



surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 24W / Ra>90 / 1800LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001








code **JLBLOO1-WT**

casing aluminum / white painting / Gu10 socket / bulb not included

installation     IP20

surface
customizable

 concrete grey paint
similar to RAL7037




code **JLBLOO2-WT**

casing aluminum / white painting / 2x Gu10 socket / bulb not included

installation     IP20

surface
customizable

 concrete grey paint
similar to RAL7037




code **JLBLOO3-WT**

casing aluminum / white painting / 3x Gu10 socket / bulb not included

installation     IP20

surface
customizable

 concrete grey paint
similar to RAL7037




code **JLBLOO1-BK**

casing aluminum / black painting / Gu10 socket / bulb not included

installation    IP20

surface
customizable

 concrete grey paint
similar to RAL7037




code **JLBLOO2-BK**

casing aluminum / black painting / 2x Gu10 socket / bulb not included

installation    IP20

surface
customizable

 concrete grey paint
similar to RAL7037



code **JLBLOO3-BK**

casing aluminum / black painting / 3x Gu10 socket / bulb not included

installation    IP20

surface
customizable

 concrete grey paint
similar to RAL7037






code **JLWA 173**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20

surface
customizable


 black paint
equal to RAL9011  concrete grey paint
similar to RAL7037



code **JLWA 174**
 casing aluminum / black painting
 lamping COB 2X5W / Ra>90 / 860LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20

surface
customizable


 black paint
equal to RAL9011  concrete grey paint
similar to RAL7037



code **JLWA 175**
 casing aluminum / black painting
 lamping COB 3X5W / Ra>90 / 1290LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20

surface
customizable

 black paint
equal to RAL9011  concrete grey paint
similar to RAL7037








code **JLBL602**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 420LM
 Beam 10/20/~~30~~/45/60 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable

 black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037
 anodized silver sandblasted
 anodized gold brushed circular




code **JLBL050**
 casing aluminum / white paint
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/~~38~~/60 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable

 black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver sandblasted
 anodized gold brushed circular



code **JLBL057**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 420LM
 Beam 10/20/~~30~~/45/60 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable

 black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver sandblasted
 anodized gold brushed circular






JLWA096




JLWA095




JLWA098




JLWA099




code **JLBL095** surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized silver brushed circular  anodized gold brushed circular
casing aluminum / black plated / lamping LED 3W / Ra>80 / 210LM / 15/30/60 degree / 2700K/3000K/4000K/6000K
installation     IP20 check photometric on page 001



code **JLBL096** surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized silver brushed circular  anodized gold brushed circular
casing aluminum / black plated / lamping LED 3W / Ra>80 / 210LM / 15/30/60 degree / 2700K/3000K/4000K/6000K
installation     IP20 check photometric on page 001



code **JLBL098** surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized silver brushed circular  anodized gold brushed circular
casing aluminum / black plated / lamping LED 6W / Ra>80 / 420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K
installation     IP20 check photometric on page 001




code **JLBL099** surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized silver brushed circular  anodized gold brushed circular
casing aluminum / black plated / lamping LED 6W / Ra>80 / 420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K
installation     IP20 check photometric on page 001






code **JLBLO49**
 casing aluminum / white paint
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20




code **JLBLO54**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 210LM
 Beam 15/30/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20







code **JLBL110-BK**
 casing aluminum / anodized black
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation IP20




code **JLBL110-WT**
 casing aluminum / white paint
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation IP20



code **JLBL111-BK**
 casing aluminum / anodized black
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation IP20



code **JLBL111-SL**
 casing aluminum / anodized silver
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation IP20





code **JLBLO48-WT**

casing aluminum / white plated / lamping led 6W / Ra>80 / 420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **JLBLO48-BK**

casing aluminum / anodized black / lamping led 6W / Ra>80 / 420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




code **JLBL052**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




code **JLBL053**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 9W / Ra>90 / 800LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




code **JLBL083**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping led 9x3W / Ra>80 / 1921LM / 15/30/45/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




code **JLBL084**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping led 9x3W / Ra>80 / 1921LM / 15/30/45/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



SURFACE MOUNTED
STYLISH DOWNLIGHT
ROTATABLE HEADS
LENS INSIDE
CAN BE USED
AS A SPOTLIGHT

code **JLBL 162-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / white paint / lamping led 9x1W / Ra>80 / 630LM / 15/30/60 degree / 2700K/3000K/4000K/6000K


installation     IP20 head 60 degree rotatable

code **JLBL 162-BK**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / anodized black / lamping led 9x1W / Ra>80 / 630LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 head 60 degree rotatable



code **JLBL207**

surface customizable



concrete grey paint similar to RAL7037




anodized silver sandblasted



anodized gold sandblasted

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code **JLBL208**

surface customizable



concrete grey paint similar to RAL7037




anodized silver sandblasted



anodized gold sandblasted

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code **JLBL209**

surface customizable



concrete grey paint similar to RAL7037



anodized silver sandblasted




anodized gold sandblasted

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001







surface
customizable


-  anodized silver
brushed linear
-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed linear

code **JLBL 116-WT / JLBL 116-BK / JLBL 116-SL**

lamp length can be customized to 1800mm/2400mm.
LED can be customized to 40W high lumen output

casing aluminum / white/black paint/anodized silver / lamping SMD 20W / Ra>80 / 1600LM / Acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 easy installation with spring clip, no screw installation / check photometric on page 001



surface
customizable


- concrete grey paint
similar to RAL7037
- anodized gold
brushed linear

code JLBL115-WT / JLBL115-BK / JLBL115-SL

lamp length can be customized to 1800mm/2400mm,
LED can be customized to 40W/1.2m high lumen output

casing aluminum / white/black paint/ anodized silver / lamping SMD 20W / Ra>80 / 1600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 easy installation with spring clip, no screw installation / check photometric on page 001



There is big difference bewtween this series and other surface mounted spot lights, that is the lighting head could be moved freely along the aluminium extrusion. The light could be turned and moved, it helps to light objects in unfixed position. It shows like a surface mounted downlight but it functions like a track and several track lights.

surface customizable


-  black paint equal to RAL9011
-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037
-  anodized gold brushed linear

code **JLBL108-5-SL**

lamp length can be customized to any size below 2400mm.
Number of spots can be customized to any qty if space permits


casing aluminum / anodized silver / lamping COB 5X5W / Ra>90 / 2150LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 easy installation , no screw seen on both sides



surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037
- anodized gold
brushed linear



surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037
- anodized gold
brushed linear

code **JLBL 108-2-SL**

lamp length can be customized to any size below 2400mm.
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 2X5W / Ra>90 / 860LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 easy installation , no screw seen on both sides

code **JLBL 108-3-SL**

lamp length can be customized to any size below 2400mm.
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 3X5W / Ra>90 / 1290LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 easy installation , no screw seen on both sides



BAYMAX SERIES SURFACE DOWNLIGHT

This series is consisted of pendants, surface downlights, spotlights. The idea is to make a ultimate surface downlight, with perfect shape and perfect light. The baymax series has realized all of this purpose, with square shape but nicely curved, and 23 degree beam, white painting. All above perfectly match the modern house decoration.

The name of BAYMAX comes from a Japanese cartoon film. BAYMAX is the major character of the film. He is warm hearted, but very strong and skilled. He is trained to protect people. Just like Baymax, this series of light have got nice white housing, and strong warm heart-high lumen output, with no harm to people--with anti-glare angle and checker glass front cover.

surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
sandblasted
-  anodized gold
sandblasted



code **JLBL210**

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **JLBL211**

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **JLBL212**

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




BAYMAX SERIES SURFACE DOWNLIGHT BIGGER VERSION

This series is consisted of pendants, surface downlights, spotlights. The idea is to make a ultimate surface downlight, with perfect shape and perfect light. The baymax series has realized all of this purpose, with square shape but nicely curved, and 23 degree beam, white painting. All above perfectly match the modern house decoration.

The name of BAYMAX comes from a Japanese cartoon film. BAYMAX is the major character of the film. He is warm hearted, but very strong and skilled. He is trained to protect people. Just like Baymax, this series of light have got nice white housing, and strong warm heart-high lumen output, with no harm to people--with anti-glare angle and checker glass front cover.

surface
customizable


-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
sandblasted
-  anodized gold
sandblasted



code **JLBL213**

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **JLBL214**

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




code **JLBL215**

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



LAZER SERIES
SURFACE DOWNLIGHT
BLACK FRONT COVER
65 DEGREE ANT-GLARE ANGLE
23 DEGREE BEAM ANGLE
PERFECT LIGHT CIRCLE



surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  chrome plated

code **JLBL219-GD**
casing aluminum / anodized gold
lamping COB 5W / Ra>90 / 430LM
Beam 15/**23**/38 degree /
2700K/**3000K**/4000K/6000K
installation     IP20

code **JLBL219-SL**
casing aluminum / anodized silver
lamping COB 5W / Ra>90 / 430LM
Beam 15/**23**/38 degree /
2700K/**3000K**/4000K/6000K
installation     IP20

code **JLBL219-WT**
casing aluminum / white painting
lamping COB 5W / Ra>90 / 430LM
Beam 15/**23**/38 degree /
2700K/**3000K**/4000K/6000K
installation     IP20



LAZER SERIES
SURFACE DOWNLIGHT
BLACK FRONT COVER
65 DEGREE ANT-GLARE ANGLE
23 DEGREE BEAM ANGLE
PERFECT LIGHT CIRCLE
9W MIDDLE SIZE



surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  chrome plated


code **JLBL220-GD**
casing aluminum / anodized gold
lamping COB 9W / Ra>90 / 800LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation     IP20

code **JLBL220-SL**
casing aluminum / anodized silver
lamping COB 9W / Ra>90 / 800LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation     IP20

code **JLBL220-WT**
casing aluminum / white painting
lamping COB 9W / Ra>90 / 800LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation     IP20



LAZER SERIES
SURFACE DOWNLIGHT
BLACK FRONT COVER
65 DEGREE ANT-GLARE ANGLE
23 DEGREE BEAM ANGLE
PERFECT LIGHT CIRCLE
12W LARGE SIZE



surface
customizable


-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  chrome plated

code **JLBL221-GD**
casing aluminum / anodized gold
lamping COB 12W / Ra>90 /900LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation     IP20


code **JLBL221-SL**
casing aluminum / anodized silver
lamping COB 12W / Ra>90 /900LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation     IP20

code **JLBL221-WT**
casing aluminum / white painting
lamping COB 12W / Ra>90 /900LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation     IP20





code **JLBL229-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation      IP20



code **JLBL229-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation      IP20



code **JLBL229-SL**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation      IP20




code **JLBL229-GD**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation      IP20



code **JLBL229-CR**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation      IP20




LED CHANDELIER











code **JLBL 169**


surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/**3000K** / 4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **JLBL167**


surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / anodized black / lamping LED 6x3W / Ra>80 / 720LM / acrylic diffuser / 2700K/3000K / 4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **JLBL168**


surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/3000K / 4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **JLBL 170**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037


casing aluminum / anodized black /

lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser /

2700K/3000K
/4000K/6000K

installation     IP20

DALI / 0/1-10V / TRIAC dimming driver customizable



code **JLBL 171**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037


casing aluminum / anodized black /

lamping LED 18x3W / Ra>80 / 2160LM / acrylic diffuser /

2700K/3000K
/4000K/6000K

installation     IP20

DALI / 0/1-10V / TRIAC dimming driver customizable




code **JLBL 143**

surface customizable black paint equal to RAL9011 white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 24x1W / Ra>80 / 1680LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable





code **JLBL 139**

surface
customizable


■ black paint
equal to RAL9011

■ white paint
similar to RAL9003

■ concrete grey paint
similar to RAL7037

casing aluminum / chrome plated / lamping LED 3x6W / Ra>80 / 1800LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ■ ■ ■ IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **JLBL 140**

surface
customizable

■ black paint
equal to RAL9011


■ white paint
similar to RAL9003

■ concrete grey paint
similar to RAL7037

casing aluminum / chrome plated / lamping LED 6x6W / Ra>80 / 3600LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ■ ■ ■ IP20 DALI / 0/1-10V / TRIAC dimming driver customizable






code **JLBL 158**

surface customizable anodized gold sandblasted white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 10x3W / Ra>80 / 1200LM / acrylic diffuser / 2700K/3000K / 4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




code **JLBL 159**

surface customizable anodized gold sandblasted white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 24x3W / Ra>80 / 2880LM / acrylic diffuser / 2700K/3000K / 4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable





code **JLBL 160**

surface customizable
anodized gold sandblasted


white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser /

2700K/3000K / 4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **JLBL 161**

surface customizable
anodized gold sandblasted


white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 24x3W / Ra>80 / 2880LM / acrylic diffuser /

2700K/3000K / 4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



surface
customizable

■ anodized gold
sandblasted

■ anodized black
sandblasted

■ white paint
similar to RAL9003

code **JLBL216**

casing aluminum heat sink/ chrome plated


lampping LED 13X3W / Ra>80 / 1560LM

Beam acrylic diffuser /
2700K/~~3000K~~/4000K/6000K

installation ■ ⚡ CE ▽ IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

■ anodized gold
sandblasted

■ anodized black
sandblasted

■ white paint
similar to RAL9003

code **JLBL217**

casing aluminum heat sink/ chrome plated


lampping LED 25X3W / Ra>80 / 3000LM

Beam acrylic diffuser /
2700K/~~3000K~~/4000K/6000K

installation ■ ⚡ CE ▽ IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

■ anodized gold
sandblasted

■ anodized black
sandblasted

■ white paint
similar to RAL9003

code **JLBL218**

casing aluminum heat sink/ chrome plated


lampping LED 35X3W / Ra>80 / 4200LM

Beam acrylic diffuser /
2700K/~~3000K~~/4000K/6000K

installation ■ ⚡ CE ▽ IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

■ anodized black
sandblasted

■ concrete grey paint
similar to RAL7037

code **JLBL 165**

casing steel sheet / white paint

lampping LED 6X6W / Ra>80 / 3600LM


Beam indirect light /

2700K/**3000K**/4000K/6000K

installation  **IP20**

DALI / 0/1-10V / TRIAC

dimming driver customizable



surface
customizable

■ anodized black
sandblasted

■ concrete grey paint
similar to RAL7037

code **JLBL 166**

casing steel sheet / white paint

lampping LED 9X6W / Ra>80 / 5400LM

Beam indirect light /


2700K/**3000K**/4000K/6000K

installation  **IP20**

DALI / 0/1-10V / TRIAC

dimming driver customizable






code **JLPL241**
 casing steel sheet / white paint
 lamping LED 9X6W / Ra>80 / 5400LM
 Beam indirect light /
 2700K/3000K/4000K/6000K
 installation     IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable

surface
 customizable

-  anodized black
sandblasted
-  concrete grey paint
similar to RAL7037




code **JLPL242**
 casing steel sheet / white paint
 lamping LED 13X6W / Ra>80 / 7800LM
 Beam indirect light /
 2700K/3000K/4000K/6000K
 installation     IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable

surface
 customizable

-  anodized black
sandblasted
-  concrete grey paint
similar to RAL7037



code **JLBL231-WT**


casing aluminum / white paint / lamping SMD 18W+COB 9W / Ra>80 / 1800+800LM / 38 degree down/

2700K/~~3000K~~/
4000K/6000K


installation     IP20

DALI / 0/1-10V / TRIAC dimming driver customizable

Related
Products



Wall
mount
LWA318
white
paint




Wall
mount
LWA318
grey
paint



pendant
LPL312
white
paint



pendant
LPL312
grey
paint



code **JLBL231-GR**

casing aluminum / grey paint / lamping SMD 18W+COB 9W / Ra>80 / 1800+800LM / 38 degree down/

installation     IP20


DALI / 0/1-10V / TRIAC dimming driver customizable

2700K/~~3000K~~/
4000K/6000K

Related
Products



Wall
mount
LWA318
white
paint




Wall
mount
LWA318
grey
paint



pendant
LPL312
white
paint




pendant
LPL312
grey
paint



surface
customizable

-  black paint
equal to RAL9011
-  white paint
similar to RAL9003
-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed circular



surface
customizable

-  black paint
equal to RAL9011
-  white paint
similar to RAL9003
-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed circular

code **JLBL 146**



casing aluminum / brushed silver / lamping LED 16W / Ra>80 / 1280LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001

code **JLBL 147**


casing aluminum / brushed silver / lamping LED 36W / Ra>80 / 2880LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001



surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037
- anodized gold
brushed circular



surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037
- anodized gold
brushed circular

code **JLBL148**



casing aluminum / brushed silver / lamping LED 84W / Ra>80 / 6720LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 No dimming driver available / check photometric on page 001

code **JLBL149**


casing aluminum / brushed silver / lamping LED 108W / Ra>80 / 8640LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 No dimming driver available / check photometric on page 001



surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
brushed linear



surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
brushed linear

code **JLBL 151**




casing aluminum / white paint / lamping LED 36W / Ra>80 / 2880LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001

code **JLBL 152**


casing aluminum / white paint / lamping LED 84W / Ra>80 / 6720LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001



surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
brushed linear



surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
brushed linear

code **JLBL 150**


casing aluminum / white paint / lamping LED 48W / Ra>80 / 3840LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001

code **JLBL 153**

casing aluminum / white paint / lamping LED 108W / Ra>80 / 8640LM / acrylic cover / 2700K/**3000K**/4000K/6000K


installation     IP20 No dimming driver available / check photometric on page 001



code [JLBL 155](#)

casing aluminum / anodized black and brushed / lamping LED 28W / Ra>80 / 2240LM / acrylic cover / 2700K/**3000K**/4000K/6000K


installation     IP20 No dimming driver available / check photometric on page 001



code [JLBL 156](#)

casing aluminum / anodized black and brushed / lamping LED 56W / Ra>80 / 4480LM / acrylic cover / 2700K/**3000K**/4000K/6000K


installation     IP20 No dimming driver available / check photometric on page 001



code **JLBL 154**

casing aluminum / anodized black and brushed / lamping LED 32W / Ra>80 / 2560LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001




code **JLBL 157**


casing aluminum / anodized black and brushed / lamping LED 84W / Ra>80 / 6720LM / acrylic cover / 2700K/3000K/4000K/6000K


installation     IP20 No dimming driver available / check photometric on page 001

LED TABLE LAMPS



LED FLOOR LAMPS






code **JLTLO27**
 casing steel / chrome plated
 lamping LED 3W / Ra>80 / 300LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation   **CE** IP20


surface
 customizable

 black paint
 equal to RAL9011
 white paint
 similar to RAL9003



code **JLTLO32-GD**
 casing aluminum / anodized gold
 lamping LED 2x6W / Ra>80 / 1200LM
 Beam acrylic diffuser / up and down light
 2700K/3000K/4000K/6000K
 installation   **CE** IP20

code **JLTLO32-SL**
 casing aluminum / anodized silver
 code **JLTLO32-BK**
 casing aluminum / anodized black



surface
customizable



chrome plated




concrete grey paint
similar to RAL 7037

PENGUIN SERIES TABLE READING LAMP

code **JLTLO18-BK**
 casing steel / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 10/20/**30** degree /
 2700K/**3000K**/4000K/6000K
 installation   **CE** IP20

code **JLTLO18-WT**
 casing steel / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 10/20/**30** degree /
 2700K/**3000K**/4000K/6000K
 installation   **CE** IP20



code **JLTL040**

casing aluminum / anodized black

lamping LED 3W / Ra>80 / 120LM

Beam 10/20/30 degree /
2700K/3000K/4000K/6000K

installation   **CE IP20**

With a touch-on switch on the base

surface
customizable

 chrome plated

 white paint
similar to RAL9003



code **JTLT029-CR**

casing aluminum / chrome plated /

installation   **CE** IP20

surface customizable

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037

 anodized gold brushed circular

lampping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **JTLT030-CR**

casing aluminum / chrome plated /

installation   **CE** IP20

surface customizable

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037

 anodized gold brushed circular

lampping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **JTLT031-CR**

casing aluminum / chrome plated /

installation   **CE** IP20

surface customizable


 white paint similar to RAL9003

 concrete grey paint similar to RAL7037

 anodized gold brushed circular

lampping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **JLTLO29-BK**

casing aluminum / anodized black /

installation   **CE** IP20

surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

 anodized gold
brushed circular

lampping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **JLTLO30-BK**

casing aluminum / anodized black /

installation   **CE** IP20

surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

 anodized gold
brushed circular

lampping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **JLTLO31-BK**

casing aluminum / anodized black /

installation   **CE** IP20

surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

 anodized gold
brushed circular

lampping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **JLTLO22**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black /

lampping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20

EU standard plug with switch on the cable / 1.5M cable

code **JLTLO23**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black /

lampping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20

EU standard plug with switch on the cable / 1.5M cable

code **JLTLO24**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / anodized black /

lampping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20

EU standard plug with switch on the cable / 1.5M cable



code **JLT038-CR / JLT038-WT / JLT038-BK**

casing aluminum+beech / chrome plated / white paint / anodized black / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation   **CE IP20**

EU standard plug with switch on the cable/ driver in the plug box / 1.5M cable

surface customizable

 concrete grey paint similar to RAL7037

 anodized gold brushed circular



code **JLFL019-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

■ anodized gold
brushed circular

casing aluminum / black painting / lamping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K/RED/GREEN/BUE

installation   **CE IP20**

EU standard plug with switch on the cable / 1.5M cable



code JLFL019-WT

surface
customizable



concrete grey paint
similar to RAL7037




anodized gold
brushed circular

casing aluminum / white painting / lamping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BUE

installation   **CE** IP20


EU standard plug with switch on the cable / 1.5M cable



LED OFFICE PENDANT LIGHT




OFFICE PENDANT LIGHT



- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm /1800mm/2400mm
- five surface color available three surface colors in stock
- 20W led per 1.2 meter long 10W led for 0.6 meter and so on
- Can be made to be more power double to 40W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box

IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLPL159-WT	aluminum	white paint	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K
JLPL159-SL	aluminum	brushed silver	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K
JLPL159-BK	aluminum	black paint	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K



surface default

- white paint similar to RAL9003
- black paint equal to RAL9011
- anodized silver brushed linear

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold sandblasted



although this series is boring, simple, just as the same as series came from any other supplies. The same aluminium extrusion, the same style, the same thin lamp body and same looking however. LED make it another lamp, 20W SMD led gives as much as the 1600lumens output, which is the same as a 32W fluorescent tube gives, while the consumption is half.

LED is not the ultimate terminal for energy-saving. The point is how people are thinking. Passun devotes its designing philosophy in every aspect. We insist on not only saving on the lamp source, but also in material consumption. We always make sure that the material to make the lamp is just sufficient, no more to waste, and no less.


This lamp is designed to fulfill the basic lighting requirement for the office, 1600lm is just enough for a 1.4m desk and no more is needed. Three lamp colors could be customer made according to different office style.

OFFICE PENDANT LIGHT



IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLPL160-WT	aluminum	white paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
JLPL160-SL	aluminum	brushed silver	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
JLPL160-BK	aluminum	black paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K




surface default

- white paint similar to RAL9003
- black paint equal to RAL9011
- anodized silver brushed linear


surface customizable

- concrete grey paint similar to RAL7037
- anodized gold sandblasted



- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm/1800mm/2400mm
- five surface color available three surface colors in stock
- 40W led per 1.2 meter long 20W led for 0.6 meter and so on
- Can be made to be more power double to 80W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box


OFFICE PENDANT LIGHT



- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm/1800mm/2400mm
- five surface color available three surface colors in stock
- 40W led per 1.2 meter long 20W led for 0.6 meter and so on
- Can be made to be more power double to 80W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box

IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLPL161-WT	aluminum	white paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
JLPL161-SL	aluminum	brushed silver	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
JLPL161-BK	aluminum	black paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K




surface default

- white paint similar to RAL9003
- black paint equal to RAL9011
- anodized silver brushed linear

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold sandblasted




surface
default

-  white paint
similar to RAL9003
-  anodized black
sandblasted
-  anodized silver
sandblasted
-  anodized gold
sandblasted


surface
customizable

-  concrete grey paint
similar to RAL7037

- made by pure aluminum extrusion
can be custom made into any length
normal size will be 600mm/1200mm
/1800mm/2400mm
- five surface color available
four surface colors in stock
- 40W led per 1.5 meter long
20W led for 0.6 meter and so on
- Can be made to be more power
double to 80W or other for the
same length
- supplied with 1.2m hanging cable,
electric wire, and connecting box



Chrome
plated
end cap
makes the
lamp
noble and
good
quality



The hanging
cable metal
parts can
move freely
along the
extrusion. It
helps a lot
in installatooon







 IP20

	code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
	JLPL291-BK	aluminum	anodized black	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
	JLPL291-WT	aluminum	white paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
	JLPL291-WT	aluminum	anodized gold	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
	JLPL291-WT	aluminum	anodized silver	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K


OFFICE PENDANT LIGHT



- LED Panel light for office pendant
- 1.2M long and 20cm width. The width of the lamp can be custom made to be 25mm or 30mm
- 40W gives 4000lm before acrylic
- supplied with 1.2m hanging cable, electric wire, and connecting box
- supper slim lamp body, soft and even light emission. Nice for the meeting room and other public space

■ ◆ CE IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JQL003-WT	aluminum	white paint	SMD 40W	Ra>80	4000lm	Acrylic	2700K/3000K/4000K/6000K
JQL003-BK	aluminum	black paint	SMD 40W	Ra>80	4000lm	Acrylic	2700K/3000K/4000K/6000K



surface default

- white paint similar to RAL9003
- black paint equal to RAL9011

surface customizable

- concrete grey paint similar to RAL7037







LED OFFICE PENDANT

lens available

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037

- big shielding angle by the outer casing
- lamp head can be rotatable freely
good projector for wall paint or other places need key lighting
- lens angle 15/30/60 degree optional
- length of the lamp and numbers of the lamp head can be custom made according to the real requirements



- size of the lamp head is dia100mm
- power-supplies are settled in the outer casing
- supplied with 1.2m hanging cable and electrical cable


code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color	Installation
JLPL210	aluminum lamp head steel outer casing	black paint	LED 4X6W	Ra>80	1680lm	15 / 30 / 60	2700K/3000K /4000K/6000K	□ ⊕ CE ▽ IP20
JLPL211	aluminum lamp head steel outer casing	black paint	LED 6X6W	Ra>80	2520lm	15 / 30 / 60	2700K/3000K /4000K/6000K	□ ⊕ CE ▽ IP20

LED OFFICE PENDANT / LED HIGH BAY

reflector available


surface
customizable

■ concrete grey paint
similar to RAL 7037



- solid aluminum heat sink /steel lamp shade
- good heat management / up to 42Watt / 3360lm
- supplied with 2m hanging chain and electrical cable

- lamp power 20/24/28/32/36/42W optional
20/24/28W are good for office lighting, while
32/36/42W are good for super market, retail
shop, restaurant, factory and etc.



■ IP20


code	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLPL311-BK-20W	black paint	CREE COB 1816 20W	Ra>90	1600lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-BK-24W	black paint	CREE COB 1816 24W	Ra>90	1920lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-BK-28W	black paint	CREE COB 1816 28W	Ra>90	2240lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-BK-32W	black paint	CREE COB 1820 32W	Ra>90	2560lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-BK-36W	black paint	CREE COB 2530 36W	Ra>90	2880lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-BK-42W	black paint	CREE COB 2530 42W	Ra>90	3360lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-WT-20W	white paint	CREE COB 1816 20W	Ra>90	1600lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-WT-24W	white paint	CREE COB 1816 24W	Ra>90	1920lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-WT-28W	white paint	CREE COB 1816 28W	Ra>90	2240lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-WT-32W	white paint	CREE COB 1820 32W	Ra>90	2560lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-WT-36W	white paint	CREE COB 2530 36W	Ra>90	2880lm	10°/23°/38°	2700K/3000K/4000K/6000K
JLPL311-WT-42W	white paint	CREE COB 2530 42W	Ra>90	3360lm	10°/23°/38°	2700K/3000K/4000K/6000K

LED OFFICE PENDANT / LED HIGH BAY

reflector available

surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037
- white paint
similar to RAL9003
- anodized gold
brushed circular



- aluminum heat sink
crystal glass lamp shade
- default anodized silver finish
four more finishes can be
custom make
- 15/24/38 degree reflector
optional
- supplied with 2m hanging cable
- good for office, retail shop,
restaurant, café shop, and etc.



code JLPL301

casing aluminum casing / anodized silver / lamping COB 20W / Ra>90 / 1600LM / Beam 13/24/38 degree / 2700K/3000K / 4000K/6000K



installation ■ ■ ■ ■ IP20 lamp shade dia 300mm x 160mm 2meter cable / cable length customizable

LED OFFICE PENDANT / LED HIGH BAY

reflector available

surface
customizable

■ concrete grey paint
similar to RAL7037



- aluminum heat sink
steel lamp shade
- default five colors finish
black/white/red/green/
yellow
- 15/24/38 degree reflector
optional
- supplied with 2m hanging cable
- good for office, retail shop,
restaurant, café shop, and etc.

code JLPL302-BK / JLPL302-WT

casing aluminum casing / black paint / lamping COB 20W / Ra>90 / 1600LM / Beam 15/24/38 degree /

2700K/3000K
/4000K/6000K

installation ■ ■ ■ ■ IP20 lamp shade dia350mm x 250mm 2meter cable / cable length customizable

LED OFFICE PENDANT / LED HIGH BAY

reflector available


surface
customizable

■ concrete grey paint
similar to RAL7037

15°
narrow
beam

24°
spot

38°
flood
default



- aluminum heat sink
steel lamp shade
- default five colors finish
black/white/red/green/
yellow
- 15/24/38 degree reflector
optional
- supplied with 2m hanging cable
- good for office, retail shop,
restaurant, café shop, and etc.

code JLPL302-GN / JLPL302-YW / JLPL302-RD

casing aluminum casing / green/yellow / lamping COB 20W / Ra>90 / 1600LM / Beam 15/24/38 degree /
steel lamp shade / red paint


2700K/3000K
/4000K/6000K

installation ■ ■ ■ IP20 lamp shade dia350mm x 250mm 2meter cable / cable length customizable



LED OFFICE PENDANT

reflector available



code JLPL119
surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037
casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K
installation     IP20 lamp shade dia 60mm x 100mm 1meter cable / cable length customizable

code JLPL120
surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037
casing aluminum / white paint / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K
installation     IP20 lamp shade dia 102mm x 100mm 1meter cable / cable length customizable


LED OFFICE PENDANT

lens available

surface
customizable


concrete grey paint
similar to RAL7037

black paint
equal to RAL9011



code JLPL148
casing aluminum / white painting
lamping LED 9X3W / Ra>80 / 1080LM
Beam 10 / 20 / 30 / 60 degree
2700K/3000K/4000K/6000K

Installation     IP20





10° narrow beam
20° spot
30° flood
60° wide flood
default

code JLPL147
casing aluminum / white painting
lamping LED 9X3W / Ra>80 / 1080LM
Beam 10 / 20 / 30 / 60 degree
2700K/3000K/4000K/6000K

Installation     IP20

LED OFFICE PENDANT



code JLPL139-WT / JLPL139-BK
casing aluminum / white/black painting
lamping LED 6x2W / Ra>80 / 600LM
Beam 10 / 20 / **30** / 60 degree
2700K/**3000K**/4000K/6000K


surface customizable
 concrete grey paint similar to RAL7037

lens available

10°	20°	30°	60°
narrow beam	spot	flood	wide flood

default

LED OFFICE PENDANT




code JLPL 140-WT / JLPL 140-BK
casing aluminum / white/black painting
lamping LED 2x6x2W / Ra>80 / 1200LM
Beam 10 / 20 / **30** / 60 degree
2700K / **3000K** / 4000K / 6000K

surface customizable
 concrete grey paint similar to RAL7037

lens available

 10° narrow beam	 20° spot	 30° flood	 60° wide flood
		default	



LED PANEL LIGHT

The LED panel light become a type of fasion recently,because of its slim lamp body,easy installtion,low power consumption and low cost maintenance.


It's a trend that the LED panel will take the place of the fluorescent grille light for office lighting. And now we have seen this picutre and we have done something.

We design this series to make it unique to other LED panel from suppliers in the market.

The difference is the solid looking shape of the extrusion,and 48W power.It gives as much as 3840lm soft and even light.

Every pakage will be supplied with all components for three types of installation:hanging,recessed, laying.















code JLQL001-BK / JLQL001-WT / JLQL001-SL
 casing aluminum / black / white / silver painting
 lamping SMD 48W / Ra>80 / 3840LM
 Beam Acrylic diffuser
 2700K/3000K/4000K/6000K

installation check installation guide

Hanging Installation/
 Laying Down Installation/
 Spring Clip Installation
 Supplied With
 All Installation
 Accessories

surface customizable

 concrete grey paint
 similar to RAL7037







 IP20

code JLQL002-BK / JLQL002-WT / JLQL002-SL
 casing aluminum / black / white / silver painting
 lamping SMD 24W / Ra>80 / 1920LM
 Beam Acrylic diffuser
 2700K/3000K/4000K/6000K


installation check installation guide

Hanging Installation/
 Laying Down Installation/
 Spring Clip Installation
 Supplied With
 All Installation
 Accessories


surface customizable

 concrete grey paint
 similar to RAL7037


JLQL001 / JLQL002 installation guide



- installed on a 600x600 grille ceiling
 1. switch off the main
 2. connect the power-supply to the main
 3. connect the led panel to the diver with connector
 4. put the panel to the ceiling from one side to the other




- installed on normal wooden ceiling
 1. cut a square hole on the ceiling
580x580mm for LQL001 series
580x280mm for LQL002 series
 2. switch off the main
 2. connect the power-supply to the main
 3. connect the led panel to the diver with connector
 4. reverse the spring and put the panel to the ceiling



- Hanging installation for LQL001/LQL002
 1. find the accessory package,
fix the four nuts to the panel ,
measure the distance between nuts ,
fix the hanging cable to the ceiling accordingly
 2. switch off the main
 2. connect the power-supply to the main
 3. connect the led panel to the diver with connector
 4. adjust the height of the panel









SLIM FIT LED PANNEL LIGHT FOR OFFICE ROOFS 600x600MM






SLIMFIT LED PANNEL LIGHT FOR OFFICE ROOFS 600x300MM

    IP20	code JLQL014-WT casing aluminum / white painting lampping SMD 48W / Ra>80 / 3840LM Beam Acrylic diffuser 2700K/3000K/4000K/6000K installation check installation guide	 installed on a 600x600 grille ceiling	surface customizable - concrete grey paint similar to RAL7037 - black paint equal to RAL9011
    IP20	code JLQL013-WT casing aluminum / white painting lampping SMD 24W / Ra>80 / 1920LM Beam Acrylic diffuser 2700K/3000K/4000K/6000K installation check installation guide	 installed on a 600x300 grille ceiling	surface customizable - concrete grey paint similar to RAL7037 - black paint equal to RAL9011




LED PANEL LIGHT
SPECIALLY
FOR KITCHEN
OR BATH ROOF
300X300MM
AND 600X300MM



CE IP20


code JLQL011-SL
casing aluminum / Anodized silver
lamping SMD 12W / Ra>80 / 1200LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K
installation check installation guide



installed on a
kitchen/bathroom
300x300 grille
ceiling by tighten
up the keel


surface
customizable

concrete grey paint
similar to RAL7037
white paint
similar to RAL9003



CE IP20

code JLQL012-SL
casing aluminum / Anodized silver
lamping SMD 24W / Ra>80 / 2400LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K
installation check installation guide



installed on a
kitchen/bathroom
600x300 grille
ceiling by tighten
up the keel

surface
customizable

concrete grey paint
similar to RAL7037
white paint
similar to RAL9003




LED SPOT LIGHTS SURFACE MOUNT






code **JLSP180-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **JLSP180-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **JLSP180-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037





LED SPOT LIGHT SURFACE MOUNT

code **JLSP181-WT**

casing aluminum / white painting

lampping COB 9W / Ra>90 / 800LM


Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037



code **JLSP181-SL**

casing aluminum / anodized silver

lampping COB 9W / Ra>90 / 800LM


Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037



code **JLSP181-GD**

casing aluminum / anodized gold

lampping COB 9W / Ra>90 / 800LM


Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037



LED SPOT LIGHT SURFACE MOUNT



code **JLSP182-WT**

casing aluminum / white painting

lampping COB 12W / Ra>90 /900LM


Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037



code **JLSP182-SL**

casing aluminum / anodized silver

lampping COB 12W / Ra>90 /900LM


Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037



code **JLSP182-GD**

casing aluminum / anodized gold

lampping COB 12W / Ra>90 /900LM


Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

 black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037




LED SPOT LIGHT SURFACE MOUNT



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code **JLSP125**

casing aluminum / white painting
lamping COB 5W / Ra>90 / 430LM
Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K


installation IP20

TRIAC dimming driver customizable
Check photometric on page001



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code **JLSP126**

casing aluminum / white painting
lamping COB 2x5W / Ra>90 / 860LM
Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K


installation IP20

TRIAC dimming driver customizable
Check photometric on page001



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code **JLSP128**

casing aluminum / white painting
lamping COB 2x9W / Ra>90 / 160LM
Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20


TRIAC dimming driver customizable
Check photometric on page001

LED SPOT LIGHT SURFACE MOUNT



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code **JLSP129**

casing aluminum / white painting
lamping COB 12W / Ra>90 / 900LM
Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K


installation IP20

TRIAC dimming driver customizable
Check photometric on page001



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037




code **JLSP130**

casing aluminum / white painting
lamping COB 2x12W / Ra>90 / 1800LM
Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable
Check photometric on page001



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037

code **JLBL051**


casing aluminum / white painting

lampp COB 5W / Ra>90 / 430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001



surface
customizable

- anodized gold
brushed circular
- concrete grey paint
similar to RAL7037

code **JLWA187-WT**

casing aluminum / white painting

lampp COB 5W / Ra>90 / 430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001



code **JLWA187-BK**

casing aluminum / black painting

lampp COB 5W / Ra>90 / 430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable
Check photometric on page001



code **JLSP164-WT**

casing aluminum / white painting

lampping COB 2x5W / Ra>90 / 860LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



code **JLSP164-BK**

casing aluminum / black painting

lampping COB 2x5W / Ra>90 / 860LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation     IP20


TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

 anodized gold
brushed circular

 concrete grey paint
similar to RAL7037






code **JLSP165-WT**
 casing aluminum / white painting
 lamping COB 3x5W / Ra>90 / 1290LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001



surface
 customizable

-  anodized gold
-  brushed circular
-  concrete grey paint
 similar to RAL7037



code **JLSP165-BK**
 casing aluminum / black painting
 lamping COB 3x5W / Ra>90 / 1290LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001



code **JLSP168**

casing aluminum / white painting

lamping COB 5W / Ra>90 / 430LM


Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



code **JLSP171**

casing aluminum / white painting

lamping COB 12W / Ra>90 / 900LM


Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001





code **JLSP170**

casing aluminum / white painting

lamping COB 3X5W / Ra>90 / 1290LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



code **JLSP169**

casing aluminum / white painting

lamping COB 2X5W / Ra>90 / 860LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K



installation     IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037





code **JLSP172**
 casing aluminum / white painting
 lamping COB 2X12W / Ra>90 / 1800LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001




code **JLSP173**
 casing aluminum / white painting
 lamping COB 3X12W / Ra>90 / 2700LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface
 customizable

-  black paint
 equal to RAL9011
-  concrete grey paint
 similar to RAL7037






surface
customizable

- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037


code **JLSP210**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam **10/23/38** degree /
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 TRIAC dimming driver customizable
 Check photometric on page001



surface
customizable

- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037


code **JLSP211**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam **10/23/38** degree /
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 TRIAC dimming driver customizable
 Check photometric on page001



surface
customizable

- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037


code **JLSP212**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam **10/23/38** degree /
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 TRIAC dimming driver customizable
 Check photometric on page001



surface
customizable

- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037

code **JLSP213**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam **10/23/38** degree /
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 TRIAC dimming driver customizable
 Check photometric on page001



surface
customizable

white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code **JLSP214**

casing aluminum / black painting


lampping COB 2x5W / Ra>90 / 860LM

Beam **10**/23/38 degree /
2700K/**3000K**/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



surface
customizable

white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code **JLSP215**

casing aluminum / black painting


lampping COB 2x5W / Ra>90 / 860LM

Beam **10**/23/38 degree /
2700K/**3000K**/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



surface
customizable

white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code **JLSP216**

casing aluminum / black painting


lampping COB 2x5W / Ra>90 / 860LM

Beam **10**/23/38 degree /
2700K/**3000K**/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



surface
customizable

white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code **JLSP217**

casing aluminum / black painting


lampping COB 2x5W / Ra>90 / 860LM

Beam **10**/23/38 degree /
2700K/**3000K**/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001




code **JLSP218**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 / 1270LM / Beam 10/23/38 degree / 2700K/3000K / 4000K/6000K

installation     IP20 TRIAC dimming driver customizable




code **JLSP219**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 / 1270LM / Beam 10/23/38 degree / 2700K/3000K / 4000K/6000K

installation     IP20 TRIAC dimming driver customizable




code **JLSP220**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 / 1270LM / Beam  10/23/38 degree / 2700K/ 3000K / 4000K/6000K

installation     IP20 TRIAC dimming driver customizable




code **JLSP221**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 / 1270LM / Beam  10/23/38 degree / 2700K/ 3000K / 4000K/6000K

installation     IP20 TRIAC dimming driver customizable




code **JLSP222**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 4x5W / Ra>90 / 1720LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation     IP20 TRIAC dimming driver customizable




code **JLSP223**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037


casing aluminum / black painting / lamping LED 4x5W / Ra>90 / 1720LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation     IP20 TRIAC dimming driver customizable





Installation     IP20 TRIAC dimming driver customizable

5W / Ra>90 / 1720LM / Beam 10/23/38 degree / 2700K/3000K / 4000K/6000K



installation     IP20 TRIAC dimming driver customizable

5W / Ra>90 / 1720LM / Beam 10/23/38 degree / 2700K/3000K / 4000K/6000K




code **JLSP161**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 2x6W / Ra>80 / 840LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 no dimming driver available




code **JLSP162**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x6W / Ra>80 / 1260LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation     IP20 no dimming driver available




code **JLBL080**

casing aluminum / black painting / lamping LED 6x2W / Ra>80 / 600LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable / dia 55mm for putting driver into the ceiling

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037




code **JLBL081**

casing aluminum / black painting / lamping LED 2x6x2W / Ra>80 / 1200LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable / dia 55mm for putting driver into the ceiling

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037




code **JLBL082**

casing aluminum / black painting / lamping LED 3x6x2W / Ra>80 / 1800LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable / dia 55mm for putting driver into the ceiling

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037




code **JLSP071-WT**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 6W / Ra>80 / 420LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation     IP20 TRIAC / 0/1-10V / DALI dimming driver customizable




code **JLSP072-WT**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 2x6W / Ra>80 / 840LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation     IP20 TRIAC / 0/1-10V / DALI dimming driver customizable




code **JLSP073-WT**

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 3x6W / Ra>80 / 1260LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation     IP20 TRIAC / 0/1-10V / DALI dimming driver customizable




code **JLBL077**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 12W / Ra>80 / 600LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation ■ ■ ■ ■ IP20 TRIAC / 0/1-10V / DALI dimming driver customizable




code **JLSPO78**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 24W / Ra>80 / 1200LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation ■ ■ ■ ■ IP20 TRIAC / 0/1-10V / DALI dimming driver customizable





code **JLSPO79**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 36W / Ra>80 / 1800LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation ■ ■ ■ ■ IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code **JLBL199**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x3W / Ra>80 / 360LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K


installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable

code **JLBL200**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 6x3W / Ra>80 / 720LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable




code **JLBL 121**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized black and silver / lamping COB 2x5W / Ra>90 / 860LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 no dimming driver available



code **JLBL 122**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized black and silver / lamping COB 3x5W / Ra>90 / 1290LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 no dimming driver available

LED TRACK



LIGHTS






the secret of this series is the super slim track adopter. With the power-supply inside the cylinder of lamp body, the total lamp appears super slim, integral and pretty. The idea of this design is we just want a simplest track lamp beyond any complicated shape, just a cylinder on the track, nothing else. So we design the track adopter, put the power-supply in the cylinder, and make good heat management. Another advantage of this series is the big shielding angle up to 60 degree. It is very hard to see the led source even it lights straight down. It is a good series for home, store, museum, cafe, and etc. Just like a simple T-shirt, it can match almost any style of decoration. Three default finishing color, and four more custom made, three sizes and wattage. It could be a universal track light for any circumstance


SUPER SLIM LED TRACK SPOT LIGHT / 9W /DIA80MM VERSION




Super
slim
track
adppter



easy
track
installation
fast
and
stable



deep
recessed
reflector
high
shielding
angle



reflector
+lens make
perfect
light
10/23/38
degree
optional




SUPER SLIM LED TRACK SPOT LIGHT
12W /DIA 102MM VERSION

DEFAULT 3 FINISHING COLOR AVAILABLE
4 MORE FINISHING COLOR CUSTOM MADE



GOOD SERIES FOR HOME, MUSEUM,
CAFÉ SHOP, RETAIL SHOP, AND ETC.



code JLSP177-WT
JLSP177-GD
JLSP177-SL


casing aluminum
finishing white paint
anodized gold
anodized silver

lampping CREE COB 1304 / 5 Watt
Lumens 430LM
CRI Ra>90
Beam 10 / 23 / 38
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track




Net Weight 0.41kg

lens available



surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037



code JLSP178-WT
JLSP178-GD
JLSP178-SL


casing aluminum
finishing white paint
anodized gold
anodized silver

lampping CREE COB 1507 / 9 Watt
Lumens 800LM
CRI Ra>90
Beam 10 / 23 / 38
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track




Net Weight 0.7kg

lens available



surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037



code JLSP179-WT
JLSP179-GD
JLSP179-SL


casing aluminum
finishing white paint
anodized gold
anodized silver

lampping CREE COB 1507 / 12 Watt
Lumens 900LM
CRI Ra>90
Beam 10 / 23 / 38
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track



Net Weight 1.07kg


lens available



surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037






code JLSP190-SL
casing aluminum
finishing anodized silver
lampping CREE COB 1512
20 Watt
Lumens 1600LM
CRI Ra>90
Beam 10 / 20 / 30
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track




Net Weight 1.26kg

lens available



surface customizable
concrete grey paint similar to RAL7037
anodized gold sandblasted




code JLSP190-BK
casing aluminum
finishing anodized black
lampping CREE COB 1512
20 Watt
Lumens 1600LM
CRI Ra>90
Beam 10 / 20 / 30
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track




Net Weight 1.26kg

lens available



surface customizable
concrete grey paint similar to RAL7037
anodized gold sandblasted




code JLSP190-WT
casing aluminum
finishing white coated
lampping CREE COB 1512
20 Watt
Lumens 1600LM
CRI Ra>90
Beam 10 / 20 / 30
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track



Net Weight 1.26kg




lens available



surface customizable
concrete grey paint similar to RAL7037
anodized gold sandblasted



LED TRACK SPOT LIGHT




General info

casing aluminum
CRI Ra >90
lamp color 2700K/3000K/4000K/6000K
installation 1 circuit / 3 line track

IP20

Net Weight 2.3kg

lens available



350° 90°


Order Code	surface	lamping	Lumen	beam angle
JLSP176-SL-20W	anodized silver	CREE COB 1512 / 20W	1600 lm	15 / 24 degree
JLSP176-WT-20W	white paint	CREE COB 1512 / 20W	1600 lm	15 / 24 degree
JLSP176-BK-20W	black paint	CREE COB 1512 / 20W	1600 lm	15 / 24 degree
JLSP176-SL-25W	anodized silver	CREE COB 1816 / 25W	2000 lm	15 / 24 degree
JLSP176-WT-25W	white paint	CREE COB 1816 / 25W	2000 lm	15 / 24 degree
JLSP176-BK-25W	black paint	CREE COB 1816 / 25W	2000 lm	15 / 24 degree
JLSP176-SL-30W	anodized silver	CREE COB 1820 / 30W	2400 lm	15 / 24 degree
JLSP176-WT-30W	white paint	CREE COB 1820 / 30W	2400 lm	15 / 24 degree
JLSP176-BK-30W	black paint	CREE COB 1820 / 30W	2400 lm	15 / 24 degree

surface default

- anodized silver brushed circular
- white paint similar to RAL9003
- black paint equal to RAL9011

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold brushed circular




code JLSP117
 casing aluminum
 finishing white paint
 lamping COB 5W
 Lumens 430LM
 CRI Ra>90
 Beam 15 / 24 / **38** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/3 line track

IP20

Net Weight 0.42kg


reflector available



adjust shielding angle by turning in and out the black cover

surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code JLSP122
 casing aluminum
 finishing white paint
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 15 / 24 / **38** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/3 line track

IP20

Net Weight 1.08kg


reflector available



adjust shielding angle by turning in and out the black cover

surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037





surface
customizable




black paint
equal to RAL9011




concrete grey paint
similar to RAL7037


LED TRACK SPOT LIGHT




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP115	aluminum	white paint	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
							reflector available




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP116	aluminum	white paint	COB 2x5W	Ra>90	860lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
							reflector available




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP118	aluminum	white paint	COB 9W	Ra>90	800lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
							reflector available



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP119	aluminum	white paint	COB 2x9W	Ra>90	1600lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
							reflector available



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP120	aluminum	white paint	COB 12W	Ra>90	900lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
							reflector available




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP121	aluminum	white paint	COB 2x12W	Ra>90	1800lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
							reflector available












code JLSP151-WT
 casing aluminum
 finishing white paint
 lamping LED 12W
 Lumens 600LM
 CRI Ra>80
 Beam 10 / 20 / **30** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/3 line track

IP20


Net Weight 0.95kg

Lens available



surface
customizable

black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037




code JLSP152-WT
 casing aluminum
 finishing white paint
 lamping LED 2x12W
 Lumens 1200LM
 CRI Ra>80
 Beam 10 / 20 / **30** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/3 line track

IP20


Net Weight 1.3kg

Lens available



surface
customizable

black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037




code JLSP103
 casing aluminum
 finishing white paint
 lamping LED 6x2W
 Lumens 600LM
 CRI Ra>80
 Beam 15 / **30** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 installation single circuit/3 line track




Net Weight 0.95kg

lens available



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037




code JLSP104
 casing aluminum
 finishing white paint
 lamping LED 6x2W
 Lumens 600LM
 CRI Ra>80
 Beam 15 / **30** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 installation single circuit/3 line track




Net Weight 0.95kg

lens available



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037




code JLSP105
 casing aluminum
 finishing white paint
 lamping LED 2x6x2W
 Lumens 1200LM
 CRI Ra>80
 Beam 15 / **30** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 installation single circuit/3 line track



Net Weight 1.38kg


lens available




surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037








code JLSP106
 casing aluminum
 finishing white paint
 lamping LED 3W
 Lumens 210LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.36kg

lens available



surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code JLSP108
 casing aluminum
 finishing white paint
 lamping LED 7W
 Lumens 490LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.45kg

lens available



surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code JLSP110
 casing aluminum
 finishing white paint
 lamping LED 12W
 Lumens 840LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.58kg

lens available



surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code JLSP111
 casing aluminum
 finishing white paint
 lamping COB 5W
 Lumens 430LM
 CRI Ra>90
 Beam 10 / 24 / **38** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.36kg

reflector available



surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code JLSP112
 casing aluminum
 finishing white paint
 lamping COB 9W
 Lumens 800LM
 CRI Ra>90
 Beam 10 / 24 / **38** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.45kg

reflector available



surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code JLSP113
 casing aluminum
 finishing white paint
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 10 / 24 / **38** / 60 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track



Net Weight 0.58kg

reflector available




surface customizable

black paint equal to RAL9011
 concrete grey paint similar to RAL7037




LED TRACK SPOT LIGHT




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP166	aluminum	white paint	COB 5W	Ra>90	430lm	10 / 23 / 38	2700K/3000K /4000K/6000K

	reflector available	
--	---------------------	--




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP167	aluminum	white paint	COB 12W	Ra>90	800lm	10 / 23 / 38	2700K/3000K /4000K/6000K

	reflector available	
--	---------------------	--



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP134	aluminum	anodized silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

	reflector available	
--	---------------------	--




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP135	aluminum	anodized silver	COB 12W	Ra>90	800lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

	reflector available	
--	---------------------	--

surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037



code JLTR-LSP126-WT
 casing aluminum
 finishing white paint
 lamping halogen Ar 111 35W
 Beam standard 36 degree
 installation single circuit/3 line track
 supplied with reflector
 and philips halogen bulb
 bulb can be easily changed
 from the back of the reflector



Net Weight 1.06kg


reflector available
 default



flood

surface
 customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code JLTR-LSP127-WT
 casing aluminum
 finishing white paint
 lamping halogen Ar 111 2x35W
 Beam standard 36 degree
 installation single circuit/3 line track
 supplied with reflector
 and philips halogen bulb
 bulb can be easily changed
 from the back of the reflector



Net Weight 1.4kg


reflector available
 default



flood

surface
 customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code JLTR-LSP126-SL
 casing aluminum
 finishing anodized silver
 lamping halogen Ar 111 35W
 Beam standard 36 degree
 installation single circuit/3 line track
 supplied with reflector
 and philips halogen bulb
 bulb can be easily changed
 from the back of the reflector



Net Weight 1.06kg


reflector available
 default



flood

surface
 customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037



code JLTR-LSP127-SL
 casing aluminum
 finishing anodized silver
 lamping halogen Ar 111 2x35W
 Beam standard 36 degree
 installation single circuit/3 line track
 supplied with reflector
 and philips halogen bulb
 bulb can be easily changed
 from the back of the reflector



Net Weight 1.4kg


reflector available
 default



flood

surface
 customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037




code JLSP123
 casing aluminum
 finishing anodized black
 lamping LED 6W
 Lumens 420LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.3kg

lens available



surface customizable
 anodized silver brushed linear
 anodized gold brushed linear
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code JLSP124
 casing aluminum
 finishing anodized black
 lamping LED 12W
 Lumens 840LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.6kg

lens available



surface customizable
 anodized silver brushed linear
 anodized gold brushed linear
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code JLSP125
 casing aluminum
 finishing anodized silver and black
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 10 / 24 / 38 / 60 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track




Net Weight 0.55kg

reflector available



surface customizable

- white paint similar to RAL9003
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037




code JLSP114
 casing aluminum
 finishing white paint
 lamping COB 5W
 Lumens 430LM
 CRI Ra>90
 Beam 10 / 24 / 38 / 60 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation single circuit/2 line track



Net Weight 0.39kg

reflector available




surface customizable


- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

TRACK ACCESSORIES

tracks




Code	accessory type	length	color	head connector
JLTRC210WT	2 lines track (without earth connection)	1 Meter	white	included
JLTRC215WT	2 lines track (without earth connection)	1.5 Meter	white	included
JLTRC220WT	2 lines track (without earth connection)	2 Meter	white	included
JLTRC210BK	2 lines track (without earth connection)	1 Meter	black	included
JLTRC215BK	2 lines track (without earth connection)	1.5 Meter	black	included
JLTRC220BK	2 lines track (without earth connection)	2 Meter	black	included




Code	accessory type	length	color	head connector
JLTRC310WT	3 lines track (with earth connection)	1 Meter	white	included
JLTRC315WT	3 lines track (with earth connection)	1.5 Meter	white	included
JLTRC320WT	3 lines track (with earth connection)	2 Meter	white	included
JLTRC310BK	3 lines track (with earth connection)	1 Meter	black	included
JLTRC315BK	3 lines track (with earth connection)	1.5 Meter	black	included
JLTRC320BK	3 lines track (with earth connection)	2 Meter	black	included


track connectors




Code	accessory type	color
JLTRC401WT	2 lines track 180 degree connector	white
JLTRC401BK	2 lines track 180 degree connector	black




JLTRC402WT	3 lines track 180 degree connector	white
JLTRC402BK	3 lines track 180 degree connector	black




JLTRC403WT	2 lines track 90 degree connector	white
JLTRC403BK	2 lines track 90 degree connector	black




JLTRC404WT	3 lines track 90 degree connector	white
JLTRC404BK	3 lines track 90 degree connector	black



JLTRC405WT	2 lines track four ways connector	white
JLTRC405BK	2 lines track four ways connector	black



JLTRC406WT	3 lines track four ways connector	white
JLTRC406BK	3 lines track four ways connector	black



LED RECESSED SPOT LIGHT



LET'S
BEGIN
FROM
THE
MINI
ONES

LED MINI SPOT LIGHT

LED DOT LIGHT



power-supply
not included

The effect of this little tiny thing is twinkling stars on the roof when you install amounts of those lights. The led inside the lamp emits directly down to the ground and with no lense or any optic components, the led chips are shinning with original lights, just like stars in the galaxy. We design this very beacuse we want a roof like galaxy and the project effect proofs it to be real.

Dia 30mm installed in groups



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-BK	aluminum	brushed black	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-WT	aluminum	white coated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-SL	aluminum	brushed silver	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-CR	aluminum	chrome plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-GD	aluminum	gold plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue




code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-RG	aluminum	rose gold plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue





LED MINI SPOT LIGHT

LED DOT LIGHT




LDC880A series is a updated version for LDC880 series. Adding lens to the led chips, to prevent dazzle light directly from the led chips. Though its' light doesn't look light a shining star, it have got more soft light and give more light on the ground or objects on the ground. Installing those little fixtures by groups every other 30cm in the whole roof instead of installing a bigger recessed spot light every other 2 meter, it appears more fancy and attractive.

This series have got 4 default colors available and they almost match most of the ceiling color, no matter you want a harmony design or a conflict design. Except installed on the roof, it is also very good for bathroom. Just imaging lots of little light on the bathroom ceiling, far more fancy than a boring 5W spot light. And one more applicant is cabinet lighting. You can install this series in the shop cabinets , like cloth shop, wine shop and so on. It can be easily installed due to its little size and gives just enough light, no more and no less

LED MINI SPOT LIGHT

lens available

LED DOT LIGHT 1W SERIES



JLDC880A-WT




JLDC880A-SL



JLDC880A-GD



JLDC880A-BK



⌀ Dia 20mm
installed in groups
power-supply
not included

CE IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC880A-WT	aluminum	brushed black	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC880A-SL	aluminum	brushed silver	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC880A-GD	aluminum	gold plated	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC880A-BK	aluminum	brushed black	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

LED MINI SPOT LIGHT

lens available

LED DOT LIGHT
3W SERIES

10°

narrow beam


20°

spot

30°


default

flood



surface
customizable

-  chrome plated
-  concrete grey paint
similar to RAL7037



— 35 —

— 45 —

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC005A-WT	aluminum	white painting	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC005A-BK	aluminum	anodized black	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC005A-SL	aluminum	anodized silver	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC005A-GD	aluminum	gold plated	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

  IP20

 Dia 30mm


installed in groups

power-supply
not included

LED MINI SPOT LIGHT

lens available


LED DOT LIGHT
3W SERIES
ROTATABLE



surface
customizable

chrome plated

concrete grey paint
similar to RAL7037



CE IP20


Ø 40mm

installed in groups/single
power-supply for single
installation is included


code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC001A-WT	aluminum	white painting	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC001A-BK	aluminum	anodized black	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC001A-SL	aluminum	anodized silver	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC001A-GD	aluminum	gold plated	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

LED MINI SPOT LIGHT


GUIDE FOR INSTALLATION IN SERIES
LDC880/LDC880A/LDC005A/LDC00 1A




Drill holes on the ceiling
20mm for LDC880/LDC880A
30mm for LDC005A
40mm for LDC00 1A



Installed power-supply on the ceiling
power-supply will be supplied
separately by manufacturer.
Consult with seller's engineer for the
specification of power-supply you
need. 6-12pcs for one group is
strongly recommended.



Connect the lamp each by each,
using the junction cable supplied
with the lamp and put the end
connector to the last lamp.
Connect the first lamp to the
power-supply.
The default MAXIMUM distance
between two lamps is 50cm.
If you would like to make it more
than 50cm, the junction cables
must be longer.





LED SPOT LIGHT

surface customizable  anodized silver brushed linear  concrete grey paint similar to RAL7037  chrome plated

DEEP RECESSED
MINI COB SPOTLIGHT
6W UP TO 500LM CRI90
DIA56MM CUT DIA 50MM
FOUR COLORS OPTIONAL
THREE COLORS CUSTOMIZABLE



JLDC992-BK



JLDC992-WT



JLDC992-GD



JLDC992-SL

DEEP RECESSED
MINI COB SPOTLIGHT
6W UP TO 500LM CRI85
ROTATABLE FOUR COLORS
THREE COLORS CUSTOMIZABLE



JLDC993-BK



JLDC993-WT




JLDC993-GD



JLDC993-SL


LED SPOT LIGHT

Datasheet



cut-out dia 50mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC992-BK	aluminum	black paint	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	 
JLDC992-WT	aluminum	white paint	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	
JLDC992-GD	aluminum	anodized gold	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	
JLDC992-SL	aluminum	anodized silver	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	




cut-out dia 60mm


code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC992-BK	aluminum	black paint	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	 
JLDC992-WT	aluminum	white paint	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	
JLDC992-GD	aluminum	anodized gold	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	
JLDC992-SL	aluminum	anodized silver	COB 6W	Ra>90	500lm	2700K/3000K/4000K/6000K	



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

reflector available

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037




anodized gold
brushed circular




⌀ Dia 65mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC994-SL	aluminum	brushed silver	COB 6W	Ra>90	500lm	13 / 23	2700K/3000K /4000K/6000K
⌀ 65x145 mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC995-SL	aluminum	brushed silver	COB 2x6W	Ra>90	1000lm	13 / 23	2700K/3000K /4000K/6000K
⌀ 65x220 mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC996-SL	aluminum	brushed silver	COB 3x6W	Ra>90	1500lm	13 / 23	2700K/3000K /4000K/6000K
⌀ 145x145 mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC997-SL	aluminum	brushed silver	COB 4x6W	Ra>90	2000lm	13 / 23	2700K/3000K /4000K/6000K



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

reflector available

surface
customizable




black paint
equal to RAL9011



concrete grey paint
similar to RAL7037




anodized gold
brushed circular




 Dia 65mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC994-WT	aluminum	white paint	COB 6W	Ra>90	500lm	13 / 23	2700K/3000K /4000K/6000K
 65x145 mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC995-WT	aluminum	white paint	COB 2x6W	Ra>90	1000lm	13 / 23	2700K/3000K /4000K/6000K
 65x220 mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC996-WT	aluminum	white paint	COB 3x6W	Ra>90	1500lm	13 / 23	2700K/3000K /4000K/6000K
 145x145 mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC997-WT	aluminum	white paint	COB 4x6W	Ra>90	2000lm	13 / 23	2700K/3000K /4000K/6000K



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed circular



JLDC926-WT



JLDC927-WT



JLDC928-WT



JLDC928-SL



JLDC927-SL




JLDC926-SL


LED SPOT LIGHT

Datasheet


CE IP20



code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC926-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K/4000K/6000K	15° narrow beam, 24° spot, 38° default flood, 60° wide flood
JLDC926-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K/4000K/6000K	15° narrow beam, 24° spot, 38° default flood, 60° wide flood



code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC927-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K/4000K/6000K	15° narrow beam, 24° spot, 38° default flood, 60° wide flood
JLDC927-SL	aluminum	anodized silver	COB 9W	Ra>90	800lm	2700K/3000K/4000K/6000K	15° narrow beam, 24° spot, 38° default flood, 60° wide flood



code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC928-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K/4000K/6000K	15° narrow beam, 24° spot, 38° default flood, 60° wide flood
JLDC928-SL	aluminum	anodized silver	COB 12W	Ra>90	900lm	2700K/3000K/4000K/6000K	15° narrow beam, 24° spot, 38° default flood, 60° wide flood



LED SPOT LIGHT

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed circular



JLDC926A-SL



JLDC928A-WT



JLDC927A-SL



JLDC927A-WT



JLDC928A-SL




JLDC926A-WT

LED SPOT LIGHT

Datasheet

CE IP20

	code	casing	finishing	lamping	CRI	lumen	LED color	reflector available			
								15°	24°	38°	60°
cut-out dia 70mm	JLDC926A-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K/4000K/6000K	narrow beam	spot	default flood	wide flood
	JLDC926A-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K/4000K/6000K				
	code	casing	finishing	lamping	CRI	lumen	LED color	reflector available			
								15°	24°	38°	60°
cut-out dia 90mm	JLDC927A-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K/4000K/6000K	narrow beam	spot	default flood	wide flood
	JLDC927A-SL	aluminum	anodized silver	COB 9W	Ra>90	800lm	2700K/3000K/4000K/6000K				
	code	casing	finishing	lamping	CRI	lumen	LED color	reflector available			
								15°	24°	38°	60°
cut-out dia 115mm	JLDC928A-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K/4000K/6000K	narrow beam	spot	default flood	wide flood
	JLDC928A-SL	aluminum	anodized silver	COB 12W	Ra>90	900lm	2700K/3000K/4000K/6000K				



LED SPOT LIGHT

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037



anodized gold
brushed circular



chrome plated



JLDC978B



JLDC979B



JLDC978A




JLDC979A

LED SPOT LIGHT

reflector available

Datasheet



 Dia 70mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC978B	aluminum	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
 Dia 70mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC979B	aluminum	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
 Dia 70mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC978A	acrylic cover aluminum heat sink	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K
 Dia 70mm	 IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC979A	acrylic cover aluminum heat sink	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K



LED SPOT LIGHT

reflector available

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037



anodized gold
brushed circular



chrome plated



85 Dia 70mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC935A	aluminum	white paint	LED 3W	Ra>80	300lm	30 degree	2700K/3000K/4000K/6000K
109 Dia 90mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC936A	aluminum	white paint	LED 5W	Ra>80	600lm	30 degree	2700K/3000K/4000K/6000K
139 Dia 115mm	IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		JLDC938A	aluminum	white paint	LED 9W	Ra>80	900lm	30 degree	2700K/3000K/4000K/6000K



LED SPOT LIGHT

reflector available


surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular chrome plated






		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	IP20	JLDC984	aluminum	anodized black	Cree XML 8W	Ra>80	800lm	30 degree	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	IP20	JLDC985	aluminum	anodized black	Cree XML 8W	Ra>80	800lm	30 degree	2700K/3000K/4000K/6000K



The long heat sink need a minium 170mm installation space up the ceiling



JLDC984 installed from in the front of the ceiling



JLDC985 installed from the back of the ceiling







With the design principle of being as simple as possible, we design this series of recessed spot light. Although it cost a lot of aluminum material to make the lamp casing from a solid aluminum trunk, the front cover looks so entirety and elegant. It has got perfect shape by seeing in front, one piece, same color, perfect straight curve, big shielding angle. By using CREE CXA series Cob chips, the CRI of this series can reach up to RA90, and very high lumen output efficiency, up to 80lm per watt. The installation is also easy with easy connector between lamp and the power-supply.

This series have got three default color, white, gold, and black. Also it has got three sizes, from 5W to 20W, output will be from 430lm to 1800lm. The light angle can be 15/24/38/60 degree, from narrow beam to wide flood. It can fulfill most requirements of home lighting and architecture lighting. The lamp body can be custom made to other colors if customer want something new in the ceiling. As we know, pure aluminum is very nice material, it can be anodized or plated or power-coating. So this series will give customer choices as much as possible.

LED SPOT LIGHT DEEP RECESSED

COB 5W SERIES





code	casing	finishing	lamping	CRI	lumen	LED color
JLDC988-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC988-BK	aluminum	black paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC988-GD	aluminum	anodized gold	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

reflector available



surface
customizable

concrete grey paint
similar to RAL7037

COB 9W SERIES




code	casing	finishing	lamping	CRI	lumen	LED color
JLDC989-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC989-BK	aluminum	black paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K


code	casing	finishing	lamping	CRI	lumen	LED color
JLDC989-GD	aluminum	anodized gold	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

reflector available




surface
customizable


concrete grey paint
similar to RAL7037




stainless
steel
installation
spring



plug and
lock
connector
between
led and power-
supply



JLDC988
up to 60
degree
shielding
angle



JLDC989
up to 57
degree
shielding
angle

LED SPOT LIGHT DEEP RECESSED

COB 12W SERIES



code	casing	finishing	lamping	CRI	lumen	LED color
------	--------	-----------	---------	-----	-------	-----------

JLDC990-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K
------------	----------	-------------	---------	-------	-------	-----------------------------


code	casing	finishing	lamping	CRI	lumen	LED color
------	--------	-----------	---------	-----	-------	-----------

JLDC990-BK	aluminum	black paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K
------------	----------	-------------	---------	-------	-------	-----------------------------

code	casing	finishing	lamping	CRI	lumen	LED color
------	--------	-----------	---------	-----	-------	-----------

JLDC990-GD	aluminum	anodized gold	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K
------------	----------	---------------	---------	-------	-------	-----------------------------

reflector available



cut-out dia 122mm

surface
customizable

concrete grey paint
similar to RAL7037

COB 20W SERIES



code	casing	finishing	lamping	CRI	lumen	LED color
------	--------	-----------	---------	-----	-------	-----------

JLDC991-WT	aluminum	white paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K
------------	----------	-------------	---------	-------	--------	-----------------------------



code	casing	finishing	lamping	CRI	lumen	LED color
------	--------	-----------	---------	-----	-------	-----------

JLDC991-BK	aluminum	black paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K
------------	----------	-------------	---------	-------	--------	-----------------------------

code	casing	finishing	lamping	CRI	lumen	LED color
------	--------	-----------	---------	-----	-------	-----------

JLDC991-GD	aluminum	anodized gold	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K
------------	----------	---------------	---------	-------	--------	-----------------------------


reflector available




cut-out dia 122mm

surface
customizable


concrete grey paint
similar to RAL7037




stainless
steel
installation
spring



plug and
lock
connector
between
led
and power-
supply



JLDC990
up to 55
degree
shielding
angle



JLDC991
up to 55
degree
shielding
angle



LED SPOT LIGHT HIGH POWER HIGH LUMENS

reflector available

surface
customizable



black paint
equal to RAL9011




concrete grey paint
similar to RAL7037



narrow
beam


spot

flood




cut-out dia 140mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC207-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm
IP20




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC208-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K




cut-out dia 140mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC209-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

LDC209
four steps
installation




strong
and solid
heat sink
makes
good heat
management



philips
power-
supply
for the
whole
series



strong
metal
spring
clips



locking
connectors
make
easy and
stable
connection
between lamp
and power-supply



Related
products
LDC211
series
in chapter
LED grille
light

LED SPOT LIGHT HIGH POWER HIGH LUMENS

reflector available

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037


default
10°
narrow
beam



spot




flood




cut-out dia 140mm
CE IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC207-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm
CE IP20




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC208-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K




cut-out dia 140mm
CE IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC209-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

JLDC209
four steps
installation




strong
and solid
heat sink
makes
good heat
management



philips
power-
supply
for the
whole
series



strong
metal
spring
clips




locking
connectors
make
easy and
stable
connection
between lamp
and power-supply



Related
products
JLDC211
series
in chapter
LED grille
light

reflector available



LED SPOT LIGHT RIMLESS

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037

RIMLESS
DEEP RECESSED
ROTATABLE
SPOTLIGHT UP TO 12W
EASY INSTALLATION

code JLDC342

casing aluminum / white painting

lampping cob 5W / Ra>90 / 430LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

Installation cut-out dia 74mm



code JLDC343

casing aluminum / white painting

lampping cob 9W / Ra>90 / 800LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

Installation cut-out dia 94mm



code JLDC344

casing aluminum / white painting

lampping cob 12W / Ra>90 / 900LM


Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

Installation cut-out dia 116mm



Installation Guide



LED SPOT LIGHT FREE ROTATE



code JLDC970

casing aluminum / white painting

lamping cob 12W / Ra>90 / 900LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out dia 150mm

code JLDC969

casing aluminum / white painting

lamping cob 5W / Ra>90 / 430LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K



installation cut-out dia 115mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

narrow beam	spot	flood	wide flood



LED SPOT LIGHT FREE ROTATE



code JLDC987-WT / JLDC987-BK

surface
customizable

concrete grey paint
similar to RAL7037

anodized gold
brushed circular

casing aluminum / white/black painting / lamping LED 9x1W / Ra>80 / 630LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation   IP20

lamp head dia 16mm with acrylic decoration in front of the lense

LED SPOT LIGHT

reflector available

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037

10°

narrow beam


23°

spot

38°

default flood






code JLDC382
casing aluminum / white painting
lamping cob 6W / Ra>90 / 500LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K

installation  cut-out dia 155 mm

  IP20




code JLDC383
casing aluminum / white painting
lamping cob 2x6W / Ra>90 / 1000LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K

installation  cut-out dia 155 mm

  IP20





code JLDC384
casing aluminum / white painting
lamping cob 3x6W / Ra>90 / 1500LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K

installation  cut-out dia 155 mm

  IP20



code JLDC385
casing aluminum / white painting
lamping cob 4x6W / Ra>90 / 2000LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K

installation  cut-out dia 155 mm

  IP20

LED SPOT LIGHT

reflector available

surface customizable  white paint similar to RAL9003  anodized silver sandblasted  anodized gold sandblasted

default
 10° narrow beam
 23° spot
 38° flood





code JLDC371

casing aluminum / anodized black


lampping cob 6W / Ra>90 / 500LM

Beam 10° / 23 / 38 degree

2700K/3000K/4000K/6000K

installation  cut-out dia75 mm





code JLDC372

casing aluminum / anodized black

lampping cob 2x6W / Ra>90 / 1000LM


Beam 10° / 23 / 38 degree

2700K/3000K/4000K/6000K

installation  cut-out 210x77 mm







code JLDC373

casing aluminum / anodized black


lampping cob 3x6W / Ra>90 / 1500LM

Beam 10° / 23 / 38 degree

2700K/3000K/4000K/6000K

installation  cut-out 320x77mm







deep recessed shielding angle up to 70 degree



universal turning vertical and horizontal 30 degree



LED GRILLE LIGHTS





code JLDC955

casing aluminum / white painting

lamping cob 5W / Ra>90 / 430LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out 90x90mm

code JLDC956

casing aluminum / white painting

lamping cob 2x5W / Ra>90 / 860LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out 165x90mm



code JLDC957

casing aluminum / white painting

lamping cob 3x5W / Ra>90 / 1290LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out 240x90mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

15° narrow beam	24° spot	38° flood	60° wide flood
		default	



code JLDC958

casing aluminum / white painting

lampping cob 9W / Ra>90 / 800LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out 110x110mm

code JLDC959

casing aluminum / white painting

lampping cob 2x9W / Ra>90 / 1600LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out 205x110mm



code JLDC960

casing aluminum / white painting

lampping cob 3x9W / Ra>90 / 2400LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out 300x110mm


surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

default			
15° narrow beam	24° spot	38° flood	60° wide flood





code JLDC961

casing aluminum / white painting


lampping cob 12W / Ra>90 / 900LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

installation  cut-out 135x135mm



code JLDC963

casing aluminum / white painting

lampping cob 3x12W / Ra>90 / 2700LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

installation  cut-out 365x135mm




surface customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

reflector available

15°

narrow beam

24°

spot


38°

default
flood

60°

wide flood





code JLDC962

casing aluminum / white painting

lampping cob 2x12W / Ra>90 / 1800LM

Beam 15 / 24 / 38 / 60 degree


2700K/3000K/4000K/6000K

installation  cut-out 250x135mm











code JLDC940
casing aluminum / white painting
lamping LED 3W / Ra>80 / 300LM
Beam 10 / 20 / **30** degree
2700K/**3000K**/4000K/6000K
installation  cut-out 90x90mm

  IP20



code JLDC941
casing aluminum / white painting
lamping LED 2x3W / Ra>80 / 600LM
Beam 10 / 20 / **30** degree
2700K/**3000K**/4000K/6000K
installation  cut-out 165x90mm

  IP20

code JLDC942
casing aluminum / white painting
lamping LED 3x3W / Ra>80 / 900LM
Beam 10 / 20 / **30** degree
2700K/**3000K**/4000K/6000K
installation  cut-out 240x90mm

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037

Lens available
 10° narrow beam
 20° spot
 30° flood (default)

  IP20



code JLDC946

casing aluminum / white painting

lamping LED 7W / Ra>80 / 700LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation cut-out 110x110mm

code JLDC947

casing aluminum / white painting

lamping LED 2x7W / Ra>80 / 1400LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation cut-out 205x110mm

code JLDC948

casing aluminum / white painting

lamping cob 3x7W / Ra>80 / 2100LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation cut-out 300x110mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

Lens available

10°	20°	30°
narrow beam	spot	flood





code JLDC952

casing aluminum / white painting

lampping LED 12W / Ra>80 / 1200LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation cut-out 135x135mm

code JLDC953

casing aluminum / white painting

lampping LED 2x12W / Ra>80 / 2400LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation cut-out 250x135mm



code JLDC954

casing aluminum / white painting

lampping cob 3x12W / Ra>80 / 3600LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation cut-out 365x135mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

Lens available

		default
narrow beam	spot	flood







code JLDC923

casing aluminum / white painting

lampping LED 6x2W / Ra>80 / 660LM

Beam 10 / 20 / 30 degree

2700K/3000K/4000K/6000K

installation cut-out 135x135mm

code JLDC924


casing aluminum / white painting

lampping LED 2x6x2W / Ra>80 / 1320LM

Beam 10 / 20 / 30 degree

2700K/3000K/4000K/6000K

installation cut-out 265x135mm



code JLDC925

casing aluminum / white painting

lampping LED 3x6x2W / Ra>80 / 1980LM

Beam 10 / 20 / 30 degree

2700K/3000K/4000K/6000K

installation cut-out 395x135mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

Lens available


15°	30°	60°
spot	flood	wide flood

default









code JLDC889

casing aluminum / white painting


lampping LED 3x3W / Ra>80 / 360LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation  cut-out 105x105mm





code JLDC890

casing aluminum / white painting

lampping LED 2x3x3W / Ra>80 / 720LM


Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation  cut-out 204x105mm







code JLDC891

casing aluminum / white painting

lampping LED 3x3x3W / Ra>80 / 1080LM

Beam 10 / 20 / **30** degree

2700K/**3000K**/4000K/6000K

installation  cut-out 303x105mm



surface customizable

 black paint equal to RAL9011
  concrete grey paint similar to RAL7037

Lens available

 15°
spot

 30°
flood


 60°
wide flood

default



FREE ROTATE LED GRILLE LIGHTS






code JLDC317
casing aluminum / white painting
lamping cob 5W / Ra>90 / 430LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation  cut-out 105x105mm

  IP20






code JLDC318
casing aluminum / white painting
lamping cob 2x5W / Ra>90 / 860LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation  cut-out 195x105mm

  IP20





code JLDC319
casing aluminum / white painting
lamping cob 3x5W / Ra>90 / 1290LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation  cut-out 285x105mm


  IP20

surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037

reflector available

-  15°
narrow beam
-  24°
spot
-  38°
flood
-  60°
wide flood



The led head
can be pulled
out and in
and rotatable
horizontally 350
degree
vertically 180
degree




This series are
remarkable for
its' highly free
rotating lamp
head. Good
solution for wall
washing and
signboard
lighting

FREE ROTATE LED GRILLE LIGHTS

BIG VERSION








code JLDC320

casing aluminum / white painting


lampping cob 12W / Ra>90 / 900LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

installation  cut-out 135x135mm








code JLDC321

casing aluminum / white painting


lampping cob 2x12W / Ra>90 / 1800LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K

installation  cut-out 300x135mm








code JLDC322

casing aluminum / white painting

lampping cob 3x12W / Ra>90 / 2700LM

Beam 15 / 24 / 38 / 60 degree

2700K/3000K/4000K/6000K


installation  cut-out 440x135mm

surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037

reflector available

-  15°
narrow beam
-  24°
spot
-  38°
flood
-  60°
wide flood



The led head
can be pulled
out and in
and rotatable
horizontally 350
degree
vertically 180
degree



This series are
remarkable for
its' highly free
rotating lamp
head. Good
solution for wall
washing and
signboard
lighting

HIGH CLASS / HIGH LUMENS LED GRILLE LIGHTS

UP TO 28W FOR SINGLE HEAD
UP TO 6720 LUMENS FOR
3 HEADS LAMP

10/23/38 DEGREE BEAM ANGLE
SOLID AND EASY INSTALLATION

VERY GOOD HEAT
MANAGEMENT


SUPPLIED WITH
PHILIPS POWER-SUPPLY


20W/24W/28W AVAILABLE


LASER-CUT COVER SHEET
CAN BE CUSTOMIZED TO
OTHER SHAPE



ONE OF THE BEST CHOICE
FOR ARCHITECTURE
LIGHTING



 cut-out 180x180mm      IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC211-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC211-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC211-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

 cut-out 365x180mm      IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC212-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X20W	Ra>90	3200lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC212-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X24W	Ra>90	3840lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC212-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 2X28W	Ra>90	4480lm	10/23/38	2700K/3000K /4000K/6000K


 cut-out 550x180mm      IP20	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC213-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X20W	Ra>90	4800lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC213-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X24W	Ra>90	5760lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC213-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 3X28W	Ra>90	6720lm	10/23/38	2700K/3000K /4000K/6000K



hiding-screwing out-screwing down
3 steps installation module makes
NO HARM to the roof and lamp itself
Very stable ceiling lamp installation



1.5mm thickness
Laser-cut integrated
steel cover sheet
gives enough intensity




quick pressing
connector
makes installation
easy


surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037

reflector available




15mm aluminum
front cover and
reflector makes
45 degree
shielding angle






Lense on the
central of
reflector
makes the light
soft and more
efficient

HIGH CLASS / HIGH LUMENS LED GRILLE LIGHTS


RIMLESS VERSION




 cut-out 185x180mm    	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC214-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC214-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC214-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K
 cut-out 370x180mm    	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC215-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X20W	Ra>90	3200lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC215-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X24W	Ra>90	3840lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC215-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 2X28W	Ra>90	4480lm	10/23/38	2700K/3000K /4000K/6000K
 cut-out 555x180mm    	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC216-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X20W	Ra>90	4800lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC216-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X24W	Ra>90	5760lm	10/23/38	2700K/3000K /4000K/6000K
	JLDC216-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 3X28W	Ra>90	6720lm	10/23/38	2700K/3000K /4000K/6000K



easy installation
by putting by hands
put the lamp into
the ceiling hole with
one side oblique



The holding pieces
can be adjusted
by customer
according to the
thickness of the
ceiling board





quick pressing
connector
makes installation
easy


surface
customizable

-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037

reflector available




15mm aluminum
front cover and
reflector makes
45 degree
shielding angle



Lense on the
central of
reflector
makes the light
soft and more
efficient

RIMLESS LED GRILLE LIGHTS



	code	JLDC356
	casing	aluminum / black painting
	lampping	cob 6W / Ra>90 / 500LM
	Beam	10 / 23 / 38 degree 2700K/3000K/4000K/6000K
	installation	cut-out 93x93mm




	code	JLDC357
	casing	aluminum / black painting
	lampping	cob 2x6W / Ra>90 / 1000LM
	Beam	10 / 23 / 38 degree 2700K/3000K/4000K/6000K
	installation	cut-out 165x93mm




	code	JLDC358
	casing	aluminum / black painting
	lampping	cob 3x6W / Ra>90 / 1500LM
	Beam	10 / 23 / 38 degree 2700K/3000K/4000K/6000K
	installation	cut-out 240x93mm

reflector available



installation guide




surface
customizable

- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037



RIMLESS LED GRILLE LIGHTS



	code	JLDC359
	casing	aluminum / black painting
	lampping	cob 9W / Ra>90 / 800LM
	Beam	10 / 23 / 38 degree 2700K/3000K/4000K/6000K
	installation	cut-out 114x114mm




	code	JLDC360
	casing	aluminum / black painting
	lampping	cob 2x9W / Ra>90 / 1600LM
	Beam	10 / 23 / 38 degree 2700K/3000K/4000K/6000K
	installation	cut-out 209x114mm



	code	JLDC361
	casing	aluminum / black painting
	lampping	cob 3x9W / Ra>90 / 2400LM
	Beam	10 / 23 / 38 degree 2700K/3000K/4000K/6000K
	installation	cut-out 304x114mm


installation guide



surface
customizable

-  white paint
similar to RAL9003
-  concrete grey paint
similar to RAL7037

reflector available



RIMLESS LED GRILLE LIGHTS

code JLDC362


casing aluminum / black painting

lamping cob 12W / Ra>90 / 900LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 136x136mm



code JLDC363

casing aluminum / black painting

lamping cob 2x12W / Ra>90 / 1800LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 253x136mm



code JLDC364

casing aluminum / black painting

lamping cob 3x12W / Ra>90 / 2700LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 370x136mm




installation guide


surface
customizable


white paint
similar to RAL9003

concrete grey paint
similar to RAL7037



reflector available





LED

DOWN

LIGHT



TEA AREA

ANTI-GLARE LED DOWNLIGHT



This series LED downlight has got 3 different sizes and 3 different colors, so totally 9 items.
3 inches is Dia 105mm by 59mm height, with cut-off Dia 90mm
4 inches is Dia 128mm by 59mm height, with cut-off Dia 115mm
6 inches is Dia 175mm by 59mm height, with cut-off Dia 160mm

Those items are good at Kitchen, toilet ceiling and for bedside lighting, also passage is a good place to put this series, for the elegant out-looking and anti-glare shade.

The second advantage from this series is the lamp color: aluminium anodized silver and gold is giving a metallic looking, clear, modern but not vulgar like shining chrome.

ANTI-GLARE LED DOWNLIGHT



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037


equal to 3 inch



cut-out Dia 90mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC931A-SL	aluminum	anodized silver	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K
JLDC931A-GD	aluminum	anodized gold	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K
JLDC931A-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K


equal to 4 inch



cut-out Dia 115mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC932A-SL	aluminum	anodized silver	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K/4000K/6000K
JLDC932A-GD	aluminum	anodized gold	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K/4000K/6000K
JLDC932A-WT	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K/4000K/6000K

equal to 6 inch



cut-out Dia 160mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC934A-SL	aluminum	anodized silver	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K/4000K/6000K
JLDC934A-GD	aluminum	anodized gold	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K/4000K/6000K
JLDC934A-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K/4000K/6000K



ANTI-GLARE LED DOWNLIGHT


We create this series to make a universal led down light for replacement of normal fluorescence down light. From 2 inch/size diameter 75mm to 5 inch/size diameter 160mm, you can always find the size you want. We use very economics SMD led chips inside, but very efficiency led, up to 100 lm per watt. Another advantage of this series is very slim lamp body due to the good heat management design, the height of total lamp is less than 60mm and it can fit for most of ceiling. The front reflector is made of spun aluminum and chrome plated. Aluminum will never rust. Comparing to the traditional down light, this series is a very good alternative.

surface
customizable

■ black paint
equal to RAL9011

■ concrete grey paint
similar to RAL7037

■    IP20

		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
equal to 2 inch	Dia75mm	JLDC858C	aluminum	white paint	SMD 3W	Ra>80	300lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
equal to 3 inch	Dia90mm	JLDC859C	aluminum	white paint	SMD 4W	Ra>80	400lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
equal to 3.5 inch	Dia100mm	JLDC860C	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
equal to 4 inch	Dia115mm	JLDC861C	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
equal to 4.5 inch	Dia130mm	JLDC862C	aluminum	white paint	SMD 16W	Ra>80	1600lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
equal to 5 inch	Dia145mm	JLDC863C	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K/4000K/6000K

LED DOWNLIGHT

We call this series MOOOON, because the original idea of the lamp comes from the FULL MOON, the moon at middle of the month is totally round and nothing defected. This series of lamp lights up just like full moon, very thin edge, the object is totally like a lighting ball from the ceiling, well-stacked and beautiful.

They have got four sizes 3 inches, 4 inches, 5 inches, and 6 inches. Also two colors available, painted white and anodized brushed silver. They give enough light, good for passage, balcony, toilet, kitchen, and etc.


surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

CE IP20



	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC964-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K	

	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC965-WT	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K/4000K/6000K	

	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC966-WT	aluminum	white paint	SMD 16W	Ra>80	1600lm	Acrylic cover	2700K/3000K/4000K/6000K	

	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC967-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K/4000K/6000K	



CEILING RECESSED LED PANNEL LIGHT ULTRA SLIM AND BRIGHTNESS

We call this type of lamp PANEL LIGHT, because the whole lamp is extremely slim, just like a panel. The theory of panel light is putting the led on the side of the lamp casing, 90 degree opposite of the lighting direction. There are three layers of acrylic lighting unit, on the front is a very thin acrylic sheet to make the light soft, the middle layer is a diffuser which turning the lighting direction from side to downwards, the back layer is a reflector to reflect the lighting downwards, the led give lights to the acrylic panels, the three layers of acrylic make the light all downwards to the ground.

This type of PNAEL LIGHT is very slim, efficient, soft light and other lots of advantage. We have got four sizes from 105mm to 280mm, the watt from 6W to 24W, it can fulfill most requirements.

There are also round shape and square shape, black and white color, and also other color can be custom made.




LED PANEL DOWNLIGHT | DATASHEET



surface
customizable

concrete grey paint
similar to RAL7037

		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia105mm	JLDC201S-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia160mm	JLDC201-WT	aluminum	white paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia205mm	JLDC202-WT	aluminum	white paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia280mm	JLDC203-WT	aluminum	white paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia105mm	JLDC201S-BK	aluminum	black paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia160mm	JLDC201-BK	aluminum	black paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia205mm	JLDC202-BK	aluminum	black paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K/4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	Ø Dia280mm	JLDC203-BK	aluminum	black paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K/4000K/6000K



CEILING RECESSED LED PANNEL LIGHT ULTRA SLIM AND BRIGHTNESS

We call this type of lamp PANEL LIGHT, because the whole lamp is extremely slim, just like a panel. The theory of panel light is putting the led on the side of the lamp casing, 90 degree opposite of the lighting direction. There are three layers of acrylic lighting unit, on the front is a very thin acrylic sheet to make the light soft, the middle layer is a diffuser which turning the lighting direction from side to downwards, the back layer is a reflector to reflect the lighting downwards the led give lights to the acrylic panels, the three layers of acrylic make the light all downwards to the ground.

This type of PNAEL LIGHT is very slim, efficient, soft light and other lots of advantage. We have got four sizes from 105mm to 280mm, the watt from 6W to 24W, it can fulfill most requirements. There are also round shape and square shape, black and white color, and also other color can be custom made.










LED PANEL DOWNLIGHT | DATASHEET




surface
customizable



concrete grey paint
similar to RAL7037

  Ø Dia105x105mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC204S-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia155x155mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC204-WT	aluminum	white paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia205x205mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC205-WT	aluminum	white paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia280x280mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC206-WT	aluminum	white paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia105x105mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC204S-BK	aluminum	black paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia155x155mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC204-BK	aluminum	black paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia205x205mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC205-BK	aluminum	black paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Ø Dia280x280mm	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	JLDC206-BK	aluminum	black paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/ 3000K /4000K/6000K

LED CABINET LIGHTS





JLSD014-BK



JLSD013-BK

code JLSD014-BK

surface customizable  anodized silver brushed linear  anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation   IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLSD013-BK

surface customizable  anodized silver brushed linear  anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation   IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board



JLSD014-CR



JLSD013-CR

code JLSD014-CR

surface customizable



anodized silver brushed linear



anodized silver sandblasted

casing aluminum / chrome plated / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation   IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLSD013-CR

surface customizable



anodized silver brushed linear






anodized silver sandblasted

casing aluminum / chrome plated / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation   IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board





code **JLSD016**

surface
customizable



white paint
similar to RAL9003



anodized silver
sandblasted

casing aluminum / anodized black / lamping LED 1x1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia. 10mm hole for installation / maximum 25mm thickness board

code **JLSD017**

surface
customizable



white paint
similar to RAL9003



anodized silver
sandblasted

casing aluminum / anodized black / lamping LED 2x1W / Ra>80 / 140LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia. 10mm hole for installation / maximum 25mm thickness board

code **JLSD018**

surface
customizable



white paint
similar to RAL9003



anodized silver
sandblasted

casing aluminum / anodized black / lamping LED 3x1W / Ra>80 / 210LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia. 10mm hole for installation / maximum 25mm thickness board



code **JLDC365**

surface
customizable



white paint
similar to RAL9003



anodized silver
sandblasted

casing aluminum / anodized black / lamping LED 1x1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 28mm hole precisely for installation / minimum 10mm thickness board



code **JLDC368**

surface
customizable



white paint
similar to RAL9003



anodized silver
sandblasted

casing aluminum / anodized black / lamping LED 1x3W / Ra>80 / 120LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 40mm hole precisely for installation / minimum 10mm thickness board



code **JLDC371**

surface
customizable



white paint
similar to RAL9003



anodized silver
sandblasted

casing aluminum / anodized black / lamping COB 6W / Ra>90 / 550LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 75mm hole precisely for installation / minimum 10mm thickness board



JLDC366



JLDC367



JLDC369




JLDC370



JLDC372




JLDC373



code JLDC366

casing aluminum / anodized black / lamping LED 2x1W / Ra>80 / 140LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K
 installation IP20 cut-off 100x35mm hole precisely for installation / minimum 10mm thickness board


surface customizable white paint similar to RAL9003 anodized silver sandblasted



code JLDC367

casing aluminum / anodized black / lamping LED 3x1W / Ra>80 / 210LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K
 installation IP20 cut-off 150x35mm hole precisely for installation / minimum 10mm thickness board


surface customizable white paint similar to RAL9003 anodized silver sandblasted



code JLDC369

casing aluminum / anodized black / lamping LED 2x3W / Ra>80 / 240LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K
 installation IP20 cut-off 130x47mm hole precisely for installation / minimum 10mm thickness board


surface customizable white paint similar to RAL9003 anodized silver sandblasted



code JLDC370

casing aluminum / anodized black / lamping LED 3x3W / Ra>80 / 360LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K
 installation IP20 cut-off 195x47mm hole precisely for installation / minimum 10mm thickness board


surface customizable white paint similar to RAL9003 anodized silver sandblasted



code JLDC372

casing aluminum / anodized black / lamping COB 2x6W / Ra>90 / 1100LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K
 installation IP20 cut-off 210x77mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted



code JLDC373

casing aluminum / anodized black / lamping COB 3x6W / Ra>90 / 1650LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K
 installation IP20 cut-off 320x77mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted







LED OUTDOOR WALL LIGHTS






code **JLWA215**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **JLWA216**
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65







code **JLWA253**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA254**
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **JLWA217**
 casing aluminum / black painting
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037




code **JLWA218**
 casing aluminum / black painting
 lamping COB 2x12W / Ra>90 / 1800LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037




code **JLWA255**
 casing aluminum / black painting
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037




code **JLWA256**
 casing aluminum / black painting
 lamping COB 2x12W / Ra>90 / 1800LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLWA 173A**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
customizable
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037




code **JLWA 174A**
 casing aluminum / black painting
 lamping COB 2x5W / Ra>90 / 860LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
customizable
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037






code **JLWA250**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 / 70LM
 Beam NO LENSE
 2700K/3000K/4000K/6000K
 installation     IP65


surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **JLWA251**
 casing aluminum / black painting
 lamping LED 2X1W / Ra>80 / 140LM
 Beam NO LENSE
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA248**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 10/20/30 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037

code **JLWA249**
 casing aluminum / black painting
 lamping LED 4x3W / Ra>80 / 480LM
 Beam 10/20/30 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLWA213**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 800LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation   **CE**  **IP65**




code **JLWA214**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 800LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation   **CE**  **IP65**






code **JLWA210**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65




surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLWA211**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65




surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLWA 135**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65

surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLWA 139**

casing aluminum / black painting

lamping LED 4W / Ra>80 / 400LM

Beam acrylic diffuser
2700K/3000K/4000K/6000K

installation     IP65

surface
customizable


 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



code JLWA310
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65


surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **JLWA311**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface
 customizable

white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037




code **JLWA312**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface
 customizable


white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037






code JLWA291A
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA292A**
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **JLWA293A**
 casing aluminum / black painting
 lamping COB 2x9W / Ra>90 / 1600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code JLWA300C-BK
casing aluminum / black painting
lamping LED 4X3W / Ra>80 / 1200LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation     IP65




surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037




code **JLWA300A-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65




surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



code **JLWA300B-BK**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65



surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



JLWA300D-BK







JLWA300E-BK



JLWA300F-BK



JLWA300H-BK



code **JLWA300D-BK**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 80 degree+down 80 degree / 2700K/3000K/4000K/6000K

installation    IP65

up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code **JLWA300E-BK**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 90 degree+down 90 degree / 2700K/3000K/4000K/6000K

installation    IP65

up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code **JLWA300F-BK**

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 60 degree+down 60 degree / 2700K/3000K/4000K/6000K

installation    IP65

up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code **JLWA300H-BK**

surface
customizable


white paint
similar to RAL9003

concrete grey paint
similar to RAL7037


casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 60 degree+down 8 degree / 2700K/3000K/4000K/6000K

installation    IP65

up and down cover sheet can be laser cut to other drawings or shape to get different light shape



code **JLWA300J-BK**
 casing aluminum / black painting
 lamping COB 2X3W / Ra>90 / 500LM
 Beam down 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



code **JLWA300G-BK**
 casing aluminum / black painting
 lamping COB 2X3W / Ra>90 / 500LM
 Beam dismissed light /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65



surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037






code **JLWA288-BK**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam up and down light can be
 adjusted from 5 degree to
 120 degree /
 2700K/**3000K**/4000K/6000K

installation     IP65


up and down light cover sheet adjustable



code **JLWA288-WT**
 casing aluminum / white painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam up and down light can be
 adjusted from 5 degree to
 120 degree /
 2700K/**3000K**/4000K/6000K

installation     IP65


up and down light cover sheet adjustable







code **JLWA279**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam down 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65




surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



code **JLWA280**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 240LM
 Beam up and down 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65




surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



code **JLWA281**
 casing aluminum / black painting
 lamping up 3W / down 6W / Ra>80 / 670LM
 Beam up 8 degree and down 38 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface
customizable

 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037








JLODL007



JLODL008



JLODL009



JLODL010



code **JLODL007 / JLODL008**

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / Acrylic diffuser /

installation   IP65  cut-off dia50x120mm for installation box

surface customizable

 concrete grey paint similar to RAL7037

 anodized black sandblasted

2700K/3000K/4000K/6000K red / green / blue



code **JLODL009 / JLODL010**

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / Acrylic diffuser /


installation   IP65  cut-off dia50x120mm for installation box

surface customizable

 concrete grey paint similar to RAL7037

 anodized black sandblasted

2700K/3000K/4000K/6000K red / green / blue




code **JLODL025**

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / two ways light / 2700K/3000K/4000K/6000K red / green / blue

installation     IP67  cut-off dia50x100mm for installation box




code **JLODL026**

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / three ways light / 2700K/3000K/4000K/6000K red / green / blue

installation     IP67  cut-off dia50x100mm for installation box



code **JLODL027**

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted


casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / four ways light / 2700K/3000K/4000K/6000K red / green / blue

installation     IP67  cut-off dia50x100mm for installation box



code **JLODL043**
 casing aluminum / anodized black
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 red / green / blue
 installation  **CE IP65**



 cut-off dia55x100mm
 for installation box

 surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037

code **JLODL044**
 casing aluminum / anodized black
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 red / green / blue
 installation  **CE IP65**

 cut-off dia55x100mm
 for installation box

 surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037



code **JLODL041**

casing aluminum / anodized black

lamping LED 1W / Ra>80 / 70LM


Beam acrylic diffuser

2700K/3000K/4000K/6000K

red / green / blue

installation   **CE IP65**

 cut-off dia55x100mm
for installation box



surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

code **JLODL042**

casing aluminum / anodized black

lamping LED 1W / Ra>80 / 70LM


Beam acrylic diffuser

2700K/3000K/4000K/6000K

red / green / blue

installation   **CE IP65**


 cut-off dia55x100mm
for installation box




surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037





LED
UNDERGROUND
LIGHT

12V / 24V / 220V INPUT UNDERGROUND SPOT LIGHT



code **JLODL031**

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 3W / Ra>80 / 210LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL032**

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 6W / Ra>80 / 420LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL033**

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 9W / Ra>80 / 630LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL031-IN12**

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 3W / Ra>80 / 210LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page




code **JLODL032-IN12**

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 6W / Ra>80 / 420LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page









code **JLODL033-IN12**

Stainless steel 316 cover / aluminum heat sink / aluminum installation case








casing aluminum+stainless steel / lamping LED 9W / Ra>80 / 630LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page


JLODL031 installation








JLODL032 / JLODL033 installation




JLODL031-IN12 / JLODL032-IN12 / JLODL033-IN12 installation



CODE	Diameter	Depth
JLODL031-IN12	75mm	90mm
JLODL032-IN12	90mm	105mm
JLODL033-IN12	105mm	100mm



Lamp in a parallel circuit



DO NOT CONNECT THE LAMP WHEN THERE IS CIRCUIT
IN CASE LED CHIP DAMAGED




DO NOT CONNECT THE LAMP DIRECTLY
TO THE MAIN





OUTDOOR UNDERGROUND
 MINI LED SPOTLIGHT
 STAINLESS STEEL 316 COVER
 COPPER LAMP CASING
 CHROME PLATED
 1W / 3W LED
 10/20/30/45/60
 DEGREE LENSE

IP67 WATERPROOF
 220V / DC 12/24V
 INPUT OPTIONAL
 SUPPLIED WITH
 INSTALLATION CASE
 AND EXTERNAL
 OR BUILT-IN
 POWER-SUPPLY




code **JLODL020**

stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+brass/ lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K red / green / blue /

installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL024**

stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+brass/ lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue

installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL001**

aluminum cover / aluminum heat sink / aluminum installation case

casing aluminum / lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K red / green / blue / RGB

installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL020-IN12**

stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+aluminum/ lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K/red / green / blue

installation **CE IP67**

supplied with built-in DC 12/24V input LED driver /check installation in next page




code **JLODL024-IN12**

stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+aluminum / lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue

installation **CE IP67**

supplied with built-in DC 12/24V input LED driver /check installation in next page



code **JLODL001-IN12**

aluminum cover / aluminum heat sink / aluminum installation case

casing aluminum / lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue / RGB


installation **CE IP67**

supplied with built-in DC 12/24V input LED driver /check installation in next page




JLODL020 / JLODL024 / JLODL001 installation

JLODL020 / JLODL024 / JLODL001 Single lamp installation




300mA 1x1W for ODL020
600mA 1x3W for ODL024/ODL001




JLODL024 / JLODL001 Installation in series

lamps in a series circuit




Constant current power supply			
Power supply	Out put current	Out put voltage	Load
2-3x 3W	600mA	DC5-12V	2-3pcs
4-6x 3W	600mA	DC12-22V	4-6pcs
6-10x 3W	600mA	DC20-36V	6-10pcs
10-14x 3W	600mA	DC30-50V	10-14pcs





JLODL020 Installation in series

lamps in a series circuit




Constant current power supply			
Power supply	Out put current	Out put voltage	Load
1-3x1W	300mA	DC3-11V	1-3pcs
4-7x1W	300mA	DC12-25V	4-7pcs
7-12x1W	300mA	DC20-43V	7-12pcs
12-20x1W	300mA	DC36-72V	12-20pcs
18-28x1W	300mA	DC50-100V	18-28pcs






DO NOT CONNECT THE LAMP
DIRECTLY TO THE MAIN


STAINLESS STEEL HIGH POWER LED UNDERGROUND SPOT LIGHT




code **JLODL028** Stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+ / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K
 installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL029** Stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+ / lamping COB 9W / Ra>90 / 800LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K
 installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **JLODL030** Stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+ / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K
 installation **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page



code **JLODL028-IN12** Stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+ / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K
 installation **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page



code **JLODL029-IN12** Stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+ / lamping COB 9W / Ra>90 / 800LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K
 installation **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page



code **JLODL030-IN12** Stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+ / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K
 installation **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page

LED SPOT LIGHT DEEP RECESSED

COB 12W SERIES




code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-BK	aluminum	black paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-GD	aluminum	anodized gold	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

reflector available



surface
customizable

concrete grey paint
similar to RAL7037

COB 20W SERIES





code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-WT	aluminum	white paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-BK	aluminum	black paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K


code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-GD	aluminum	anodized gold	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

reflector available




surface
customizable


concrete grey paint
similar to RAL7037




stainless
steel
installation
spring




plug and
lock
connector
between
led
and power-
supply



LDC990
up to 55
degree
shielding
angle



LDC991
up to 55
degree
shielding
angle



LED SPOT LIGHT HIGH POWER HIGH LUMENS

reflector available

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037


default
10°
narrow
beam



spot




flood




cut-out dia 140mm
IP20

code	casing	finishing	lampping	CRI	lumen	Beam/degree	LED color
JLDC207-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm
IP20




code	casing	finishing	lampping	CRI	lumen	Beam/degree	LED color
JLDC208-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K




cut-out dia 140 mm
IP20

code	casing	finishing	lampping	CRI	lumen	Beam/degree	LED color
JLDC209-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

LDC209
four steps
installation




strong
and solid
heat sink
makes
good heat
management



philips
power-
supply
for
the whole
series



strong
metal
spring
clips




locking
connectors
make
easy and
stable
connection
between lamp
and power-supply



Related
products
LDC211
series
in chapter
LED grille
light


OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

■ concrete grey paint
similar to RAL7037

code **JLSP183-IN220**
 casing aluminum
 finishing black painting
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10/20/30 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC220-240V
 built-in power-supply
 installation   **CE** IP65



surface
customizable


■ concrete grey paint
similar to RAL7037

code **JLSP187-IN220**
 casing aluminum
 finishing black painting
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10/20/30 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC220-240V
 built-in power-supply
 installation   **CE** IP65

code **JLSP187-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel




OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

concrete grey paint
similar to RAL7037

code **JLFL027-IN220**
 casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC220-240V
 built-in power-supply
 installation   **CE** IP65



surface
customizable

concrete grey paint
similar to RAL7037


code **JLFL027-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel

code **JLFL028-IN220**
 casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC220-240V
 built-in power-supply
 installation   **CE** IP65

code **JLFL028-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel



OUTDOOR SPOT LIGHT WITH SPIKE




surface
customizable

■ concrete grey paint
similar to RAL7037

code **JLODL034**
 casing aluminum
 finishing black painting
 lamping LED 3X1W
 Lumens 210LM
 CRI Ra>80
 Beam 15/30/60 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC220-240V
 external power-supply
 installation   **CE** IP65

code **JLODL034-12V**
 Input DC12/24V
 external power-supply
 installation in parallel




surface
customizable

■ concrete grey paint
similar to RAL7037

code **JLODL035**
 casing aluminum
 finishing black painting
 lamping LED 6X1W
 Lumens 420LM
 CRI Ra>80
 Beam 15/30/60 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC220-240V
 external power-supply
 installation   **CE** IP65

code **JLODL035-12V**
 Input DC12/24V
 external power-supply
 installation in parallel



surface
customizable

■ concrete grey paint
similar to RAL7037

code **JLODL036**
 casing aluminum
 finishing black painting
 lamping LED 9X1W
 Lumens 630LM
 CRI Ra>80
 Beam 15/30/60 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC220-240V
 external power-supply
 installation   **CE** IP65

code **JLODL036-12V**
 Input DC12/24V
 external power-supply
 installation in parallel



OUTDOOR SPOT LIGHT WITH SPIKE

code **JLSP155**

casing aluminum

finishing black painting

lamping COB 6W

Lumens 500LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC220-240V

external power-supply

installation   IP65

code **JLSP155-12V**

Input DC12/24V

external power-supply

installation in parallel

code **JLSP156**

casing aluminum

finishing black painting

lamping COB 9W

Lumens 800LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC220-240V

external power-supply

installation   IP65

code **JLSP156-12V**

Input DC12/24V

external power-supply

installation in parallel

code **JLSP157**

casing aluminum

finishing black painting

lamping COB 12W

Lumens 900LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC220-240V

external power-supply




installation   IP65

code **JLSP157-12V**

Input DC12/24V

external power-supply

installation in parallel




surface
customizable

 concrete grey paint
similar to RAL7037




OUTDOOR SPOT LIGHT WITH SPIKE



code **JLSP184-IN220**
 casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC220-240V
 built-in power-supply
 installation   **IP65**

code **JLSP184-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel


surface customizable
 concrete grey paint
 similar to RAL7037



code **JLSP185-IN220**
 casing aluminum
 finishing black painting
 lamping COB 9W
 Lumens 800LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC220-240V
 built-in power-supply
 installation   **IP65**

code **JLSP185-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel

surface customizable
 concrete grey paint
 similar to RAL7037



code **JLSP186-IN220**
 casing aluminum
 finishing black painting
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC220-240V
 built-in power-supply
 installation   **IP65**

code **JLSP186-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel

surface customizable
 concrete grey paint
 similar to RAL7037



OUTDOOR SPOT LIGHT WITH SPIKE

code **JLSP188-IN220**

casing aluminum

finishing black painting

lamping COB 6W

Lumens 500LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC220-240V

built-in power-supply

installation    IP65

code **JLSP188-IN12**

Input DC12/24V

built-in power-supply

installation in parallel

code **JLSP189-IN220**

casing aluminum

finishing black painting

lamping COB 12W

Lumens 900LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC220-240V

built-in power-supply


installation    IP65

code **JLSP189-IN12**

Input DC12/24V


built-in power-supply

installation in parallel



surface
customizable

 concrete grey paint
similar to RAL7037




surface
customizable

 concrete grey paint
similar to RAL7037



LED GARDEN AND PATH LIGHTS



LED GARDEN AND PATH LIGHTS

code JLFL006

JLFL007

JLFL008

casing aluminum

finishing black painting

lamping COB 6W

Lumens 500LM

CRI Ra>90

Beam Solid acrylic diffuser

led color 2700K/3000K/4000K/6000K

Input AC 100-240V

built-in power-supply

installation   IP65

code JLFL006-IN12

JLFL007-IN12

JLFL008-IN12






Input DC 12/24V

built-in power-supply

installation in parallel

surface customizable

 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm
JLFL006	60	450	100
JLFL007	60	650	100
JLFL008	60	800	100



LED GARDEN AND PATH LIGHTS








code JLFL009
JLFL010
JLFL011

casing aluminum
finishing black painting
lamping COB 9W
lumens 800LM
CRI Ra>90
Beam Solid acrylic diffuser
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation   **CE IP65**

code JLFL009-IN12
JLFL010-IN12
JLFL011-IN12

Input DC 12/24V
built-in power-supply
installation in parallel

surface customizable
 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm
JLFL009	102	210	60
JLFL010	102	410	60
JLFL011	102	610	60



LED GARDEN AND PATH LIGHTS

code JLFL020

JLFL021

casing aluminum

finishing black painting

lampping E14 socket

Supplied with

4W led candle lamp

Lumens 360LM

CRI Ra>80

Beam Acrylic diffuser

lamp color 2700K/3000K/4000K/6000K






Input AC100-240V

lamp inside changeable

installation    IP65

surface
customizable

 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
JLFL020	60	700	100
JLFL021	80	700	130

LED GARDEN AND PATH LIGHTS

code JLFL022

JLFL023

JLFL024

casing aluminum

finishing black painting

lamping E27 socket

Supplied with
4W led candle lamp

Lumens 360LM

CRI Ra>80

Beam Acrylic diffuser

lamp color 2700K/3000K/4000K/6000K





Input AC100-240V

lamp inside changeable

installation    IP65

surface
customizable

 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
JLFL022	102	350	150
JLFL023	102	550	150
JLFL024	102	750	150



LED GARDEN AND PATH LIGHTS

code JLFL013

JLFL014

JLFL015

casing aluminum

finishing black painting

lampping COB 6W

Lumens 500LM

CRI Ra>90

Beam Solid acrylic diffuser

led color 2700K/3000K/4000K/6000K

Input AC100-240V

built-in power-supply

installation   IP65

code JLFL013-IN12

JLFL014-IN12

JLFL015-IN12






Input DC12/24V

built-in power-supply

installation in parallel

surface
customizable


 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm	D/mm	E/mm
JLFL013	60	820	200	320	207
JLFL014	60	1020	200	320	207
JLFL015	60	1220	200	320	207

LED GARDEN AND PATH LIGHTS

code	JLFL016	code	JLFL016-12V
	JLFL017		JLFL017-12V
	JLFL018		JLFL018-12V
casing	aluminum	Input	DC 12/24V
finishing	black painting		external power-supply
lamping	LED 1W	installation	in parallel
Lumens	70LM		
CRI	Ra>80		
Beam	Solid acrylic diffuser		
led color	2700K/3000K/4000K/6000K		
	RED / GREEN / BLUE	surface	customizable
Input	AC 100-240V		concrete grey paint
	external power-supply		similar to RAL7037
installation	   IP65		



code	A/mm	B/mm	C/mm	D/mm
JLFL016	28	90	1000	250
JLFL017	28	90	800	250
JLFL018	28	90	600	250



LED GARDEN AND PATH LIGHTS

code **JLFL026**

casing aluminum

finishing black painting

lampping SMD 10W

Lumens 1000LM

CRI Ra>80

Beam Solid acrylic diffuser

led color 2700K/**3000K**/4000K/6000K

Input AC100-240V

built-in power-supply

installation   **CE** IP65

code **JLFL026-12V**






Input DC 12/24V

built-in power-supply

installation in parallel


surface
customizable

 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm	D/mm
JLFL026	60	700	150	225





LED OUTDOOR CEILING LIGHTS



EXTERIOR
RECESSED MOUNTED
CEILING SPOTLIGHT



code JLDC337

casing aluminum / black painting


lamping COB 12W / Ra>90 / 900LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation     IP65

 cut-out dia 125mm



surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

code JLDC336

casing aluminum / black painting


lamping COB 9W / Ra>90 / 800LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation     IP65

 cut-out dia 100mm



surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

code JLDC335

casing aluminum / black painting


lamping COB 6W / Ra>90 / 500LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation     IP65

 cut-out dia 80mm




surface
customizable

 white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037

EXTERIOR
SURFACE MOUNTED
CEILING DOWNLIGHT



code **JLBL183**

surface
customizable




white paint
similar to RAL9003



concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code **JLBL184**

surface
customizable




white paint
similar to RAL9003



concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code **JLBL185**

surface
customizable



white paint
similar to RAL9003




concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 20W / Ra>90 / 1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



EXTERIOR SURFACE MOUNTED CEILING DOWNLIGHT



code **JLBL186**

surface
customizable



white paint
similar to RAL9003



concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code **JLBL187**

surface
customizable




white paint
similar to RAL9003



concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code **JLBL188**

surface
customizable





white paint
similar to RAL9003



concrete grey paint
similar to RAL7037


casing aluminum / black painting / lamping COB 20W / Ra>90 / 1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



ACCESEAZĂ
WEBSITE
John Light
seek the brightest.





JOHNLIGHT S.R.L.

Mobil: +40 786 219 920

E-mail: office@johnlight.ro

C.U.I. RO 31220600

Nr. O.R.C. J/31/53/2013

RO39BTRLRONCRT0280233701 (RON)



www.johnlight.ro