

John Light

seek the brightest.

CATALOG PRODUSE

Compania noastră a fost înființată în anul 2013. Începând din acest an, am extins activitatea și în județele limitrofe, oferind servicii cu specific personalizat în domeniul iluminatului economic și a soluțiilor de optimizare a consumurilor energetice de orice natură, inclusiv obținerea de energie electrică din surse regenerabile.

În acest context, am decis să ne focalizăm activitatea în primul rând pentru realizarea unor soluții personalizate și optimizate pentru iluminat cu LED, folosind mijloace și tehnologii de ultimă generație, pentru a realiza performanță la nivelul la care raportul cost/randament să fie maxim.

Oferim soluții complexe de înlocuire în totalitate a iluminatului incandescent, fluorescent și cu vapori, în urma unor analize specifice și audit energetic, pentru sedii de firme, interioare și cu parcări întinse, cu soluții personalizate de tip LED, până la nivel de proiectare personalizată a reflectoarelor sau clopotelor LED, cu mare capacitate de iluminare sau oricare tip de corp de iluminat care se pretează soluției.

Am realizat soluții la cheie, cu specifice de iluminare (flux luminos dirijat, protecția ochilor și iluminare uniformă de înaltă calitate, mediu cu risc chimic) pentru industria tipografică, hale industriale, depozite de logistica, parcări, drumuri de acces, soluții de iluminare specifică pentru terenuri de agrement (minifotbal pe suprafețe sintetice, patinoare etc.).

În acest context, vă putem oferi gamă largă de soluții și servicii în domeniul energetic, în mod special pentru iluminat, folosind tehnologie de ultimă generație la calitate excepțională precum și analize și studii de fezabilitate în domeniul energetic pe complex industrial și/sau clădiri civile.

În speranța unei bune colaborări

Iomt Popa

MANAGING PARTNER

www.johnlight.ro

CATEGORII PRODUSE

CORPURI DE ILUMINAT INTERIOR

- Candelabre
- Veioze si lampi de birou
- Aplice
- Pendule
- Tracklight
- Spoturi
- Plafoniere & Palfoniere - Downlight

CORPURI DE ILUMINAT EXTERIOR

- Spoturi (Iluminat Arhitectural)
- Spoturi Incastrat | Exterior | Piscina
- Stalpi (Iluminat Gradina)
- Lampi Solare (Garden light)
- Proiectoare



John Light

seek the brightest.

JOHNLIGHT S.R.L.

Mobil: +40 786 219 920

E-mail: office&johnlight.ro

C.U.I. RO 31220600

Nr. O.R.C. J/31/53/2013;

RO39BTRLRONCRT0280233701 (RON)

Sample page



code JLSL011 ③

casing aluminum / anodized silver ④

lamping LED 1W / Ra>80 /70LM ⑤

Beam 60 degree / no lense ⑥

2700K/3000K/4000K/6000K ⑦

installation IP20 ⑧

installed with standard 86x86mm switch box ⑨

supply with standard 86mm switch box ⑩

surface customizable — black paint equal to RAL9011 ⑪

② ⑫

Descriptions

① product photo

② product measurements size line drawing

③ product item No.

④ lamp material and lamp finishing and color.

⑤ lamp power / color rendering index lumen output (after chip,before lense or reflector)

⑥ lens or reflector angle
the angle listed is available option,
while the number covered by grey block
is the default lens or reflector angle

⑦ led color
the CCT listed is available option,
while the CCT covered by grey block
is the default LED color

⑧ installation involved icons
check below remaks

⑨ cut-off size for the lamp or installation box when there is any need
only showed in a recessed lamp

⑩ comments about the lamp

⑪ custom-made lamp finishings or colors available

⑫ rotate angle vertical and horizontal

Icons

installation positions

- wall surface mount
- ceiling surface mount
- pendant surface mount
- wall recessed mount
- ceiling recessed mount
- track installation
- inground installation
- ground surface mount
- table/floor lamp

electrical isolation classes

- class I / earth connected
- class II / without earth connected but double isolatoin
- lamp working in low volatage

other icons

- cut-off size for recessed installation
- fixture can be installed on the flammable surface
- ce approved / listed
- vertical rotate angle
- horizontal rotate angle

protection degree

- IP20 protected against solid object diameter> 12mm no resistant to any water
- IP44 protected against solid object diameter> 1mm and splash-proof
- IP65 dust tight and jet-proof
- IP67 dust-tight and water-tight

FINISHINGS AND COLORS

anodization

anodized silver original

anodized silver brushed circular

anodized gold brushed circular

anodized silver brushed linear


anodized black sandblasted

anodized silver sandblasted


anodized gold sandblasted

powder coating

black paint equal to RAL9011

white paint similar to RAL9003

concrete grey similar to RAL7037

electrical plating

chrome plated


gold plated

LIGHT EMISSION ANGLE

narrow beam



lens

lens /reflector

lens

spot

lens

reflector

reflector

flood



lens



reflector

wide flood

lens /reflector

DIMMING TECHNOLOGY

TRIAC DIMMING

Most lamp in the book can be custom made to TRIAC dimming driver / dimming from 3watt to 40watt / dimming from 10% to 100%

Compatible with most of system in the market such as SIEMENS/PHILIPS/SCHNEIDER/LUTRON/OSRAM/ABB and etc.

Compatible with trail edge and leading edge / Dimming with NO FLASHING

Need a TRIAC dimmer supplied by qualified supplier to operate the dimming system

Advantage: easy wiring, low cost system and dimmer / Disadvantage: always compatibility problems

0/1-10V DIMMING

Due to the big size of 0/1-10V dimming driver, not all lamp can changed to this type of dimming driver, please consult with our engineer for more info.

Dimming by special system and dimmer through two positive and negative control cable.

Advantage: no compatibility problem / Disadvantage: high cost of system and wiring of control cable

DALI SYSTEM

Dimming and controlled by DALI PROTOCOL

due to the big size of the driver, not all lamp can changed to this type of dimming driver, please consult with our engineer for more info.

Advantage: no compatibility problem, good dimming effect, long distance control / Disadvantage: high cost of system and driver

CATEGORIES

Residential Part

LED DECORATIVE LIGHTS
PAGE 33-56

LED SURFACE WALL LIGHTS
PAGE 62-109

LED STEP LIGHTS
PAGE 114-120


LED READING LIGHTS
PAGE124-161

LED BATHROOM LIGHTS
PAGE164-175


LED PENDANT LIGHTS
PAGE178-273

LED SURFACE DOWN LIGHTS
PAGE 276-329

LED CHANDELIER
PAGE331-353

LED TABLE/FLOOR LAMPS
PAGE 355-365

Office Part

LED OFFICE PENDANT LIGHTS
PAGE 366-385

LED PANEL LIGHTS
PAGE 386-393

Architecture Part

LED SURFACE SPOT LIGHTS
PAGE 394-419

LED TRACK LIGHTS
PAGE 420-451

LED RECESSED SPOT LIGHTS
PAGE 452-489

LED GRILLE LIGHTS
PAGE 490-515

LED RECESSED DOWN LIGHTS
PAGE 516-525

LED CABINET LIGHTS
PAGE 526-535

Outdoor Part

LED OUTDOOR WALL LIGHTS
PAGE 536-571

LED OUTDOOR INGROUND LIGHTS
PAGE 572-583

LED OUTDOOR SPOT LIGHTS
PAGE 584-589

LED GARDEN LIGHTS
PAGE 590-599

LED OUTDOOR RECESSED AND SURFACE DOWN LIGHTS
PAGE 600-603

Basic light and GU10/AR111 Lamp Casing



LED TUBES/STRIPS/BULBS
PAGE 604-617

GU10 CASING
PAGE 618-627

AR111 LAMP CASING
PAGE 628-644

INDEX

RESIDENTIAL PART

LED DECORATIVE LIGHTS

JLWA158 P33

JLWA159 P34

JLWA160 P34

JLWA156 P36

JLWA157 P35

JLWA166 P37

JLWA167 P38

JLWA276-SL P39

JLWA277-SL P39

JLWA276-BK P40

JLWA277-BK P40

JLWA278-SL P41

JLWA027 P44

JLWA028 P44


JLWA029 P44


JLHL025/1 P45


JLHL025/2 P46

JLWA071 P47


JLWA072 P47

JLWA073 P47

JLDC908 P48

JLDC909 P48

JLHL8022L P50


JLHL8004L P50

JLWA300A-WT P52

JLWA300B-WT P52

JLWA300C-WT P53

JLWA300D-WT P54

JLWA300E-WT P54

JLWA300F-WT P55

JLWA300G-WT P55

JLWA300H-WT P56

JLWA300J-WT P56

LED WALL LIGHTS SURFACE MOUNT

JLWA051 P62

JLWA052 P62

JLWA106 P63

JLWA138 P64

JLWA183 P65

JLWA182 P65

JLWA184 P66

JLWA185 P66

JLHL004/1 P67

JLHL004/2 P67

JLWA101 P68

JLWA103 P68

JLWA105 P68

JLWA022 P72

JLWA024 P72

JLWA026 P72

JLWA164 P75


JLWA165 P75


JLWA270-SL P77


JLWA269-SL P77

JLWA117 P79

JLWA119 P79


JLWA116 P81


JLWA118 P81

JLWA264 P82

JLWA265 P82

JLWA266 P82

JLWA267 P84


JLWA268 P84

JLWA226 P82

JLWA241 P85

JLWA242 P85


JLWA240 P85


JLWA137 P86

JLWA134 P86

JLWA115 P87


JLHL8072/1 P87


JLWA223 P89

JLWA222 P89

JLWA149-WT P91

JLWA150-WT P91

JLWA141 P92

JLWA142 P92

JLWA221 P93


JLWA228A-BK P94


JLWA288A-WT P94


JLWA228B P95

JLWA228C P95


JLWA228D P95


JLWA228E P95


JLWA282 P96

JLWA283 P96

JLWA284 P97

JLWA243 P99

JLWA244 P100

JLWA302 P102

JLWA303 P102

JLWA304 P102


JLWA295A-BK P105


JLWA295A-WT P105

JLWA295B P107

JLWA295C P107

JLWA296A-BK P105


JLWA296A-BK P105



JLWA296B-BK P107

JLWA294A-BK P105


JLWA294A-WT P105



JLWA294C P105

JLWA295B P105

JLWA318-WT P109

JLWA318-GR P109

LED STEP LIGHTS


JLSL003 P114


JLSL004 P114

JLSL001 P113


JLSL002 P113


JLSL009 P116


JLSL008 P116

JLSL009A P117

JLSL008A P117

JLSL013 P119

JLSL011 P119

JLSL013A P120

JLSL011A P120

JLSL012A P120

LED READING LIGHTS

JLWA219-WT P124

JLWA219-BK P124

JLWA219-SL P124

JLWA219-CR P124

JLWA219-RG P124

JLWA220-WT P125

JLWA220-BK P125

JLWA220-SL P126

JLWA220-CR P125

JLWA319-WT P128

JLWA319-BK P128

JLWA319-SL P128

JLWA319-CR P128

JLWA320-WT P128

JLWA320-BK P128

JLWA320-SL P128

JLWA320-CR P128

JLWA260-BK P130

JLWA260-WT P130

JLWA260-CR P130

JLWA259-BK P131

JLWA259-WT P131

JLWA259-CR P131

JLWA322-CR P132

JLWA322-GD P133

JLWA322-WT P133

JLWA322-BK P133

JLWA321-CR P134

JLWA321-GD P135

JLWA321-WT P135

JLWA321-BK P135

JLWA315-WT P136

JLWA315-BK P136

JLWA315-CR P136

JLWA314-WT P137

JLWA314-BK P137

JLWA314-CR P137

JLWA317-WT P138

JLWA317-BK P138

JLWA317-CR P138

JLWA316-WT P139

JLWA316-BK P139

JLWA316-CR P138

JLWA205 P141

JLWA206 P141

JLWA203 P141

JLWA204 P141

JLWA070 P143

JLWA061 P143

JLWA067B P143

JLHL8019A P145

JLHL9003/1 P144

JLHL8019B P145

JLWA186 P145

JLWA224 P144

JLWA225 P144

JLWA187 P150

JLWA188 P150

JLWA230-CR P146

JLWA230A-CR P146

JLWA230A-BK P147

JLWA230A-WT P147

JLWA231A-BK P148

JLWA232A-WT P148

JLWA231B-BK P149

JLWA232B-WT P149

JLWA200-WT P153

JLWA200-BK P153

JLWA297-BK P154

JLWA297-WT P154

JLWA297-SL P154

JLWA297-GD P154

JLWA298-CR P155

JLWA299-CR P155

JLWA298A-CR P156

JLWA299A-CR P156

JLWA289-GD P157

JLWA289-SL P157


JLWA289-BK P157

JLWA207B P103

JLWA208B P103

JLWA209B P103

JLWA207A P161

JLWA208A P161


JLWA209A P161

LED BATHROOM LIGHTS

JLWA149-SL P165

JLWA150-SL P165

JLWA151-SL P164

JLWA195 P167

JLWA196 P166

JLWA237 P169

JLWA238 P169

JLWA189 P171

JLWA190 P171

JLWA191 P171

JLWA192 P171

JLWA193 P172

JLWA194 P172

JLWA235 P173

JLWA236 P173

JLWA285 P174

JLWA286 P174

JLWA287 P174

LED PENDANT LIGHTS

JLHL012-BK P179

JLHL012-WT P178

JLPL045-BK P184

JLPL045-WT P185


JLPL201-WT P188


JLPL201-BK P188


JLPL201-RD P188

JLPL149 P192

JLPL150 P192

JLPL151 P192

JLPL264-BK P194

JLPL264-CR P194

JLPL264-WT P194

JLPL226-BK P195

JLPL226-CR P195


JLPL226-WT P195

JLPL274-BK P198

JLPL274-WT P198

JLPL152-BK P200

JLPL152-WT P200

JLPL153-BK P200


JLPL153-WT P201

JLPL154-BK P201

JLPL155-BK P201


JLPL155-WT P201

JLPL286 SERIES P206

JLPL286 SERIES P207

JLPL268-BK P208


JLPL268-CR P208


JLPL268-WT P208


JLPL262 P210


JLPL263 P210

JLPL190 P211

JLPL191 P211

JLPL119 P212

JLPL120 P212


JLPL185 P213

JLPL186 P213

JLPL165-BK P214

JLPL165-WT P214

JLPL165-CR P214

JLPL165-SL P214

JLPL165-GD P214

JLPL166-BK P215


JLPL167-BK P215

JLPL168-BK P216

JLPL169-BK P217

JLPL170-BK P218


JLPL187 P220

JLPL188 P221

JLPL176 P225


JLPL174 P225

JLPL236 P226

JLPL237 P226

JLPL238 P226

JLPL239 P227

JLPL271 P229

JLPL272 P229

JLPL273 P228

JLPL292-BK P230

JLPL292-GD P230

JLPL292-SL P230

JLPL293-BK P231

JLPL293-GD P231

JLPL293-SL P231

JLPL173-SL P233

JLPL173-BK P233

JLPL173-GD P233

JLPL215 P234

JLPL217 P234

JLPL279 P236

JLPL281 P236

JLPL282 P237

JLPL280 P237

JLPL194 P240

JLPL205 P240

JLPL196 P242

JLPL197 P242

JLPL212-BK P244

JLPL213-BK P246

JLPL214-BK P250

JLPL212-WT P246

JLPL213-WT P248

JLPL214-WT P251

JLPL252 P256

JLPL253 P256

JLPL254 P256

JLPL255 P257

JLPL256 P254

JLPL221 P258

JLPL222 P258

JLPL223 P258

JLPL162 P259

JLPL163 P259

JLPL164 P259

JLPL171-CR P260

JLPL171-GD P260


JLPL171-RG P260

JLPL172-CR P261

JLPL172-GD P261

JLPL172-RG P261

JLPL171 P262


JLPL172 P262

JLPL227-WT P264

JLPL227-GR P264

JLPL227-BK P264

JLPL22-WT P265

JLPL228-GR P265

JLPL228-BK P265

JLPL298-BK P266

JLPL298-WT P266

JLPL299-BK P267

JLPL299-WT P267

JLPL312-WT P268

JLPL312-GR P269

LED SURFACE DOWN LIGHTS

JLBL104 P279

JLBL105 P279

JLBL106 P279

JLBL118 P281

JLBL119 P281

JLBL120 P281

JLBL135 P282

JLBL136 P282

JLBL137 P282

JLBL135-WT P283

JLBL136-WT P283

JLBL137-WT P283

JLBL172-SL P285

JLBL172-BK P285

JLBL201-WT P288

JLBL202-WT P288

JLBL203-W P288

JLBL201-BK P290

JLBL202-BK P290

JLBL203-BK P290

JLBL204-WT P289

JLBL205-WT P289

JLBL206-WT P289

JLBL204-BK P291

JLBL205-BK P291

JLBL206-BK P292

JLBL074-BK P294

JLBL075-BK P294

JLBL074-WT P294

JLBL075-WT P294

JLBL176 P294

JLBL177 P294

JLBL001-WT P300

JLBL001-WT P300

JLBL001-WT P300

JLBL001-WT P301

JLBL001-WT P301

JLBL001-WT P301

JLBL173 P303

JLBL174 P303

JLBL175 P303

JLBL057 P305

JLBL050 P305

JLBL602 P305

JLBL096 P307

JLBL095 P307

JLBL098 P307

JLBL099 P307

JLBL049 P309

JLBL054 P309

JLBL111-BK P310

JLBL111-SL P310

JLBL110-BK P310

JLBL110-WT P310

JLBL048-BK P311

JLBL048-WT P311

JLBL052 P312

JLBL052 P312

JLBL083 P313

JLBL084 P313

JLBL162-WT P314

JLBL162-BK P314

JLBL207 P315

JLBL208 P315

JLBL209 P315

JLBL115-SL P319

JLBL115-WT P319

JLBL115-BK P319

JLBL116-WT P318

JLBL116-SL P318

JLBL108-2-SL P321

JLBL108-3-SL P321

JLBL108-5-SL P320

JLBL108-2-WT P321

JLBL108-3-WT P321

JLBL108-5-WT P320

JLBL210 P322

JLBL211 P322

JLBL212 P322

JLBL213 P323

JLBL214 P323

JLBL215 P323

JLBL219-GD P324

JLBL219-SL P324

JLBL219-WT P324

JLBL220-GD P325

JLBL220-SL P325

JLBL220-WT P325

JLBL221-GD P326

JLBL221-SL P326

JLBL221-WT P326

JLBL229-BK P328

JLBL229-WT P328

JLBL229-CR P328

JLBL229-SL P328

JLBL229-GD P328

LED CHANDELIER

JLBL167 P335


JLBL169 P334

JLBL168 P335

JLBL170 P336

JLBL171 P336

JLBL143 P337

JLBL139 P139

JLBL140 P139

JLBL158 P341

JLBL159 P341

JLBL160 P342


JLBL161 P342

JLBL216 P343

JLBL217 P343

JLBL218 P343


JLBL165 P344


JLBL166 P344

JLPL241 P345


JLPL242 P345

JLBL231-WT P346

JLBL231-GR P347

JLBL148 P349

JLBL149 P349

JLBL146 P348

JLBL147 P348

JLBL151 P350


JLBL150 P351

JLBL152 P350


JLBL153 P351

JLBL155 P352

JLBL154 P353

JLBL156 P352

JLBL157 P353

LED TABLE AND FLOOR LIGHTS

JLTL027 P356

JLTL032-BK P357


JLTL032-GD P357

JLTL032-WT P357

JLTL018-BK P358

JLTL018-WT P358

JLTL040 P359


JLTL029-CR P360

JLTL030-CR P360

JLTL031-CR P360

JLTL029-BK P361

JLTL030-BK P361

JLTL031-BK P361

JLTL022 P362

JLTL023 P362

JLTL024 P362

JLTL038-WT P363

JLTL038-BK P363

JLTL038-CR P363

JLFL019-BK P364


JLFL019-WT P364

INDEX

OFFICE PART

LED OFFICE PENDANT LIGHTS

JLPL159-SL P368

JLPL159-BK P368

JLPL160-SL P370

JLPL160-BK P370

JLPL161-SL P371

JLPL161-BK P371

JLPL291-BK P372

JLPL291-WT P372

JLPL291-SL P373

JLPL291-GD P373

JLQL004-BK P374

JLQL004-SL P374

JLQL004-WT P374


JLPL210 P376

JLPL211 P376

JLPL311-BK P377

JLPL311-WT P377

JLPL301 P378

JLPL302-BK P379

JLPL302-WT P379

JLPL302 -RD P380

JLPL302-YW P380

JLPL302-GN P380

JLPL119 P382

JLPL120 P382

JLPL148 P383

JLPL147 P383

JLPL139-BK P384

JLPL140-BK P385

LED PANEL LIGHTS

JLQL001-BK P388

JLQL001-WT P388

JLQL001-SL P388

JLQL002-BK P389

JLQL002-WT P389

JLQL002-SL P389

JLQL013-WT P392

JLQL014-WT P392

JLQL011-WT P393

JLQL011-SL P393

JLQL012-WT P393

JLQL012-SL P393

INDEX

ARCHITECTURE PART

LED
SPOTLIGHT
SURFACE
MOUNT

JLSP180-WT P396

JLSP180-SL P396

JLSP180-GD P396

JLSP181-WT P398

JLSP181-SL P398

JLSP181-GD P398

JLSP182-WT P399

JLSP182-SL P399

JLSP182-GD P399

JLBL125 P400

JLBL126 P400

JLBL127 P400

JLBL128 P400

JLBL129 P401

JLBL130 P401

JLBL051 P402

JLWA187-WT P402

JLWA187-BK P402

JLSP164 P403

JLSP165-WT P404

JLSP164-BK P403

JLSP165-BK P404

JLSP168 P405

JLSP171 P405

JLSP169 P406

JLSP170 P406

JLSP172 P407

JLSP173 P407

JLSP210 P408

JLSP211 P408

JLSP212 P408

JLSP213 P408

JLSP214 P409

JLSP215 P409

JLSP216 P409

JLSP217 P409

JLSP218 P410

JLSP219 P410

JLSP220 P411

JLSP221 P411

JLSP222 P412

JLSP223 P412

JLSP224 P413

JLSP225 P413

JLSP161 P414

JLSP162 P414


JLBL080 P415

JLBL081 P415

JLBL082 P415

JLSP071 P416

JLSP072 P416

JLSP073 P416

JLBL077 P417

JLBL078 P417

JLBL079 P417

JLBL199 P418

JLBL200 P418

JLBL121 P419

JLBL122 P419

LED TRACK LIGHTS

JLSP177-WT P421

JLSP177-SL P421

JLSP177-GD P421

JLSP178-WT P423

JLSP178-SL P423

JLSP178-GD P423

JLSP179-WT P424

JLSP179-SL P424

JLSP179-GD P424

JLSP190-WT P426

JLSP190-BK P426

JLSP190-SL P426

JLSP176-WT P428

JLSP176-SL P428

JLSP176-BK P428

JLSP117 P430

JLSP122 P430

JLSP115 P432

JLSP118 P432

JLSP119 P432

JLSP120 P432

JLSP121 P432

JLSP151 P438

JLSP152 P438

JLSP103 P439

JLSP104 P439

JLSP105 P439

JLSP106 P442

JLSP108 P442

JLSP110 P442

JLSP111 P443

JLSP112 P443

JLSP113 P443

JLSP166 P444

JLSP167 P444

JTR-LSP126-WT P446

JTR-LSP127-WT P446

JTR-LSP126-SL P447

JTR-LSP127-SL P447

JLSP123 P448

JLSP124 P448

JLSP125 P449

JLSP114 P449

LED SPOTLIGHT RECESSED

JLDC880 SERIES P458

JLDC880A SERIES P458

JLDC001A-GD P461

JLDC001A-BK P461

JLDC001A-SL P461

JLDC001A-WT P461

JLDC992-BK P464

JLDC992-GD P464

JLDC992-SL P464

JLDC992-WT P464

JLDC993-BK P464

JLDC993-GD P464

JLDC993-SL P464

JLDC993-WT P464

JLDC994-SL P466

JLDC995-SL P466

JLDC996-SL P466

JLDC997-SL P466

JLDC994-WT P467

JLDC995-WT P467

JLDC996-WT P467

JLDC997-WT P467

JLDC926-WT P468

JLDC927-WT P468

JLDC928-WT P468

JLDC926-SL P468

JLDC927-SL P468

JLDC928-SL P468

JLDC926A-SL P470

JLDC927A-SL P470

JLDC928A-SL P470

JLDC926A-WT P470

JLDC927A-WT P470

JLDC928A-W P470

JLDC979B P472

JLDC978B P472

JLDC978A P472

JLDC979A P472

JLDC935A P474

JLDC936A P474

JLDC938A P474

JLDC985 P476

JLDC984 P476

JLDC988-WT P480

JLDC989-WT P480

JLDC990-WT P481

JLDC991-WT P481

JLDC988-BK P480

JLDC989-BK P480

JLDC990-BK P481

JLDC991-BK P481

JLDC988-GD P480

JLDC989-GD P480

JLDC990-GD P481

JLDC991-GD P481

JLDC339 P484

JLDC340 P484

JLDC341 P484

JLDC207 P482

JLDC207 P482

JLDC207 P482

JLDC342 P485

JLDC343 P485

JLDC344 P485

JLDC969 P486

JLDC970 P486

JLDC987-WT P487

JLDC987-BK P487

JLDC382 P488

JLDC383 P488

JLDC384 P488

JLDC385 P488

JLDC371 P489

JLDC372 P489

JLDC373 P489

LED GRILLE LIGHT RECESSED

JLDC955 P492

JLDC956 P492

JLDC957 P492

JLDC958 P493

JLDC959 P493

JLDC960 P493

JLDC961 P494

JLDC962 P494

JLDC963 P494

JLDC940 P496

JLDC941 P496

JLDC942 P496

JLDC952 P498

JLDC953 P498

JLDC954 P498

JLDC923 P501

JLDC924 P501

JLDC925 P501

JLDC889 P504

JLDC890 P504

JLDC891 P504

JLDC317 P50

JLDC318 P50


JLDC319 P506

JLDC320 P507

JLDC321 P507

JLDC322 P507

JLDC211 P508

JLDC212 P508

JLDC213 P508

LJDC214 P510

JLD215 P510

JLLDC216 P510

JLDC356 P512

JLDC357 P422

JLDC358 P512

JLDC359 P514

JLDC360 P514

JLDC361 P514

JLDC362 P515

JLDC363 P515

JLDC364 P515

LED DOWN LIGHT RECESSED

JLDC931A-SL P519

JLDC932A-SL P519

JLDC934A-SL P519

JLDC931A-GD P519

JLDC932A-GD P519

JLDC934A-GD P519

JLDC931A-WT P519

JLDC932A-WT P519

JLDC934A-WT P519

JLDC964-WT P521

JLDC965-WT P521

JLDC966-WT P521

JLDC967-WT P521

JLDC858C P520

JLDC859C P520

JLDC860C P520

JLDC861C P520

JLDC862C P520

JLDC863C P520

JLDC204S-WT P524

JLDC204-WT P524

JLDC205-WT P524

JLDC206-WT P524

JLDC204S-BK P524

JLDC204-BK P524

JLDC205-BK P524

JLDC206-BK P524

JLDC201S-WT P522

JLDC201-WT P522

JLDC202-WT P522

JLDC203-WT P522

JLDC201S-BK P522

JLDC201-BK P522

JLDC202-BK P522

JLDC203-BK P522

JLDC386 SERIES

JLDC390 SERIES

LED CABINET LIGHTS

JLSD013-CR P528

JLSD014-CR P528

JLSD013-BK P527

JLSD014-BK P527

JLSD016 P530

JLSD017 P530

JLSD018 P530

JLDC365 P531

JLDC368 P531

JLDC371 P531

JLDC366 P532

JLDC367 P532

JLDC369 P532

JLDC370 P532

JLDC372 P533

JLDC373 P533

INDEX

OUTDOOR PARTS

LED OUTDOOR WALL LIGHTS

JLWA215 P538

JLWA216 P538

JLWA253 P539

JLWA254 P539

JLWA217 P542

JLWA218 P542

JLWA256 P543

JLWA258 P543


JLWA173A P544

JLWA174A P544

JLWA250 P546

JLWA251 P546

JLWA248 P547

JLWA249 P547

JLWA213 P548

JLWA214 P548

JLWA210 P549

JLWA211 P549

JLWA135 P550

JLWA139 P551

JLWA310 P552

JLWA311 P553

JLWA312 P553

JLWA291A P554

JLWA292A P555

JLWA293A P555

JLWA300A-BK P557

JLWA300B-BK P557


JLWA300C-BK P556


JLWA300D-BK P558

JLWA300E-BK P558

JLWA300F-BK P558

JLWA300G-BK P560

JLWA300H-BK P558

JLWA300J-BK P560

JLWA288-BK P562

JLWA288-WT P562

JLWA279 P564

JLWA280 P564

JLWA281 P564

JLODL007 P567

JLODL008 P567

JLODL009 P567

JLODL010 P567

JLODL025 P568

JLODL026 P568

JLODL027 P568

JLODL043 P569

JLODL042 P570


JLODL041 P570

LED OUTDOOR INGROUND LIGHTS

JLODL031 P573

JLODL032 P573

JLODL033 P573

JLODL001 P576

JLODL020 P576

JLODL024 P576

JLODL028 P580

JLODL029 P580

JLODL030 P580

LED OUTDOOR SPOT LIGHTS

JLSP183 P584

LSP187 P584

JLFL027 P585

JLFL028 P585

JLODL035 P586

JLODL036 P586

JLSP155 P587

JLSP156 P587

JLSP157 P587

JLSP184 P588

JLSP185 P588

JLSP186 P588

JLSP188 P581

JLSP189 P581

LED GARDEN PATH LIGHTS

JLFL006 P591

JLFL007 P591

JLFL008 P591

JLFL009 P592

JLFL010 P592

JLFL011 P592

JLFL022 P595

JLFL023 P595

JLFL024 P595

JLFL020 P594

JLFL021 P594

JLFL016 P597

JLFL017 P597


JLFL018 P597

JLFL015 P596

JLFL026 P598

JLDC335 P601

JLDC336 P601

JLDC337 P601

JLBL183 P602

JLBL184 P602

JLBL185 P602

JLBL186 P603

JLBL187 P603

JLBL188 P603

www.johnlight.ro





ACCESEAZĂ **WEBSITE** John Light

seek the brightest.

LED DECO-RATIVE WALL LIGHTS


LIGHT
BEGINS
FROM
DARKNESS





code JLWA161

casing steel / white painting

lamping LED 4X1W / Ra>80 /280LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



code JLWA158

casing steel / white painting

lamping LED 4X1W / Ra>80 /280LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



code JLWA159
casing steel / white painting
lamping LED 1X1W / Ra>80 /70LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA160
casing steel / white painting
lamping LED 2X1W / Ra>80 /140LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037







code JLWA156
casing steel / white painting
lamping LED 2X1W / Ra>80 /140LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP20



code JLWA157
casing steel / white painting
lamping LED 3X1W / Ra>80 /210LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA166

casing steel / white painting

lamping LED 1W / Ra>80 /70LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA167

casing steel / white painting

lamping LED 2x1W / Ra>80 /140LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA276-SL
casing Aluminium / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA277-SL
casing Aluminium / anodized silver
lamping LED 2x3W / Ra>80 /240LM
Beam 8 degree up/ 8 degree down
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA276-BK
casing Aluminium / anodized black
lamping LED 3W / Ra>80 /120LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA277-BK
casing Aluminium / anodized black
lamping LED 2x3W / Ra>80 /240LM
Beam 8 degree up/ 8 degree down
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037





code JLWA278-SL

casing Aluminium / anodized silver

lamping up LED 3W / Ra>80 /120LM
down cob 6W/ Ra>90 /440lm

Beam 8 degree up/38 degree down

2700K/3000K/4000K/6000K

installation IP20

code JLWA278-BK

casing Aluminium / anodized black

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037





code JLWA027
casing Aluminium / anodized silver
lamping LED 2x1W / Ra>80 /140LM
Beam 30 degree /
2700K/3000K/4000K/6000K
/ red / green /blue
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA028
casing Aluminium / anodized silver
lamping LED 3x1W / Ra>80 /210LM
Beam 30 degree /
2700K/3000K/4000K/6000K
/ red / green /blue
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA029
casing Aluminium / anodized silver
lamping LED 4x1W / Ra>80 /280LM
Beam 30 degree /
2700K/3000K/4000K/6000K
/ red / green /blue
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLHL025/1

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam 10 degree /

2700K/3000K/4000K/6000K

red / green /blue

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037





code JLHL025/2

casing aluminum / anodized silver

lamping LED 2x1W / Ra>80 /140LM

Beam 10 degree /

2700K/3000K/4000K/6000K

red / green /blue

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

code JLWA071

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam 30 degree /

2700K/3000K/4000K/6000K

red / green /blue

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA072

casing aluminum / anodized silver

lamping LED 2X1W / Ra>80 /140LM

Beam 30 degree /

2700K/3000K/4000K/6000K

red / green /blue

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA073

casing aluminum / anodized silver

lamping LED 3X1W / Ra>80 /210LM

Beam 30 degree /

2700K/3000K/4000K/6000K

red / green /blue

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037









code JLDC908
casing aluminum / white painting
lamping LED 1W / Ra>80 /70LM
Beam 30 degree /
2700K/3000K/4000K/6000K
red / green /blue
installation IP20

Dia 20mm

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLDC909
casing aluminum / white painting
lamping LED 2x1W / Ra>80 /140LM
Beam 30 degree /
2700K/3000K/4000K/6000K
red / green /blue
installation IP20

Dia 20mm

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLHL8022L
casing aluminum / anodized silver
lamping LED 5W / Ra>90 /430LM
Beam glass cover
2700K/3000K/4000K/6000K
installation IP20



code JLHL8004L
casing aluminum / anodized silver
lamping LED 5W / Ra>90 /430LM
Beam glass cover
2700K/3000K/4000K/6000K
installation IP20







code JLWA300A-WT
casing aluminum / white paint
lamping LED 3W / Ra>80 /300LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP65

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA300B-WT
casing aluminum / white paint
lamping LED 6W / Ra>80 /600LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation IP65

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA300C-WT

casing aluminum / white paint

lamping LED 12W / Ra>80 /1200LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP65

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA300D-WT
casing aluminum / white paint
lamping LED 6W / Ra>90 /500LM
Beam 80 degree /
2700K/3000K/4000K/6000K
installation IP65

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA300E-WT
casing aluminum / white paint
lamping LED 6W / Ra>90 /500LM
Beam 90 degree /
2700K/3000K/4000K/6000K
installation IP65

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037





code JLWA300G-WT
casing aluminum / white paint
lamping LED 6W / Ra>90 /500LM
Beam decorative/
2700K/3000K/4000K/6000K
installation IP65

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA300F-WT
casing aluminum / white paint
lamping LED 6W / Ra>90 /500LM
Beam 60 degree /
2700K/3000K/4000K/6000K
installation IP65

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037

code JLWA300H-WT

casing aluminum / white paint

lamping LED 6W / Ra>90 /500LM

Beam 60 degree up /8 degree down

2700K/3000K/4000K/6000K

installation IP65

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA300J-WT

casing aluminum / white paint

lamping LED 6W / Ra>90 /500LM

Beam 80 degree up /8 degree down

2700K/3000K/4000K/6000K

installation IP65

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



LED WALL LIGHTS SURFACE MOUNT





code JLWA051
casing aluminium / anodized silver
lamping LED 1W / Ra>80 /70LM
Beam 45 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA052
casing aluminium / anodized silver
lamping LED 2W / Ra>80 /140LM
Beam 45 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

code JLWA106

casing aluminium / anodized black

lamping LED 3W / Ra>80 /210LM

Beam 30 degree / 30°

2700K/3000K/4000K/6000K

installation IP20

code JLWA138

casing aluminum lamp / black paint
steel reflector / white paint

lamping LED 6W / Ra>80 /420LM

Beam 60 degree /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

reflector installed seperately
reflector angle adjustable

code JLWA183

casing aluminum / anodized silver

lamping LED 2W / Ra>80 /140LM

Beam no lense /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA182

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA184
casing aluminum / anodized silver
lamping COB 5W / Ra>90 /430LM
Beam no reflector /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA185
casing aluminum / anodized silver
lamping COB 10W / Ra>90 /860LM
Beam no reflector /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
white paint similar to RAL9003
concrete grey paint similar to RAL7037





code JLHL004/1

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam no lense / no cover

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLHL004/2

casing aluminum / anodized silver

lamping LED 2W / Ra>80 /140LM

Beam no lense / no cover

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



YEAR
BOOK
09



code JLWA103
casing aluminum / anodized silver
lamping LED 4W / Ra>80 /280LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA101
casing aluminum / anodized silver
lamping LED 2W / Ra>80 /140LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA105
casing aluminum / anodized silver
lamping LED 6W / Ra>80 /420LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA022
casing aluminum / white paint
lamping LED 2W / Ra>80 /140LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA024
casing aluminum / white paint
lamping LED 4W / Ra>80 /280LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA026
casing aluminum / white paint
lamping LED 6W / Ra>80 /420LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037

DREAMHOUSE PENNY DRUE BAIRD

HOME
DUKE
Arletta

code JLWA165

casing aluminum / anodized silver

lamping LED 6W / Ra>80 /240LM

Beam no lense /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA164

casing aluminum / anodized silver

lamping LED 3W / Ra>80 /120LM

Beam no lense /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



Welcome



code JLWA270-SL

casing aluminum / anodized silver

lamping COB 5W / Ra>90 /430LM

Beam no lense / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA269-SL

casing aluminum / anodized silver

lamping COB 5W / Ra>90 /430LM

Beam no lense / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA117

casing aluminum / anodized silver

lamping cob 2x5W / Ra>90 /860LM

Beam 38 degree /
2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA119

casing aluminum / anodized silver

lamping cob 2x12W / Ra>90 /1800LM

Beam 38 degree /
2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

W





code JLWA116

casing aluminum / anodized silver

lamping cob 2x5W / Ra>90 /860LM

Beam 38 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA118

casing aluminum / anodized silver

lamping cob 2x12W / Ra>90 /1800LM

Beam 38 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

code JLWA264

casing aluminum / white paint

lamping cob 5W / Ra>90 /430LM

Beam 23 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA265

casing aluminum / white paint

lamping cob 2x6W / Ra>90 /1000LM

Beam 23 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA266

casing aluminum / white paint

lamping cob 4x6W / Ra>90 /2000LM

Beam 23 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLWA267

casing aluminum / white paint

lamping cob 12W / Ra>90 /900LM

Beam 23 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



code JLWA268

casing aluminum / white paint

lamping cob 2x12W / Ra>90 /1800LM

Beam 23 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037







code JLWA226
casing aluminum / anodized black
lamping LED 2x1W / Ra>80 /140LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA241
casing aluminum / anodized black
lamping LED 6x1W / Ra>80 /280LM
Beam Acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA240
casing aluminum / anodized black
lamping LED 10x1W / Ra>80 /700LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA239
casing aluminum / anodized black
lamping LED 6x1W / Ra>80 /420LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA242
casing aluminum / anodized black
lamping LED 10x1W / Ra>80 /700LM
Beam Acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA137
casing aluminum / white paint
lamping LED 3W / Ra>80 /210LM
Beam indirect light
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



code JLWA134
casing aluminum / anodized silver
lamping COB 5W / Ra>90 /430LM
Beam 38 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA115
casing aluminum / white paint
lamping LED 8W / Ra>80 /800LM
Beam indirect light
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

code JLHL8072/1
casing aluminum / anodized silver
lamping cob 5W / Ra>90 /430LM
Beam white glass shade /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

code JLWA223

casing aluminum / chrome plated

lamping led 6W / Ra>80 /600LM

Beam light inside the ring /
2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA222

casing aluminum / chrome plated

lamping led 6W / Ra>80 /600LM

Beam light inside the ring /
2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037





code JLWA149-WT
casing aluminum / white paint
lamping LED 8W / Ra>80 /800LM
Beam indirect light
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code JLWA150-WT
casing aluminum / white paint
lamping LED 12W / Ra>80 /1200LM
Beam indirect light
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code JLWA151-WT
casing aluminum / white paint
lamping LED 20W / Ra>80 /1600LM
Beam indirect light
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code JLWA141

casing aluminum / white paint

lamping LED 4W / Ra>80 /400LM

Beam indirect light

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code JLWA142

casing aluminum / white paint

lamping LED 8W / Ra>80 /800LM

Beam indirect light

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear

code JLWA221

casing Steel / white paint

lamping LED 6W / Ra>80 /600LM

Beam indirect light

2700K/3000K/4000K/6000K

installation IP20

surface customizable



black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

anodized silver
brushed linear

code JLWA228A-BK

casing Steel cover / black paint

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

cover customizable

consult with our sale manager

aluminum cover in any color

stainless steel nickle/gold cover

other material other color



code JLWA228A-WT

casing Steel cover / white paint

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

cover customizable

consult with our sale manager

aluminum cover in any color

stainless steel nickle/gold cover

other material other color





JLWA228B



JLWA228C

JLWA228D

JLWA228E

code JLWA228B/C/D/E

casing nickle stainless steel cover

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

cover customizable — consult with our sale manager

cover material customizable
- aluminum cover in any color
- stainless steel nickle/gold cover

cover can be laser cut with any number or any character



LUNAR ECLIPSE

The idea of this series comes from the eclipse.The pure soft warm light comes out from the back of shiny crome plated hemisphere,just like the lunar eclipse in the vast sky.The interesting is that we didn't make it a flat cricle but a pure sp-here,with half crome plated steel hemi-sphere,and another half acrylic hemisp-ere as lighting diffuser.Of course there is a little aluminium part as the installa-tion base ,which you would not see wh-en the whole lampis installed.

The clever part of this design is that we put the power-supply and the led chips and also the heat sink in the plated hem-isphere,so that the light can dismiss as much as it can to the walland as soft as it can be.

This series are very good decoration to the wall,no matter they are lighted on or off.The shpere is solid and it is objectiv-e and beautiful no matter from which angle you have seen it.You can put two or three sizes in the same wall,and a gr- oup of three or five lamps can give the wall amazing effects.

code JLWA282

casing Steel / chrome plated

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- white paint similar to RAL9003

code JLWA283

casing Steel / chrome plated

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- white paint similar to RAL9003



code JLWA284

casing Steel / chrome plated

lamping LED 6W / Ra>80 /600LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- white paint similar to RAL9003





code JLWA243

casing aluminum / anodized black

lamping LED 10W / Ra>80 /1000LM

Beam indirect light

2700K/3000K/4000K/6000K

installation IP20 90°

surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



code JLWA244

casing aluminum / anodized black

lamping LED 10W / Ra>80 /1000LM

Beam indirect light

2700K/3000K/4000K/6000K

installation IP20 90°

surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized silver brushed linear

code JLWA302
casing aluminum / chrome plated
lamping LED 3W / Ra>80 /300LM
Beam indirect light / acrylic diffuser
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA303
casing aluminum / chrome plated
lamping LED 4W / Ra>80 /400LM
Beam indirect light / acrylic diffuser
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA304
casing aluminum / chrome plated
lamping LED 6W / Ra>80 /600LM
Beam indirect light / acrylic diffuser
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037







PASSUN
2502



code JLWA295A-WT

JLWA295A-BK

casing aluminum / steel cover /
white paint / black paint

lamping LED 3W / Ra>80 /300LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20



code JLWA296A-WT

JLWA296A-BK

casing aluminum / steel cover /
white paint / black paint

lamping LED 6W / Ra>80 /600LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20



code JLWA294A-WT

JLWA294A-BK

casing aluminum / steel cover /
white paint / black paint

lamping LED 9W / Ra>80 /900LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20



code JLWA295B

casing aluminum base/white paint
stainless steel cover / nickle

lamping LED 3W / Ra>80 /300LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code JLWA295C

casing aluminum base/white paint
stainless steel cover / nickle

lamping LED 3W / Ra>80 /300LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code JLWA296B

casing aluminum base/white paint
stainless steel cover / nickle

lamping LED 6W / Ra>80 /600LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code JLWA294C

casing aluminum base/white paint
stainless steel cover / nickle

lamping LED 9W / Ra>80 /900LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code JLWA294B

casing aluminum base/white paint
stainless steel cover / nickle

lamping LED 9W / Ra>80 /900LM

Beam indirect light / acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing

25
02





code JLWA318-WT

casing steel sheet / white paint / aluminum heat sink

lamping LED 18W / Ra>80 /1800LM

Beam indirect light / 2700K/3000K/4000K/6000K

installation IP20

code JLWA318-GR

casing steel sheet / grey paint

Related product type

ceiling surface mount / pendant



LED STEP LIGHT



code JLSL001

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/3000K/4000K/6000K

installation IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box



code JLSL002

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/3000K/4000K/6000K

installation IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box

code JLSL003

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/3000K/4000K/6000K

installation CE IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box

code JLSL004

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/3000K/4000K/6000K

installation CE IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box



code JLSL008

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam acrylic diffuser/

2700K/3000K/4000K/6000K

installation IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box

code JLSL009

casing aluminum / anodized silver

lamping LED 1W / Ra>80 /70LM

Beam acrylic diffuser/

2700K/3000K/4000K/6000K

installation IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box

code JLSL008A

casing aluminum / anodized silver
stainless steel cover / nickel

lamping LED 1W / Ra>80 /70LM

Beam acrylic diffuser/
2700K/3000K/4000K/6000K

installation CE IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box



code JLSL009A

casing aluminum / anodized silver
stainless steel cover / nickel

lamping LED 1W / Ra>80 /70LM

Beam acrylic diffuser/
2700K/3000K/4000K/6000K

installation CE IP20



dia 45x95mm
for installation box
for concrete wall

dia 40mm recessed
for wooden wall

supply with aluminum installation box

surface customizable

- anodized silver brushed linear
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037





code JLSL011
casing aluminum / anodized silver
lamping LED 1W / Ra>80 /70LM
Beam 60 degree / no lense
2700K/3000K/4000K/6000K
installation IP20

installed with standard
86x86mm switch box

supply with standard 86mm switch box



code JLSL013
casing aluminum / anodized silver
lamping LED 1W / Ra>80 /70LM
Beam 30 degree / no lense
2700K/3000K/4000K/6000K
installation IP20

installed with standard
86x86mm switch box

supply with standard 86mm switch box





code JLSL011A
casing aluminum / chrome plated
lamping LED 1W / Ra>80 /70LM
Beam glass diffuser /
2700K/3000K/4000K/6000K
installation IP20

installed with standard
86x86mm switch box

supply with standard 86mm switch box



code JLSL012A
casing aluminum / chrome plated
lamping LED 1W / Ra>80 /70LM
Beam glass diffuser /
2700K/3000K/4000K/6000K
installation IP20

installed with standard
86x86mm switch box

supply with standard 86mm switch box



code JLSL013A
casing aluminum / chrome plated
lamping LED 1W / Ra>80 /70LM
Beam glass diffuser /
2700K/3000K/4000K/6000K
installation IP20

installed with standard
86x86mm switch box

supply with standard 86mm switch box



LED READING LIGHTS



FOR BEDROOM

JLWA219-BK

JLWA219-WT

JLWA219-SL

JLWA219-CR

JLWA219-RG

JLWA220-BK

JLWA220-WT

JLWA220-SL

JLWA220-CR



code JLWA219-WT
casing aluminum / white paint
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

cut-off dia80mm
by 60mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed in ,the light switched off

the head can be rotated 350 degree left and right, 90 degree up and down

code JLWA219-BK
casing aluminum / black paint

code JLWA219-CR
casing aluminum / chrome plated

code JLWA219-SL
casing aluminum / anodized silver

code JLWA219-RG
casing aluminum / anodized rose gold



code JLWA220-WT
casing aluminum / white paint
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

cut-off dia80mm
by 60mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed in ,the light switched off

the head can be rotated 350 degree left and right, 90 degree up and down

code JLWA220-BK
casing aluminum / black paint

code JLWA220-CR
casing aluminum / chrome plated

code JLWA220-SL
casing aluminum / anodized silver

code JLWA220-RD
casing aluminum / anodized rose gold

HOW IT WORKS



STEP 1
Cut hole pattern on the wall



STEP2
Put the driver and connect the main



STEP3
Connect the lamp to the driver



STEP6
Turn on the main and press to light it on



STEP5
Fix the cover to the installed lamp



STEP4
Fix the lamp with screws



JLWA319-WT

JLWA320-WT

JLWA319-BK

JLWA320-BK

JLWA319-SL

JLWA320-SL

JLWA319-CR

JLWA320-CR



SMALLER VERSION FOR LWA219 SERIES

code JLWA319-WT
casing aluminum / white paint
lamping LED 1W / Ra>80 /70LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

cut-off dia55mm
by 60mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed in ,the light switched off

the head can be rotated 350 degree left and right, 90 degree up and down

code JLWA319-BK
casing aluminum / black paint

code JLWA319-CR
casing aluminum / chrome plated

code JLWA319-SL
casing aluminum / anodized silver

code JLWA319-RG
casing aluminum / anodized rose gold



SMALLER VERSION FOR LWA220 SERIES

code JLWA320-WT
casing aluminum / white paint
lamping LED 1W / Ra>80 /70LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

cut-off dia55mm
by 60mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed in ,the light switched off

the head can be rotated 350 degree left and right, 90 degree up and down

code JLWA320-BK
casing aluminum / black paint

code JLWA320-CR
casing aluminum / chrome plated

code JLWA320-SL
casing aluminum / anodized silver

code JLWA320-RG
casing aluminum / anodized rose gold

HOW IT WORKS



STEP1
Cut hole pattern on the wall



STEP2
Put the driver and connect the main



STEP3
Connect the lamp to the driver



STEP6
Turn on the main and press to light it on



STEP5
Fix the cover to the installed lamp



STEP4
Fix the lamp with screws

code JLWA260-BK

casing aluminum / black paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree left and right, 90 degree up and down

surface customizable

- anodized silver brushed circular
- anodized gold brushed circular
- concrete grey paint similar to RAL7037



cut-off dia80mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for instalatoin.

code JLWA260-WT

casing aluminum / white paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree left and right, 90 degree up and down

surface customizable

- anodized silver brushed circular
- anodized gold brushed circular
- concrete grey paint similar to RAL7037



cut-off dia80mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for instalatoin.

code JLWA260-CR

casing aluminum / Chrome plated

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree left and right, 90 degree up and down

surface customizable

- anodized silver brushed circular
- anodized gold brushed circular
- concrete grey paint similar to RAL7037



cut-off dia80mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for instalatoin.



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.

code JLWA259-BK
casing aluminum / black paint
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable
- anodized silver brushed circular
- anodized gold brushed circular
- concrete grey paint similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.

code JLWA259-WT
casing aluminum / white paint
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable
- anodized silver brushed circular
- anodized gold brushed circular
- concrete grey paint similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.

code JLWA259-CR
casing aluminum / Chrome plated
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable
- anodized silver brushed circular
- anodized gold brushed circular
- concrete grey paint similar to RAL7037

THE BEST READING LAMP EVER DESIGNED
360 DEGREE FREE TURNING
DEEP RECESSED LIGHT
FOR ANTI-GLARE PURPOSE
TURNING BACK AND SWITCHED OFF
SMART AND EASY INSTALLATOIN
BY SCREWING IN ONE NUT
CROME /GOLD PLATED
BLACK / WHITE PAINTING
FOUR FINISHINGS AVAILABLE
SMALL/BIG TWO SIZES OPTIONAL

code JLWA322-CR
casing aluminum / chrome plated
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

cut-off 150x45mm
by 105mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed in ,the light switched off

the head can be rotated 350 degree left and right, 90 degree up and down

code JLWA322-BK
casing aluminum / black paint

code JLWA322-WT
casing aluminum / white paint

code JLWA322-GD
casing aluminum / gold plated

surface customizable
anodized silver brushed linear
concrete grey paint similar to RAL7037



JLWA322 - BK

LWA322 - WT

LWA322 - GD

HOW IT WORKS



STEP 1
Cut hole pattern on the wall



STEP2
Put the driver and connect to the main



STEP3
Fix the metal parts to the lamp with the long nut



STEP3
Connect the lamp with the driver



STEP4
Put the lamp into the hole drive the screw to the opposite direction to fasten the metal part



STEP5
Pull out the lamp head and light it on



THE BEST READING LAMP EVER DESIGNED
360 DEGREE FREE TURNING
DEEP RECESSED LIGHT
FOR ANTI-GLARE PURPOSE
TURNING BACK AND SWITCHED OFF
SMART AND EASY INSTALLATOIN
BY SCREWING IN ONE NUT
CROME /GOLD PLATED
BLACK / WHITE PAINTING
FOUR FINISHINGS AVAILABLE
SMALL/BIG TWO SIZES OPTIONAL

code JLWA321-CR
casing aluminum / chrome plated
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

cut-off 125x35mm
by 105mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed in ,the light switched off

the head can be rotated 350 degree left and right, 90 degree up and down

code JLWA321-BK
casing aluminum / black paint

code JLWA321-WT
casing aluminum / white paint

code JLWA321-GD
casing aluminum / gold plated

surface customizable
anodized silver brushed linear
concrete grey paint similar to RAL7037

LWA321 - WT

LWA321 - BK

LWA321 - GD

HOW IT WORKS



STEP 1
Cut hole pattern on the wall



STEP2
Put the driver and connect to the main



STEP3
Fix the metal parts to the lamp with the long nut



STEP3
Connect the lamp with the driver



STEP4
Put the lamp into the hole drive the screw to the opposite direction to fasten the metal part



STEP5
Pull out the lamp head and light it on



code JLWA315-WT
casing aluminum+beech
finishing white paint
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA315-BK
casing aluminum+beech
finishing anodized black
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA315-CR
casing aluminum+beech
finishing chrome plated
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA314-WT
casing aluminum+beech
finishing white paint
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA314-BK
casing aluminum+beech
finishing anodized black
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA314-CR
casing aluminum+beech
finishing chrome plated
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA317-WT
casing aluminum+beech
finishing white paint
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA317-BK
casing aluminum+beech
finishing anodized black
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA317-CR
casing aluminum+beech
finishing chrome plated
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA316-WT
casing aluminum+beech
finishing white paint
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA316-BK
casing aluminum+beech
finishing anodized black
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA316-CR
casing aluminum+beech
finishing chrome plated
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K

IP20 350° 90°

with touching sensor switch

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037



code JLWA205
casing aluminum / anodized black
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA206
casing aluminum / anodized black
lamping LED 2x3W / Ra>80 /240LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA203
casing aluminum / anodized black
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA204
casing aluminum / anodized black
lamping LED 2x3W / Ra>80 /240LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA067
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLWA070B
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLWA070
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLWA061
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLHL9003/1
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLWA067B
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLWA224
casing aluminum / chrome plated
lamping LED 1W / Ra>80 /70LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLWA225
casing aluminum / chrome plated
lamping LED 2W / Ra>80 /140LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable white paint similar to RAL9003



code JLHL8019A
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20



code JLHL8019B
casing aluminum / anodized silver
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003
anodized black sandblasted
concrete grey paint similar to RAL7037



code JLWA186
casing aluminum / anodized silver
lamping COB 5W / Ra>90 /430LM
Beam No lense / acrylic cover
2700K/3000K/4000K/6000K
installation IP20

surface customizable
white paint similar to RAL9003

code JLWA230A-CR

casing aluminum / Chrome plated

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

surface customizable

white paint similar to RAL9003

black paint equal to RAL9011



cut-off dia82mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for instaIlatoin.

code JLWA230-CR

casing aluminum / Chrome plated

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

surface customizable

white paint similar to RAL9003

black paint equal to RAL9011



cut-off dia82mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for instaIlatoin.



code JLWA230A-BK

casing aluminum / black paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation CE IP20

supplied with installation box and driver

with touching sensor switch

cut-off dia82mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.



code JLWA230A-WT

casing aluminum / white paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation CE IP20

supplied with installation box and driver

with touching sensor switch

cut-off dia82mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.



code JLWA232A-BK

casing aluminum / anodized black

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- white paint similar to RAL9003
- anodized silver brushed linear
- chrome plated

with touching sensor switch



code JLWA231A-WT

casing aluminum / white paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- anodized black sandblasted
- anodized silver brushed linear
- chrome plated

with touching sensor switch

code JLWA232A-BK

casing aluminum / anodized black

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- white paint similar to RAL9003
- anodized silver brushed linear
- chrome plated

with touching sensor switch

with 1 meter cable

plug can customized EU/AU/US standard

code JLWA231A-WT

casing aluminum / white paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- anodized black sandblasted
- anodized silver brushed linear
- chrome plated

with touching sensor switch

with 1 meter cable

plug can customized EU/AU/US standard



code JLWA187-BK

casing aluminum / anodized black

lamping cob 5W / Ra>90 /430LM

Beam 38 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized silver brushed circular
- anodized gold brushed circular



code JLWA188

casing aluminum / anodized black

lamping cob 5W / Ra>90 /430LM

Beam 38 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable

- white paint similar to RAL9003

code JLWA200-BK

casing aluminum / anodized silver

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

---

code JLWA200-WT

casing aluminum / White paint





code JLWA297-WT
casing aluminum / white paint
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
chrome plated
concrete grey paint similar to RAL7037

code JLWA297-BK
casing aluminum / black paint

code JLWA297-GD
casing aluminum / anodized gold
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
chrome plated
concrete grey paint similar to RAL7037

code JLWA297-SL
casing aluminum / anodized silver



code JLWA298
casing aluminum / chrome plated
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With switch on the base

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA299
casing aluminum / chrome plated
lamping LED 12W / Ra>80 /1200LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With two switches on the base

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA298A
casing aluminum / chrome plated
lamping Shade LED 6W / Ra>80 /600LM
Goose LED 3W/ Ra>80 /120LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With two switches on the base

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA299A
casing aluminum / chrome plated
lamping Shade LED 12W / Ra>80 /1200LM
Goose LED 2x3W/ Ra>80 /240LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With four switches on the base

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA289-BK

casing aluminum / anodized black

lamping LED 12W / Ra>80 /1200LM

Beam up and down light / acrylic cover

2700K/3000K/4000K/6000K

installation IP20

surface customizable white paint similar to RAL9003



code JLWA289-SL

casing aluminum / anodized silver

lamping LED 12W / Ra>80 /1200LM

Beam up and down light / acrylic cover

2700K/3000K/4000K/6000K

installation IP20

surface customizable white paint similar to RAL9003



code JLWA289-GD

casing aluminum / anodized gold

lamping LED 12W / Ra>80 /1200LM

Beam up and down light / acrylic cover

2700K/3000K/4000K/6000K

installation IP20

surface customizable white paint similar to RAL9003

code JLWA207B

casing aluminum / anodized silver

lamping Shade cob 5W / Ra>90 /430LM
Goose LED 3W/ Ra>80 /120LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

With two switches on the base

surface customizable
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003



code JLWA208B

casing aluminum / anodized silver

lamping Shade cob 5W / Ra>90 /430LM
Goose LED 3W/ Ra>80 /120LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

With two switches on the base

surface customizable
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003



code JLWA209B

casing aluminum / anodized silver

lamping Shade cob 5W / Ra>90 /430LM
Goose LED 3W/ Ra>80 /120LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

With two switches on the base

surface customizable
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003





code JLWA207A
casing aluminum / anodized silver
lamping cob 5W / Ra>90 /430LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With switch on the base

surface customizable
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003



code JLWA208A
casing aluminum / anodized silver
lamping cob 5W / Ra>90 /430LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With switch on the base

surface customizable
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003



code JLWA209A
casing aluminum / anodized silver
lamping cob 5W / Ra>90 /430LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

With switch on the base

surface customizable
- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003

LED BATHROOM LIGHT



code JLWA151-SL

casing Aluminum / anodized silver

lamping LED 20W / Ra>80 /2000LM

Beam up and down light /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA149-SL

casing Aluminum / anodized silver

lamping LED 8W / Ra>80 /800LM

Beam up and down light /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA150-SL

casing Aluminum / anodized silver

lamping LED 12W / Ra>80 /1200LM

Beam up and down light /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

code JLWA196

casing Aluminum / anodized black

lamping LED 12W / Ra>80 /840LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- anodized silver brushed linear
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA195

casing Aluminum / anodized silver

lamping LED 6W / Ra>80 /420LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- anodized silver brushed linear
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA237

casing Aluminum / chrome plated

lamping LED 3x3W / Ra>80 /360LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA238

casing Aluminum / chrome plated

lamping LED 4x3W / Ra>80 /480LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA189

casing Aluminum / anodized black

lamping LED 2x3W / Ra>80 /240LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable anodized silver sandblasted



code JLWA190

casing Aluminum / anodized black

lamping LED 3x3W / Ra>80 /360LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable anodized silver sandblasted



code JLWA191

casing Aluminum / anodized black

lamping LED 2x3W / Ra>80 /240LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable anodized silver sandblasted



code JLWA192

casing Aluminum / anodized black

lamping LED 3x3W / Ra>80 /360LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

surface customizable anodized silver sandblasted



code JLWA193
casing Aluminum / anodized black
lamping LED 2x3W / Ra>80 /240LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable anodized silver sandblasted



code JLWA194
casing Aluminum / anodized black
lamping LED 3x3W / Ra>80 /360LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable anodized silver sandblasted



code JLWA235
casing steel / chrome plated
lamping LED 3x1W / Ra>80 /210LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA236
casing steel / chrome plated
lamping LED 4x1W / Ra>80 /280LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA285

casing Aluminum / chrome plated

lamping LED 6W / Ra>80 /600LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



LWA-286

code JLWA286

casing Aluminum / chrome plated

lamping LED 6W / Ra>80 /600LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLWA287

casing Aluminum / chrome plated

lamping LED 10W / Ra>80 /1000LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

LED PENDA

NT LIGHTS

code JLHL012-WT

surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / white painting / lamping LED 3W / Ra>80 /120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code JLHL012-BK

surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / black painting / lamping LED 3W / Ra>80 /120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

A7.S256
U.S. Route 66
ROUTE
US
66
LAST CHANCE
G A S
11A-882012
930M4
USA 1884

code JLPL045-BK

surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum / black painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 25x25mm x 350mm 1meter cable / cable length customizable

code JLPL045-WT

surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 25x25mm x 350mm 1meter cable / cable length customizable



surface customizable

chrome plated

concrete grey paint similar to RAL7037

anodized gold brushed linear

code JLPL201-RD / JLPL201-BK / JLPL201-WT

casing aluminum / red/black/white painting / lamping LED 1W / Ra>80 /70LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia16mm x 1100mm 1meter cable / cable length customizable



JLPL149

JLPL151

JLPL150

code JLPL149

casing aluminum / anodized black / lamping LED 3W / Ra>80 /210LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia38mm x 385mm 1meter cable / cable length customizable

code JLPL150

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia54mm x 635mm 1meter cable / cable length customizable

code JLPL151

casing aluminum / anodized black / lamping LED 9W / Ra>80 /630LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia70mm x 920mm 1meter cable / cable length customizable

code JLPL264-BK / JLPL264-CR / JLPL264-WT

surface customizable concrete grey paint similar to RAL7037

casing Steel tube / black/chrome/white painting / lamping cob 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable

code JLPL226-CR / JLPL226-BK / JLPL226-WT

surface customizable — concrete grey paint similar to RAL7037

casing steel tube / chrome/black/white painting / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable

code JLPL274-BK / JLPL264-WT

surface customizable — concrete grey paint similar to RAL7037

casing Steel tube and shade / black/white painting / lamping cob 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia160mm x 580mm 1meter cable / cable length customizable

JLPL152-BK

JLPL153-BK

JLPL152-WT

JLPL155-BK

JLPL155-WT

JLPL154-BK

JLPL153-WT

code JLPL152-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL152-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL153-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL153-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL154-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL154-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL155-BK

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

---

code JLPL155-WT

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100mm x 120mm 1meter cable / cable length customizable

---

LPL287-BK

LPL288-BK

LPL286-BK

LPL290-BK

code JLPL286-BK / JLPL286-WT surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 75mm 2meter cable / cable length customizable

code JLPL287-BK / JLPL287-WT surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 65mm x 75mm 2meter cable / cable length customizable

JLPL290-WT

JLPL287-WT

JLPL286-WT

JLPL288-WT

code JLPL288-BK / JLPL288-WT surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 75mm x 80mm 2meter cable / cable length customizable

code JLPL290-BK / JLPL290-WT surface customizable chrome plated concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 68mm x 75mm 2meter cable / cable length customizable

code JLPL268-BK

surface customizable — concrete grey paint similar to RAL7037

casing beech rod and aluminum / anodized black / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code JLPL268-CR

surface customizable — concrete grey paint similar to RAL7037

casing beech rod and aluminum / Chrome plated / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code JLPL268-WT

surface customizable — concrete grey paint similar to RAL7037

casing beech rod and aluminum / white painting / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code JLPL262

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 60x60x300mm 1meter cable / cable length customizable

code JLPL263

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 105x105x240mm 1meter cable / cable length customizable

JLPL191

JLPL190

code JLPL190

surface customizable — black paint equal to RAL9011 — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60x230mm 1meter cable / cable length customizable

code JLPL191

surface customizable — black paint equal to RAL9011 — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 12W / Ra>90 /900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 102x260mm 1meter cable / cable length customizable



code JLPL119

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60x100mm 1meter cable / cable length customizable

code JLPL120

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 102x100mm 1meter cable / cable length customizable

code JLPL185

surface customizable — black paint equal to RAL9011 — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 60x60x280mm 1meter cable / cable length customizable

code JLPL186

surface customizable — black paint equal to RAL9011 — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 12W / Ra>90 /900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 105x105x150mm 1meter cable / cable length customizable

code JLPL185 surface customizable black paint equal to RAL9011 white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 60x60x280mm 1meter cable / cable length customizable

code JLPL186 surface customizable black paint equal to RAL9011 white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping COB 12W / Ra>90 /900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 105x105x150mm 1meter cable / cable length customizable

code JLPL166-BK surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / black painting / lamping LED 3x4W / Ra>80 /1200LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 50x30x670mm base

code JLPL167-BK surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / black painting / lamping LED 4x4W / Ra>80 /1600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 50x30x955mm base

code JLPL168-BK

surface customizable | white paint similar to RAL9003 | chrome plated | concrete grey paint similar to RAL7037 | anodized gold brushed circular

casing aluminum / black painting / lamping LED 3x4W / Ra>80 /1200LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 720mm length

code JLPL169-BK

surface customizable | white paint similar to RAL9003 | chrome plated | concrete grey paint similar to RAL7037 | anodized gold brushed circular

casing aluminum / black painting / lamping LED 4x4W / Ra>80 /1600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 1000mm length

code JLPL170-BK

surface customizable

white paint similar to RAL9003 | chrome plated | concrete grey paint similar to RAL7037 | anodized gold brushed circular

casing aluminum / black painting / lamping LED 5x4W / Ra>80 /2000LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 1000mm length

code JLPL187

surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping LED 3W / Ra>80 /120LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code JLPL188

surface customizable | white paint similar to RAL9003 | chrome plated | concrete grey paint similar to RAL7037 | anodized gold brushed circular

casing aluminum / anodized black / lamping LED 3x3W / Ra>80 /360LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable / base 50x30x500mm

JLPL174

JLPL176

code JLPL174 surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 157mm 1meter cable / cable length customizable

code JLPL176 surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 110mm x 62mm 1meter cable / cable length customizable

JLPL236

JLPL237

JLPL238

code JLPL236 surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 195mm / 1meter cable / cable length customizable

code JLPL237 surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 80mm x 115mm / 1meter cable / cable length customizable

code JLPL238 surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 110mm x 70mm / 1meter cable / cable length customizable



code JLPL239

surface customizable

white paint similar to RAL9003 | chrome plated | concrete grey paint similar to RAL7037 | anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3x5W / Ra>90 /1290LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade as line drawing / 1meter cable / cable length customizable

code JLPL273

surface customizable black paint equal to RAL9011 chrome plated concrete grey paint similar to RAL7037

casing steel / white painting / lamping SMD 7x6W / Ra>80 /4200LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade totally dia320x320mm / 1meter cable / cable length customizable

code JLPL272

surface customizable — black paint equal to RAL9011 — chrome plated — concrete grey paint similar to RAL7037

casing steel / white painting / lamping SMD 3x6W / Ra>80 /1800LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade totally dia 220x290mm / 1meter cable / cable length customizable

code JLPL271

surface customizable — black paint equal to RAL9011 — chrome plated — concrete grey paint similar to RAL7037

casing steel / white painting / lamping SMD 6W / Ra>80 /600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia100x290mm / 1meter cable / cable length customizable

code JLPL292-BK

casing aluminum / anodized black / lamping E27 Socket / bulb not inculed

installation IP20 lamp shade dia140x230mm / 1meter cable / cable length customizable

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLPL292-GD

casing aluminum / anodized gold / lamping E27 Socket / bulb not inculed

installation IP20 lamp shade dia140x230mm / 1meter cable / cable length customizable

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLPL292-SL

casing aluminum / anodized silver / lamping E27 Socket / bulb not inculed

installation IP20 lamp shade dia140x230mm / 1meter cable / cable length customizable

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLPL293-BK surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping SMD 6W / Ra>80 /600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

code JLPL293-SL surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping SMD 6W / Ra>80 /600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

code JLPL293-GD surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized gold / lamping SMD 6W / Ra>80 /600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

surface
customizable

all following color
can be seperately
used for up and down
ring shade

- black paint
  equal to RAL9011
- white paint
  similar to RAL9003
- concrete grey paint
  similar to RAL7037
- anodized silver
  brushed circular

code JLPL173-BK / JLPL173-CR / JLPL173-GD

casing aluminum / down ring white painting + up ring black painting / chrome plated / anodized gold / lamping E27 Socket / bulb not inculed

installation IP20 lamp shade dia148x270mm / 1meter cable / cable length customizable

JLPL217

JLPL215

code JLPL217

casing aluminum heat sink and ceramic shade / lamping COB 5W / Ra>90 /430LM / no refelctor / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 205mm x 100mm 1meter cable / cable length customizable

code JLPL215

casing aluminum heat sink and ceramic shade / lamping COB 5W / Ra>90 /430LM / no refelctor / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 180mm x 100mm 1meter cable / cable length customizable



JLPL281

JLPL279

code JLPL281 surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized black sandblasted

casing aluminum heat sink and crystal glass shade / chrome / lamping SMD 4W / Ra>80 /400LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 350mm x 145mm 1meter cable / cable length customizable / check page 001 for line drawing

code JLPL279 surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized black sandblasted

casing aluminum heat sink and crystal glass shade / chrome / lamping SMD 10W / Ra>80 /1000LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 220mm x 220mm 1meter cable / cable length customizable / check page 001 for line drawing

JLPL280

JLPL282

code JLPL280

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized black sandblasted

casing aluminum case and crystal glass shade / chrome / E27 socket / bulb not included /

installation IP20 lamp shade dia 220mm x 220mm 1meter cable / cable length customizable / check page 001 for line drawing

code JLPL282

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized black sandblasted

casing aluminum case and crystal glass shade / chrome / E27 socket / bulb not included /

installation IP20 lamp shade dia 350mm x 130mm 1meter cable / cable length customizable / check page 001 for line drawing

code JLPL194

surface customizable — anodized silver brushed circular / anodized black sandblasted / white paint similar to RAL9003

casing aluminum / chrome plated / lamping LED 20W / Ra>80 /2000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia102mm x H32mmx total 742mm long / 1meter cable / cable length customizable

code JLPL205

surface customizable — black paint equal to RAL9011 / white paint similar to RAL9003 / anodized gold sandblasted

casing aluminum / anodized silver / lamping LED 20W / Ra>80 /2000LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade 120mm x 29mm x1100mm long / 1meter cable / cable length customizable

JLPL196

JLPL197

code JLPL196 surface customizable black paint equal to RAL9011 white paint similar to RAL9003 anodized silver brushed circular anodized gold brushed circular

casing aluminum / chrome plated / lamping LED 18W / Ra>80 /1800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 lamp shade totally dia 385 mm / 1meter cable / cable length customizable

code JLPL197 surface customizable black paint equal to RAL9011 white paint similar to RAL9003 anodized silver brushed circular anodized gold brushed circular

casing aluminum / chrome plated / lamping LED 36W / Ra>80 /3600LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 lamp shade totally dia 424 mm / 1meter cable / cable length customizable

code JLPL212-BK

surface customizable — concrete grey paint similar to RAL7037 / anodized silver sandblasted / anodized gold sandblasted

casing aluminum / black painting / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade total dia 585mm / 1meter cable / cable length customizable

code JLPL212-WT

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / white painting / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade total dia 585mm / 1meter cable / cable length customizable

code JLPL213-BK

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / black painting / lamping LED 24x3W / Ra>80 /2880LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade total dia 655mm / 1meter cable / cable length customizable

code JLPL213-WT

surface customizable | concrete grey paint similar to RAL7037 | anodized silver sandblasted | anodized gold sandblasted

casing aluminum / White painting / lamping LED 24x3W / Ra>80 /2880LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade total dia 655mm / 1meter cable / cable length customizable

JLPL214-BK

JLPL214-WT







code JLPL214-BK

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / black painting / lamping LED 42x3W / Ra>80 /5040LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade total dia 775mm / 1meter cable / cable length customizable

code JLPL214-WT

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / white painting / lamping LED 42x3W / Ra>80 /5040LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade total dia 775mm / 1meter cable / cable length customizable



code JLPL256

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / black painting / lamping LED 108W / Ra>80 /10800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 659/790/922mm / 1meter cable / cable length customizable

LOVE
ALWAYS MAKE
SAY PLEA
TRY EV
HA
TREAT OTHERS
MAKE
DO WH

code JLPL252

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold sandblasted

casing aluminum / black painting / lamping LED 24W / Ra>80 /2400LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 527mm / 1meter cable / cable length customizable

code JLPL253

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold sandblasted

casing aluminum / black painting / lamping LED 30W / Ra>80 /3000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 659mm / 1meter cable / cable length customizable

code JLPL254

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold sandblasted

casing aluminum / black painting / lamping LED 36W / Ra>80 /3600LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 790mm / 1meter cable / cable length customizable

code JLPL255

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold sandblasted

casing aluminum / black painting / lamping LED 42W / Ra>80 /4200LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 922mm / 1meter cable / cable length customizable

JLPL221

JLPL222

JLPL223

code JLPL221 surface customizable concrete grey paint similar to RAL7037 white paint similar to RAL9003

casing aluminum heat sink steel shade / white paint inside black paint outside / lamping COB 9W / Ra>90 /800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 250 mm x 200mm 1meter cable / cable length customizable

code JLPL222 surface customizable concrete grey paint similar to RAL7037 white paint similar to RAL9003

casing aluminum heat sink steel shade / white paint inside black paint outside / lamping COB 9W / Ra>90 /800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 200 mm x 180mm 1meter cable / cable length customizable

code JLPL223 surface customizable concrete grey paint similar to RAL7037 white paint similar to RAL9003

casing aluminum heat sink steel shade / white paint inside black paint outside / lamping COB 9W / Ra>90 /800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 300 mm x 90mm 1meter cable / cable length customizable



JLPL162



JLPL163



JLPL164

code JLPL162

surface customizable ■ concrete grey paint similar to RAL7037 ■ white paint similar to RAL9003

casing aluminum heat sink steel shade / white paint inside black paint outside / lamping COB 9W / Ra>90 /800LM / acrylic cover inside / 2700K/3000K/4000K/6000K

installation ⊡ ⏚ CE IP20 lamp shade dia 360 mm x 95mm 1meter cable / cable length customizable

code JLPL163

surface customizable ■ concrete grey paint similar to RAL7037 ■ white paint similar to RAL9003

casing aluminum heat sink steel shade / white paint inside black paint outside / lamping COB 9W / Ra>90 /800LM / acrylic cover inside / 2700K/3000K/4000K/6000K

installation ⊡ ⏚ CE IP20 lamp shade dia 350 mm x 173mm 1meter cable / cable length customizable

code JLPL164

surface customizable ■ concrete grey paint similar to RAL7037 ■ white paint similar to RAL9003

casing aluminum heat sink steel shade / white paint inside black paint outside / lamping COB 9W / Ra>90 /800LM / acrylic cover inside / 2700K/3000K/4000K/6000K

installation ⊡ ⏚ CE IP20 lamp shade dia 270 mm x 185mm 1meter cable / cable length customizable

code JLPL172-GD

surface customizable ■ concrete grey paint similar to RAL7037 ■ white paint similar to RAL9003

casing aluminum heat sink steel shade / gold plated stainless steel reflector / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL172-RG

surface customizable ■ concrete grey paint similar to RAL7037 ■ white paint similar to RAL9003

casing aluminum heat sink steel shade / rose gold plated stainless steel reflector / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL172-CR

surface customizable ■ concrete grey paint similar to RAL7037 ■ white paint similar to RAL9003

casing aluminum heat sink steel shade / chrome plated stainless steel reflector / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL171-GD

surface customizable — concrete grey paint similar to RAL7037 — white paint similar to RAL9003

casing aluminum heat sink steel shade / gold plated stainless steel reflector / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL171-RG

surface customizable — concrete grey paint similar to RAL7037 — white paint similar to RAL9003

casing aluminum heat sink steel shade / rose gold plated stainless steel reflector / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL171-CR

surface customizable — concrete grey paint similar to RAL7037 — white paint similar to RAL9003

casing aluminum heat sink steel shade / chrome plated stainless steel reflector / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL172-BK / JLPL172-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink / black / white paint steel shade / for outside and wihte paint / for down side

lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL172-RD / JLPL172-YW / JLPL172-GN

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink / red / yellow / green paint steel shade / for outside and wihte paint / for down side

lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL171-BK / JLPL171-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink / black / white paint steel shade / for outside and wihte paint / for down side

lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL171-RD / JLPL171-YW / JLPL172-GN

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink / red / yellow / green paint steel shade / for outside and wihte paint / for down side

lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

Cone -shape base with no installation nuts outside makes the whole lamp harmonious



Spot light inside the cape makes this series unique it becomes a hanging spotlight when people thinks it is diffused



It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code JLPL227-WT / JLPL227-GR / JLPL227-BK

casing aluminum heat sink / white / grey / black steel shade / inside and outside / lamping COB 5W / Ra>90 /430LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable

code JLPL172-BK / JLPL172-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink / black / white paint steel shade / for outside and wihte paint / for down side

lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

code JLPL172-RD / JLPL172-YW / JLPL172-GN

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink / red / yellow / green paint steel shade / for outside and wihte paint / for down side

lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

lamp shade dia 380 mm / 1meter cable / cable length customizable

Cone -shape base with no installation nuts outside makes the whole lamp harmonious

With a little aluminum piece the acrylic cover installed on the cape diffuses the light soft and even



It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code JLPL298-BK / JLPL298-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink steel shade / black / white paint inside and outside / lamping SMD 10W / Ra>80 /1000LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable

Cone -shape base with no installation nuts outside makes the whole lamp harmonious

With a little aluminum piece the acrylic cover installed on the cape diffuses the light soft and even



It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code JLPL299-WT / JLPL299-BK

surface customizable — concrete grey paint similar to RAL7037

casing aluminum heat sink steel shade / white / black paint inside and outside / lamping SMD 18W / Ra>80 /1800LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 310 mm x 213mm 1meter cable / cable length customizable

RELATED PRODUCTS IN THIS SERIES

Wall type
in white
LWA318-WT

Wall type
in grey
LWA318-GR

Ceiling type
in white
LBL231-WT

Ceiling type
in grey
LBL231-GR

code JLPL312-WT

surface customizable — black paint equal to RAL9011

casing aluminum heat sink / steel sheet / white paint / lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable

RELATED PRODUCTS IN THIS SERIES

Wall type
in white
LWA318-WT

Wall type
in grey
LWA318-GR

Ceiling type
in white
LBL231-WT

Ceiling type
in grey
LBL231-GR

code JLPL312-GR

surface customizable — black paint equal to RAL9011

casing aluminum heat sink / steel sheet / grey paint / lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable

LED PENDANT MEAUSUREMENTS



JLHL012



JLPL045



JLPL201



JLPL149



JLPL150



JLPL151



JLPL264



JLPL226



JLPL274



JLPL152



JLPL153

JLPL154



JLPL155



JLPL286



JLPL287



JLPL288



JLPL290

JLPL268



JLPL262



JLPL263



JLPL190



JLPL191



JLPL119



JLPL120

LED PENDANT MEAUSUREMENTS



JLPL185



JLPL186



JLPL165



JLPL166



JLPL167



JLPL168



JLPL169



JLPL170



JLPL187



JLPL188



JLPL174



JLPL176



JLPL236

JLPL237



JLPL238



JLPL239



JLPL273

LED PENDANT MEAUSUREMENTS

JLPL272



JLPL271

JLPL292



JLPL293

JLPL173



JLPL217



JLPL215



JLPL281



JLPL279



JLPL282



JLPL280



JLPL194



JLPL205



JLPL196



JLPL197



JLPL212



JLPL213



JLPL214

LED PENDANT MEAUSUREMENTS



JLPL252



JLPL253



JLPL254



JLPL255



JLPL256



JLPL221



JLPL222



JLPL223

JLPL162



JLPL163



JLPL164



JLPL171



JLPL172



JLPL227



JLPL228



JLPL298



JLPL299



JLPL312





LED CEILING LIGHT





code JLBL104

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / white painting / lamping SMD 4W / Ra>80 /400LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20



code JLBL105

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / white painting / lamping SMD 10W / Ra>80 /1000LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20



code JLBL106

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / white painting / lamping SMD 20W / Ra>80 /2000LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20



code JLBL118 surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

code JLBL119 surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 9W / Ra>90 /800LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL120 surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 12W / Ra>90 /900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL135-BK

surface customizable ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / black painting / lamping COB 5W / Ra>90 /430LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL136-BK

surface customizable ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / black painting / lamping COB 9W / Ra>90 /800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL137-BK

surface customizable ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / black painting / lamping COB 12W / Ra>90 /900LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL135-WT

surface customizable — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL136-WT

surface customizable — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / white painting / lamping COB 9W / Ra>90 /800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL137-WT

surface customizable — concrete grey paint similar to RAL7037 — anodized gold sandblasted

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001





code JLBL172-BK

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold brushed

casing aluminum / anodized black / lamping SMD 10W / Ra>80 /1000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL172-SL

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold brushed

casing aluminum / anodized silver / lamping SMD 10W / Ra>80 /1000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

GO RIGHT AHEAD
THRIVING FLOURISHING

Mircrowave sensor customizable

Dimming customizable

TRIAC
DALI
0/1-10V



code JLBL201-WT **TUV / SAA / cTUVus approved** surface customizable concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 12W / Ra>80 /1200LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL202-WT surface customizable concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 18W / Ra>80 /1800LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL203-WT surface customizable concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 24W / Ra>80 /2400LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V

Mircrowave sensor customizable

Dimming customizable

TRIAC
DALI
0/1-10V



code JLBL203-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 12W / Ra>80 /1200LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL204-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 18W / Ra>80 /1800LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL205-WT

surface customizable — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 24W / Ra>80 /2400LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V

Mircrowave sensor customizable

Dimming customizable

TRIAC
DALI
0/1-10V



code JLBL201-BK **TUV / SAA / cTUVus approved** surface customizable ■ concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 12W / Ra>80 /1200LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL202-BK surface customizable ■ concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 18W / Ra>80 /1800LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL203-BK surface customizable ■ concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 24W / Ra>80 /2400LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V

Mircrowave sensor customizable

Dimming customizable

TRIAC
DALI
0/1-10V



code JLBL203-BK

surface customizable — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 12W / Ra>80 /1200LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL204-BK

surface customizable — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 18W / Ra>80 /1800LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V



code JLBL205-BK

surface customizable — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 24W / Ra>80 /2400LM / wide flood / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V

DON MUN



code JLBL074-WT / JLBL074-BK surface customizable concrete grey paint similar to RAL7037

casing aluminum / white/black painting / lamping LED 6x2W / Ra>80 /1134 LM / 10/20/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL075-WT / JLBL075-BK surface customizable concrete grey paint similar to RAL7037

casing aluminum / white/black painting / lamping LED 12x2W / Ra>80 /2268 LM / 10/20/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

DONMUN
東木大凡



code JLBL176

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL177

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 24W / Ra>90 /1800LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL001-WT

casing aluminum / white painting / Gu10 socket / bulb not included

installation IP20

surface customizable — concrete grey paint similar to RAL7037



code JLBL002-WT

casing aluminum / white painting / 2x Gu10 socket / bulb not included

installation IP20

surface customizable — concrete grey paint similar to RAL7037



code JLBL003-WT

casing aluminum / white painting / 3x Gu10 socket / bulb not included

installation IP20

surface customizable — concrete grey paint similar to RAL7037



code JLBL001-BK

casing aluminum / black painting / Gu10 socket / bulb not included

installation IP20

surface customizable — concrete grey paint similar to RAL7037



code JLBL002-BK

casing aluminum / black painting / 2x Gu10 socket / bulb not included

installation IP20

surface customizable — concrete grey paint similar to RAL7037



code JLBL003-BK

casing aluminum / black painting / 3x Gu10 socket / bulb not included

installation IP20

surface customizable — concrete grey paint similar to RAL7037

code JLWA173
casing aluminum / black painting
lamping COB 5W / Ra>90 /430LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA174
casing aluminum / black painting
lamping COB 2X5W / Ra>90 /860LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLWA175
casing aluminum / black painting
lamping COB 3X5W / Ra>90 /1290LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLBL602
casing aluminum / anodized silver
lamping LED 6W / Ra>80 /420LM
Beam 10/20/30/45/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold brushed circular

code JLBL050
casing aluminum / white paint
lamping COB 12W / Ra>90 /900LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold brushed circular

code JLBL057
casing aluminum / white paint
lamping LED 6W / Ra>80 /420LM
Beam 10/20/30/45/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold brushed circular

JLWA096

JLWA095

JLWA098

JLWA099

code JLBL095 surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized silver brushed circular anodized gold brushed circular

casing aluminum / black plated / lamping LED 3W / Ra>80 /210LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

code JLBL096 surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized silver brushed circular anodized gold brushed circular

casing aluminum / black plated / lamping LED 3W / Ra>80 /210LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

code JLBL098 surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized silver brushed circular anodized gold brushed circular

casing aluminum / black plated / lamping LED 6W / Ra>80 /420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

code JLBL099 surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized silver brushed circular anodized gold brushed circular

casing aluminum / black plated / lamping LED 6W / Ra>80 /420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

code JLBL049

casing aluminum / white paint

lamping COB 5W / Ra>90 /430LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP20



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold brushed circular

code JLBL054

casing aluminum / white paint

lamping LED 3W / Ra>80 /210LM

Beam 15/30/60 degree

2700K/3000K/4000K/6000K

installation IP20



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold brushed circular

code JLBL110-BK
casing aluminum / anodized black
lamping COB 5W / Ra>90 /430LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL110-WT
casing aluminum / white paint
lamping COB 5W / Ra>90 /430LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL111-BK
casing aluminum / anodized black
lamping COB 12W / Ra>90 /900LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL111-SL
casing aluminum / anodized silver
lamping COB 12W / Ra>90 /900LM
Beam 15/24/38/60 degree
2700K/3000K/4000K/6000K
installation IP20



surface customizable
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL048-WT

casing aluminum / white plated / lamping led 6W / Ra>80 /420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

code JLBL048-BK

casing aluminum / anodized black / lamping led 6W / Ra>80 /420LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL052

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL053

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping COB 9W / Ra>90 /800LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL083

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping led 9x3W / Ra>80 /1921LM / 15/30/45/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL084

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping led 9x3W / Ra>80 /1921LM / 15/30/45/60 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



SURFACE MOUNTED
STYLISH DOWNLIGHT
ROTATABLE HEADS
LENS INSIDE
CAN BE USDED
AS A SPOTLIGHT

code JLBL162-WT surface customizable concrete grey paint similar to RAL7037 anodized silver sandblasted anodized gold sandblasted

casing aluminum / white paint / lamping led 9x1W / Ra>80 /630LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 head 60 degree rotatable

code JLBL162-BK surface customizable concrete grey paint similar to RAL7037 anodized silver sandblasted anodized gold sandblasted

casing aluminum / anodized black / lamping led 9x1W / Ra>80 /630LM / 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 head 60 degree rotatable



code JLBL207

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL208

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL209

surface customizable — concrete grey paint similar to RAL7037 — anodized silver sandblasted — anodized gold sandblasted

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



surface
customizable

- anodized silver brushed linear
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL116-WT / JLBL116-BK / JLBL116-SL

lamp length can be customized to 1800mm/2400mm,
LED can be customized to 40W high lumen output

casing aluminum / white/black paint/anodizde silver / lamping SMD 20W / Ra>80 / 1600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 easy installation with spring clip, no screw installation / check photometric on page 001



surface
customizable

concrete grey paint
similar to RAL7037

anodized gold
brushed linear

code JLBL115-WT / JLBL115-BK / JLBL115-SL

lamp length can be customized to 1800mm/2400mm,
LED can be customized to 40W/1.2m high lumen output

casing aluminum / white/black paint/ anodized silver / lamping SMD 20W / Ra>80 / 1600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 easy installation with spring clip, no screw installation / check photometric on page 001



There is big difference bewtween this series and other surface mounted spot lights, that is the lighting head could be moved freely along the aluminium extrusion. The light could be turned
and moved ,it helps to light objects in unfixed position.
It shows like a surface mounted downlight,but it functions like a track and several track lights.

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL108-5-SL

lamp length can be customized to any size below 2400mm,
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 5X5W / Ra>90 / 2150LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 easy installation , no screw seen on both sides



surface
customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed linear



surface
customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code JLBL108-2-SL

lamp length can be customized to any size below 2400mm,
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 2X5W / Ra>90 / 860LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 easy installation , no screw seen on both sides

code JLBL108-3-SL

lamp length can be customized to any size below 2400mm,
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 3X5W / Ra>90 / 1290LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 easy installation , no screw seen on both sides

BAYMAX SERIES
SURFACE DOWNLIGHT

This series is consisted of pendents,surface downlights,spotlights.The idea is to make a ultimate su-rface downlight,with perfect shape and perfect light. The baymax series has realized all of this purpo-se,with square shape but nicely curved,and 23 degree beam,white painting.All above perfectly matc- h the modern house decoration.
The name of BAYMAX comes from a japanese carton film. BAYMAX is the major charactor of the film. He is warm hearted,but very strong and skilled. He is trained to protced people. Just like Baymax,thi-s series of light have got nice white housing,and strong warm heart-high lumen output,with no harm to people--with anti-glare angle and checker glass front cover.

surface
customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold sandblasted



code JLBL210

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL211

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL212

casing aluminum / white painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

BAYMAX SERIES
SURFACE DOWNLIGHT
BIGGER VERSION

This series is consisted of pendents,surface downlights,spotlights.The idea is to make a ultimate su-
rface downlight,with perfect shape and perfect light. The baymax series has realized all of this purpo-se,with
square shape but nicely curved,and 23 degree beam,white painting.All above perfectly matc- h the modern
house decoration.
The name of BAYMAX comes from a japanese carton film. BAYMAX is the major charactor of the film.
He is warm hearted,but very strong and skilled. He is trained to protced people. Just like Baymax,thi-s series of
light have got nice white housing,and strong warm heart-high lumen output,with no harm to people--with
anti-glare angle and checker glass front cover.

surface
customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver sandblasted
- anodized gold sandblasted



code JLBL213

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL214

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001



code JLBL215

casing aluminum / white painting / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 check photometric on page 001

LAZER SERIES
SURFACE DOWNLIGHT
BLACK FRONT COVER
65 DEGREE ANT-GLARE ANGLE
23 DEGREE BEAM ANGLE
PERFECT LIGHT CIRCLE



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

chrome plated

code JLBL219-GD
casing aluminum / anodized gold
lamping COB 5W / Ra>90 /430LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

code JLBL219-SL
casing aluminum / anodized silver
lamping COB 5W / Ra>90 /430LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

code JLBL219-WT
casing aluminum / white painting
lamping COB 5W / Ra>90 /430LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

LAZER SERIES
SURFACE DOWNLIGHT
BLACK FRONT COVER
65 DEGREE ANT-GLARE ANGLE
23 DEGREE BEAM ANGLE
PERFECT LIGHT CIRCLE
9W MIDDLE SIZE



surface
customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- chrome plated

code JLBL220-GD
casing aluminum / anodized gold
lamping COB 9W / Ra>90 /800LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

code JLBL220-SL
casing aluminum / anodized silver
lamping COB 9W / Ra>90 /800LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

code JLBL220-WT
casing aluminum / white painting
lamping COB 9W / Ra>90 /800LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

LAZER SERIES
SURFACE DOWNLIGHT
BLACK FRONT COVER
65 DEGREE ANT-GLARE ANGLE
23 DEGREE BEAM ANGLE
PERFECT LIGHT CIRCLE
12W LARGE SIZE



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

chrome plated

code JLBL221-GD
casing aluminum / anodized gold
lamping COB 12W / Ra>90 /900LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

code JLBL221-SL
casing aluminum / anodized silver
lamping COB 12W / Ra>90 /900LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20

code JLBL221-WT
casing aluminum / white painting
lamping COB 12W / Ra>90 /900LM
Beam 15/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20



code JLBL229-BK
casing aluminum / black painting
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20



code JLBL229-WT
casing aluminum / white painting
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

code JLBL229-SL
casing aluminum / anodized silver
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

code JLBL229-GD
casing aluminum / anodized silver
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

code JLBL229-CR
casing aluminum / chrome plated
lamping LED 6W / Ra>80 /600LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation IP20

LED CHANDELIER





code JLBL169

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL167

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 6x3W / Ra>80 /720LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL168

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL170

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL171

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 18x3W / Ra>80 /2160LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL143

surface customizable — black paint equal to RAL9011 / white paint similar to RAL9003 / concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 24x1W / Ra>80 / 1680LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL139

surface customizable — black paint equal to RAL9011 — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 3x6W / Ra>80 /1800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL140

surface customizable — black paint equal to RAL9011 — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 6x6W / Ra>80 /3600LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL158

surface customizable — anodized gold sandblasted / white paint similar to RAL9003 / concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 10x3W / Ra>80 /1200LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL159

surface customizable — anodized gold sandblasted / white paint similar to RAL9003 / concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 24x3W / Ra>80 /2880LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL160

surface customizable: anodized gold sandblasted | white paint similar to RAL9003 | concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code JLBL161

surface customizable: anodized gold sandblasted | white paint similar to RAL9003 | concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 24x3W / Ra>80 /2880LM / acrylic diffuser / 2700K/3000K /4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



surface
customizable

- anodized gold sandblasted
- anodized black sandblasted
- white paint similar to RAL9003

code JLBL216

casing aluminum heat sink/ chrome plated

lamping LED 13X3W / Ra>80 /1560LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

- anodized gold sandblasted
- anodized black sandblasted
- white paint similar to RAL9003

code JLBL217

casing aluminum heat sink/ chrome plated

lamping LED 25X3W / Ra>80 /3000LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

- anodized gold sandblasted
- anodized black sandblasted
- white paint similar to RAL9003

code JLBL218

casing aluminum heat sink/ chrome plated

lamping LED 35X3W / Ra>80 /4200LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

anodized black
sandblasted

concrete grey paint
similar to RAL7037

code JLBL165

casing steel sheet / white paint

lamping LED 6X6W / Ra>80 /3600LM

Beam indirect light /
2700K/3000K/4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface
customizable

anodized black
sandblasted

concrete grey paint
similar to RAL7037

code JLBL166

casing steel sheet / white paint

lamping LED 9X6W / Ra>80 /5400LM

Beam indirect light /
2700K/3000K/4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC
dimming driver customizable



code JLPL241

casing steel sheet / white paint

lamping LED 9X6W / Ra>80 /5400LM

Beam indirect light /
2700K/3000K/4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC
dimming driver customizable

surface
customizable

anodized black
sandblasted

concrete grey paint
similar to RAL7037



code JLPL242

casing steel sheet / white paint

lamping LED 13X6W / Ra>80 /7800LM

Beam indirect light /
2700K/3000K/4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC
dimming driver customizable

surface
customizable

anodized black
sandblasted

concrete grey paint
similar to RAL7037



code JLBL231-WT

casing aluminum / white paint / lamping SMD 18W+COB 9W / Ra>80 /1800+800LM / 38 degree down/ 2700K/3000K/ 4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable

Related Products


Wall mount LWA318 white paint


Wall mount LWA318 grey paint

pendant LPL312 white paint

pendant LPL312 grey paint



code JLBL231-GR

casing aluminum / grey paint / lamping SMD 18W+COB 9W / Ra>80 /1800+800LM / 38 degree down/ 2700K/3000K/ 4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable

Related Products


Wall mount LWA318 white paint


Wall mount LWA318 grey paint

pendant LPL312 white paint

pendant LPL312 grey paint



surface
customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed circular



surface
customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed circular

code JLBL146

casing aluminum / brushed silver / lamping LED 16W / Ra>80 /1280LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

code JLBL147

casing aluminum / brushed silver / lamping LED 36W / Ra>80 /2880LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



surface
customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed circular



surface
customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed circular

code JLBL148

casing aluminum / brushed silver / lamping LED 84W / Ra>80 /6720LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

code JLBL149

casing aluminum / brushed silver / lamping LED 108W / Ra>80 /8640LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

anodized silver
brushed linear



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

anodized silver
brushed linear

code JLBL151

casing aluminum / white paint / lamping LED 36W / Ra>80 /2880LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

code JLBL152

casing aluminum / white paint / lamping LED 84W / Ra>80 /6720LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001





surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

anodized silver
brushed linear



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

anodized silver
brushed linear

code JLBL150

casing aluminum / white paint / lamping LED 48W / Ra>80 /3840LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

code JLBL153

casing aluminum / white paint / lamping LED 108W / Ra>80 /8640LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



code JLBL155

casing aluminum / anodized black and brushed / lamping LED 28W / Ra>80 / 2240LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



code JLBL156

casing aluminum / anodized black and brushed / lamping LED 56W / Ra>80 / 4480LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



code JLBL154

casing aluminum / anodized black and brushed / lamping LED 32W / Ra>80 / 2560LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



code JLBL157

casing aluminum / anodized black and brushed / lamping LED 84W / Ra>80 / 6720LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

LED TABLE LAMPS

LED FLOOR LAMPS



code JLTL027

casing steel / chrome plated

lamping LED 3W / Ra>80 /300LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

surface
customizable

black paint
equal to RAL9011

white paint
similar to RAL9003



code JLTL032-GD
casing aluminum / anodized gold
lamping LED 2x6W / Ra>80 /1200LM
Beam acrylic diffuser / up and down light
2700K/3000K/4000K/6000K
installation IP20

code JLTL032-SL
casing aluminum / anodized silver

code JLTL032-BK
casing aluminum / anodized black



surface
customizable

chrome plated

concrete grey paint
similar to RAL7037

PENGUIN SERIES
TABLE READING LAMP

code JLTL018-BK
casing steel / black painting
lamping LED 3W / Ra>80 /120LM
Beam 10/20/30 degree /
2700K/3000K/4000K/6000K
installation CE IP20

code JLTL018-WT
casing steel / white painting
lamping LED 3W / Ra>80 /120LM
Beam 10/20/30 degree /
2700K/3000K/4000K/6000K
installation CE IP20



code JLTL040

casing aluminum / anodized black

lamping LED 3W / Ra>80 /120LM

Beam 10/20/30 degree /
2700K/3000K/4000K/6000K

installation IP20

With a touch-on switch on the base

surface
customizable

chrome plated

white paint
similar to RAL9003



code JLTL029-CR

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / chrome plated / lamping COB 3W / Ra>90 /300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

EU standard plug with switch on the cable / 1.5M cable

code JLTL030-CR

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / chrome plated / lamping COB 3W / Ra>90 /300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

EU standard plug with switch on the cable / 1.5M cable



code JLTL031-CR

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / chrome plated / lamping COB 3W / Ra>90 /300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

EU standard plug with switch on the cable / 1.5M cable



code JLTL029-BK

surface customizable: white paint similar to RAL9003 / concrete grey paint similar to RAL7037 / anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 /300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

EU standard plug with switch on the cable / 1.5M cable

code JLTL030-BK

surface customizable: white paint similar to RAL9003 / concrete grey paint similar to RAL7037 / anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 /300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

EU standard plug with switch on the cable / 1.5M cable

code JLTL031-BK

surface customizable: white paint similar to RAL9003 / concrete grey paint similar to RAL7037 / anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 /300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20

EU standard plug with switch on the cable / 1.5M cable

code JLTL022

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum / anodized black / lamping LED 1W / Ra>80 /70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation CE IP20 EU standard plug with switch on the cable / 1.5M cable

code JLTL023

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum / anodized black / lamping LED 1W / Ra>80 /70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation CE IP20 EU standard plug with switch on the cable / 1.5M cable

code JLTL024

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum / anodized black / lamping LED 1W / Ra>80 /70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation CE IP20 EU standard plug with switch on the cable / 1.5M cable



code JLTL038-CR / JLTL038-WT / JLTL038-BK

surface customizable — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum+beech / chrome plated / white paint / anodized black / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation IP20 EU standard plug with switch on the cable/ driver in the plug box / 1.5M cable

code JLFL019-BK

surface customizable — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum / black painting / lamping LED 1W / Ra>80 /70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20 EU standard plug with switch on the cable / 1.5M cable

code JLFL019-WT

surface customizable — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum / white painting / lamping LED 1W / Ra>80 /70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation CE IP20 EU standard plug with switch on the cable / 1.5M cable



LED OFFICE PENDANT LIGHT

OFFICE PENDANT LIGHT



IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLPL159-WT	aluminum	white paint	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K
JLPL159-SL	aluminum	brushed silver	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K
JLPL159-BK	aluminum	black paint	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K

- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm /1800mm/2400mm
- five surface color available three surface colors in stock
- 20W led per 1.2 meter long 10W led for 0.6 meter and so on
- Can be made to be more power double to 40W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box



surface default

- white paint similar to RAL9003
- black paint equal to RAL9011
- anodized silver brushed linear

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold sandblasted

although this series is boring,simple,just as the same as series came from any other supplies. The same aluminium extrusion,the same style,the same thin lamp body and same looking,however,LED make it another lamp,20W SMD led gives as much as the 1600lumens output ,which is the same as a 32W fluorescent tube gives,while the consumption is half.
LED is not the ultimate terminal for enerty-saving.The point is how people is thinking.Passun devote its designing philosophy in every aspect.We insist on not only saving on the lamp source,but also in material consumption. We always make sure that the material to make the lamp is just sufficient,no more to waste,and no less.
This lamp is design to fullfill the basic lighting requirement for the office,1600lm is just enough for a 1.4m desk and no more is needed. Three lamp colors could be customer made according to different office style.

OFFICE PENDANT LIGHT

IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLPL160-WT	aluminum	white paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K /4000K/6000K
JLPL160-SL	aluminum	brushed silver	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K /4000K/6000K
JLPL160-BK	aluminum	black paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K /4000K/6000K



surface default

- white paint similar to RAL9003
- black paint equal to RAL9011
- anodized silver brushed linear

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold sandblasted



- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm /1800mm/2400mm
- five surface color available three surface colors in stock
- 40W led per 1.2 meter long 20W led for 0.6 meter and so on
- Can be made to be more power double to 80W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box

OFFICE PENDANT LIGHT



IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLPL161-WT	aluminum	white paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K /4000K/6000K
JLPL161-SL	aluminum	brushed silver	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K /4000K/6000K
JLPL161-BK	aluminum	black paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K /4000K/6000K

- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm /1800mm/2400mm
- five surface color available three surface colors in stock
- 40W led per 1.2 meter long 20W led for 0.6 meter and so on
- Can be made to be more power double to 80W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box



surface default

- white paint similar to RAL9003
- black paint equal to RAL9011
- anodized silver brushed linear

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold sandblasted



surface
default

- white paint
  similar to RAL9003
- anodized black
  sandblasted
- anodized silver
  sandblasted
- anodized gold
  sandblasted

surface
customizable

- concrete grey paint
  similar to RAL7037

- made by pure aluminum extrusion
  can be custom made into any length
  normal size will be 600mm/1200mm
  /1800mm/2400mm
- five surface color available
  four surface colors in stock
- 40W led per 1.5 meter long
  20W led for 0.6 meter and so on
- Can be made to be more power
  double to 80W or other for the
  same length
- supplied with 1.2m hanging cable,
  electric wire, and connecting box





Chrome
plated
end cap
makes the
lamp
noble and
good
quality



The hanging
cable metal
parts can
move freely
along the
extrusion.It
helps a lot
in installatioon

IP20

	code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
	JLPL291-BK	aluminum	anodized black	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
	JLPL291-WT	aluminum	white paint	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
	JLPL291-WT	aluminum	anodized gold	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K
	JLPL291-WT	aluminum	anodized silver	SMD 40W	Ra>80	3200lm	Acrylic	2700K/3000K/4000K/6000K

OFFICE PENDANT LIGHT



IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
JLQL003-WT	aluminum	white paint	SMD 40W	Ra>80	4000lm	Acrylic	2700K/3000K /4000K/6000K
JLQL003-BK	aluminum	black paint	SMD 40W	Ra>80	4000lm	Acrylic	2700K/3000K /4000K/6000K

- LED Panel light for office pendant
- 1.2M long and 20cm width. The width of the lamp can be custom made to be 25mm or 30mm
- 40W gives 4000lm before acrylic
- supplied with 1.2m hanging cable, electric wire, and connecting box
- supper slim lamp body, soft and even light emission. Nice for the meeting room and other public space

surface default

- white paint similar to RAL9003
- black paint equal to RAL9011

surface customizable

- concrete grey paint similar to RAL7037

LED OFFICE PENDANT

lens available

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

default

15° spot

30° flood

60° wide flood

- big shielding angle by the outer casing
- lamp head can be rotatable freely good projector for wall paint or other places need key lighting
- lens angle 15/30/60 degree optional
- length of the lamp and numbers of the lamp head can be custom made according to the real requirements







- size of the lamp head is dia100mm
- power-supplies are settled in the outer casing
- supplied with 1.2m hanging cable and electrical cable

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color	Installation
JLPL210	aluminum lamp head steel outer casing	black paint	LED 4X6W	Ra>80	1680lm	15 / 30 /60	2700K/3000K /4000K/6000K	IP20
JLPL211	aluminum lamp head steel outer casing	black paint	LED 6X6W	Ra>80	2520lm	15 / 30 /60	2700K/3000K /4000K/6000K	IP20

LED OFFICE PENDANT / LED HIGH BAY

reflector available

surface customizable

concrete grey paint similar to RAL7037

default

10° narrow beam | 23° spot | 38° flood

- solid aluminum heat sink /steel lamp shade
- good heat management / up to 42Watt / 3360lm
- supplied with 2m hanging chain and electrical cable
- lamp power 20/24/28/32/36/42W optional 20/24/28W are good for office lighting,while 32/36/42W are good for super market,retail shop ,restaurant,factory and etc.



IP20

code	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLPL311-BK-20W	black paint	CREE COB 1816 20W	Ra>90	1600lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-BK-24W	black paint	CREE COB 1816 24W	Ra>90	1920lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-BK-28W	black paint	CREE COB 1816 28W	Ra>90	2240lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-BK-32W	black paint	CREE COB 1820 32W	Ra>90	2560lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-BK-36W	black paint	CREE COB 2530 36W	Ra>90	2880lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-BK-42W	black paint	CREE COB 2530 42W	Ra>90	3360lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-WT-20W	white paint	CREE COB 1816 20W	Ra>90	1600lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-WT-24W	white paint	CREE COB 1816 24W	Ra>90	1920lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-WT-28W	white paint	CREE COB 1816 28W	Ra>90	2240lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-WT-32W	white paint	CREE COB 1820 32W	Ra>90	2560lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-WT-36W	white paint	CREE COB 2530 36W	Ra>90	2880lm	10 / 23 /38	2700K/3000K/4000K/6000K
JLPL311-WT-42W	white paint	CREE COB 2530 42W	Ra>90	3360lm	10 / 23 /38	2700K/3000K/4000K/6000K

LED OFFICE PENDANT / LED HIGH BAY

reflector available

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- white paint similar to RAL9003
- anodized gold brushed circular

default

15° narrow beam | 24° spot | 38° flood



- aluminum heat sink crystal glass lamp shade
- default anodized silver finish four more finishes can be custom make
- 15/24/38 degree reflector optional
- supplied with 2m hanging cable
- good for office,retail shop, restaurant, café shop,and etc.

code JLPL301

casing aluminum casing crystal glass lamp shade / anodized silver / lamping COB 20W / Ra>90 /1600LM / Beam 13/24/38 degree / 2700K/3000K /4000K/6000K

installation IP20 lamp shade dia300mm x 160mm 2meter cable / cable length customizable

LED OFFICE PENDANT / LED HIGH BAY

reflector available

surface customizable

concrete grey paint similar to RAL7037

default

15° narrow beam | 24° spot | 38° flood



- aluminum heat sink steel lamp shade
- default five colors finish black/white/red/green/ yellow
- 15/24/38 degree reflector optional
- supplied with 2m hanging cable
- good for office,retail shop, restaurant, café shop,and etc.

code JLPL302-BK / JLPL302-WT

casing aluminum casing steel lamp shade / black paint /white paint / lamping COB 20W / Ra>90 /1600LM / Beam 15/24/38 degree / 2700K/3000K /4000K/6000K

installation IP20 lamp shade dia350mm x 250mm 2meter cable / cable length customizable

LED OFFICE PENDANT / LED HIGH BAY

reflector available

surface customizable

concrete grey paint similar to RAL7037

default

15° narrow beam | 24° spot | 38° flood



- aluminum heat sink steel lamp shade
- default five colors finish black/white/red/green/ yellow
- 15/24/38 degree reflector optional
- supplied with 2m hanging cable
- good for office,retail shop, restaurant, café shop,and etc.

code JLPL302-GN / JLPL302-YW / JLPL302-RD

casing aluminum casing steel lamp shade / green/yellow /red paint / lamping COB 20W / Ra>90 /1600LM / Beam 15/24/38 degree / 2700K/3000K /4000K/6000K

installation IP20 lamp shade dia350mm x 250mm 2meter cable / cable length customizable

dont be
another
be another

LED OFFICE PENDANT

reflector available



code JLPL119

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 100mm 1meter cable / cable length customizable

code JLPL120

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

casing aluminum / white paint / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 102mm x 100mm 1meter cable / cable length customizable

LED OFFICE PENDANT

lens available

surface customizable

concrete grey paint similar to RAL7037

black paint equal to RAL9011

default

10° narrow beam | 20° spot | 30° flood | 60° wide flood





code JLPL147
casing aluminum / white painting
lamping LED 9X3W / Ra>80 /1080LM
Beam 10 / 20 /30 / 60 degree
2700K/3000K/4000K/6000K

Installation IP20

code JLPL148
casing aluminum / white painting
lamping LED 9X3W / Ra>80 /1080LM
Beam 10 / 20 /30 / 60 degree
2700K/3000K/4000K/6000K

Installation IP20



IP20

code	JLPL139-WT / JLPL139-BK
casing	aluminum / white/black painting
lamping	LED 6x2W / Ra>80 /600LM
Beam	10 / 20 /30 / 60 degree
	2700K/3000K/4000K/6000K

surface customizable

concrete grey paint similar to RAL7037

lens available

10°	20°	default 30°	60°
narrow beam	spot	flood	wide flood

LED OFFICE PENDANT



IP20

code JLPL140-WT / JLPL140-BK

casing aluminum / white/black painting

lamping LED 2x6x2W / Ra>80 /1200LM

Beam 10 / 20 /30 / 60 degree

2700K/3000K/4000K/6000K

surface customizable

concrete grey paint similar to RAL7037

lens available

10°	20°	default 30°	60°
narrow beam	spot	flood	wide flood



LED PANEL LIGHT

The LED panel light become a type of fasion recently,because of its slim lamp body,easy installtion,low power consumption and low cost maintenance.

It's a trend that the LED panel will take the place of the fluorescent grille light for office lighting. And now we have seen this picutre and we have done something.

We design this series to make it unique to other LED panel from suppliers in the market. The difference is the solid looking shape of the extrusion,and 48W power.It gives as much as 3840lm soft and even light.

Every pakage will be supplied with all components for three types of installation:hanging,recessed, laying.



IP20

code	JLQL001-BK / JLQL001-WT / JLQL001-SL
casing	aluminum / black / white / silver painting
lamping	SMD 48W / Ra>80 /3840LM
Beam	Acrylic diffuser
	2700K/3000K/4000K/6000K
installation	check installation guide

Hanging Installation/
Laying Down Installation/
Spring Clip Installation
Supplied With
All Installation
Accessories

surface
customizable

concrete grey paint
similar to RAL7037





IP20

code JLQL002-BK / JLQL002-WT / JLQL002-SL
casing aluminum / black / white / silver painting
lamping SMD 24W / Ra>80 /1920LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K

installation check installation guide

Hanging Installation/
Laying Down Installation/
Spring Clip Installation
Supplied With
All Installation
Accessories

surface
customizable

concrete grey paint
similar to RAL7037

JLQL001 / JLQL002 installation guide



■ installed on a 600x600 grille ceiling

1. switch off the main
2. connect the power-supply to the main
3. connect the led panel to the diver with connector
4. put the panel to the ceiling from one side to the other



■ installed on normal wooden ceiling

1. cut a square hole on the ceiling
   580x580mm for LQL001 series
   580x280mm for LQL002 series
2. switch off the main
2. connect the power-supply to the main
3. connect the led panel to the diver with connector
4. reverse the spring and put the panel to the ceiling



■ Hanging installation for LQL001/LQL002

1. find the accessory package,
   fix the four nuts to the panel ,
   measure the distance between nuts ,
   fix the hanging cable to the ceiling accordingly
2. switch off the main
2. connect the power-supply to the main
3. connect the led panel to the diver with connector
4. adjust the height of the panel.

CAFETERIA



SLIM FIT LED PANNEL LIGHT FOR OFFICE ROOFS 600x600MM



SLIM FIT LED PANNEL LIGHT FOR OFFICE ROOFS 600x300MM



IP20

code JLQL014-WT
casing aluminum / white painting
lamping SMD 48W / Ra>80 /3840LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K

installation check installation guide



installed on a
600x600 grille
ceiling

surface
customizable

concrete grey paint
similar to RAL7037

black paint
equal to RAL9011



IP20

code JLQL013-WT
casing aluminum / white painting
lamping SMD 24W / Ra>80 /1920LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K

installation check installation guide



installed on a
600x300 grille
ceiling

surface
customizable

concrete grey paint
similar to RAL7037

black paint
equal to RAL9011



LED PANEL LIGHT
SPECIALLY
FOR KITCHEN
OR BATH ROOF
300X300MM
AND 600X300MM







IP20

code JLQL011-SL
casing aluminum / Anodized silver
lamping SMD 12W / Ra>80 /1200LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K
installation check installation guide



installed on a kitchen/bathroom 300x300 grille ceiling by tighten up the keel

surface customizable
concrete grey paint similar to RAL7037
white paint similar to RAL9003



IP20

code JLQL012-SL
casing aluminum / Anodized silver
lamping SMD 24W / Ra>80 /2400LM
Beam Acrylic diffuser
2700K/3000K/4000K/6000K
installation check installation guide



installed on a kitchen/bathroom 600x300 grille ceiling by tighten up the keel

surface customizable
concrete grey paint similar to RAL7037
white paint similar to RAL9003



LED SPOT LIGHTS SURFACE MOUNT

code JLSP180-WT
casing aluminum / white painting
lamping COB 5W / Ra>90 /430LM
Beam 10/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20
TRIAC dimming driver customizable
Check photometric on page001

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLSP180-SL
casing aluminum / anodized silver
lamping COB 5W / Ra>90 /430LM
Beam 10/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20
TRIAC dimming driver customizable
Check photometric on page001

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



code JLSP180-GD
casing aluminum / anodized gold
lamping COB 5W / Ra>90 /430LM
Beam 10/23/38 degree /
2700K/3000K/4000K/6000K
installation IP20
TRIAC dimming driver customizable
Check photometric on page001

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037



CHASING GRACE
Carol Costello
New York
to kill a mockingbird

code JLSP181-WT

casing aluminum / white painting

lamping COB 9W / Ra>90 /800LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP181-SL

casing aluminum / anodized silver

lamping COB 9W / Ra>90 /800LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP181-GD

casing aluminum / anodized gold

lamping COB 9W / Ra>90 /800LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP182-WT

casing aluminum / white painting

lamping COB 12W / Ra>90 /900LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP182-SL

casing aluminum / anodized silver

lamping COB 12W / Ra>90 /900LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP182-GD

casing aluminum / anodized gold

lamping COB 12W / Ra>90 /900LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLSP125

casing aluminum / white painting

lamping COB 5W / Ra>90 /430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLSP126

casing aluminum / white painting

lamping COB 2x5W / Ra>90 /860LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLSP128

casing aluminum / white painting

lamping COB 2x9W / Ra>90 /160LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLSP129

casing aluminum / white painting

lamping COB 12W / Ra>90 /900LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLSP130

casing aluminum / white painting

lamping COB 2x12W / Ra>90 /1800LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

code JLBL051

casing aluminum / white painting

lamping COB 5W / Ra>90 /430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface
customizable

anodized gold
brushed circular

concrete grey paint
similar to RAL7037

code JLWA187-WT

casing aluminum / white painting

lamping COB 5W / Ra>90 /430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

code JLWA187-BK

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

code JLSP164-WT

casing aluminum / white painting

lamping COB 2x5W / Ra>90 /860LM

Beam 15/24/38/60 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

anodized gold
brushed circular

concrete grey paint
similar to RAL7037



code JLSP164-BK

casing aluminum / black painting

lamping COB 2x5W / Ra>90 /860LM

Beam 15/24/38/60 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

code JLSP165-WT

casing aluminum / white painting

lamping COB 3x5W / Ra>90 /1290LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable
Check photometric on page001

surface
customizable

anodized gold
brushed circular

concrete grey paint
similar to RAL7037



code JLSP165-BK

casing aluminum / black painting

lamping COB 3x5W / Ra>90 /1290LM

Beam 15/24/38/60 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable
Check photometric on page001

code JLSP168

casing aluminum / white painting

lamping COB 5W / Ra>90 /430LM

Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

code JLSP171

casing aluminum / white painting

lamping COB 12W / Ra>90 /900LM

Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

code JLSP170

casing aluminum / white painting

lamping COB 3X5W / Ra>90 /1290LM

Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

code JLSP169

casing aluminum / white painting

lamping COB 2X5W / Ra>90 /860LM

Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037





code JLSP172

casing aluminum / white painting

lamping COB 2X12W / Ra>90 /1800LM

Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

code JLSP173

casing aluminum / white painting

lamping COB 3X12W / Ra>90 /2700LM

Beam 10/23/38 degree /
2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037







surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP210

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP211

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP212

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP213

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP214

casing aluminum / black painting

lamping COB 2x5W / Ra>90 /860LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP215

casing aluminum / black painting

lamping COB 2x5W / Ra>90 /860LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP216

casing aluminum / black painting

lamping COB 2x5W / Ra>90 /860LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLSP217

casing aluminum / black painting

lamping COB 2x5W / Ra>90 /860LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable

Check photometric on page001



code JLSP218

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 /1270LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP219

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 /1270LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP220

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 / 1270LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP221

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x5W / Ra>90 / 1270LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP222

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 4x5W / Ra>90 /1720LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP223

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 4x5W / Ra>90 /1720LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP224

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 4x5W / Ra>90 /1720LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP225

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 4x5W / Ra>90 /1720LM / Beam 10/23/38 degree / 2700K/3000K /4000K/6000K

installation IP20 TRIAC dimming driver customizable



code JLSP161

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 2x6W / Ra>80 /840LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 no dimming driver available



code JLSP162

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x6W / Ra>80 /1260LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 no dimming driver available



code JLBL080

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 6x2W / Ra>80 /600LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable / dia 55mm for putting driver into the ceiling



code JLBL081

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 2x6x2W / Ra>80 /1200LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable / dia 55mm for putting driver into the ceiling



code JLBL082

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x6x2W / Ra>80 /1800LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC dimming driver customizable / dia 55mm for putting driver into the ceiling



code JLSP071-WT

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 6W / Ra>80 /420LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code JLSP072-WT

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 2x6W / Ra>80 /840LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code JLSP073-WT

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 3x6W / Ra>80 /1260LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code JLBL077

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 12W / Ra>80 /600LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code JLSP078

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 24W / Ra>80 /1200LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code JLSP079

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 36W / Ra>80 /1800LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable





code JLBL199

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x3W / Ra>80 /360LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable

code JLBL200

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 6x3W / Ra>80 /720LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



code JLBL121

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black and silver / lamping COB 2x5W / Ra>90 /860LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation IP20 no dimming driver available



code JLBL122

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / anodized black and silver / lamping COB 3x5W / Ra>90 /1290LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation IP20 no dimming driver available

LED TRACK

LIGHTS

the secret of this series is the super slim track adopter. With the power-supply inside the cylinder of lamp body, the total lamp appears super slim, integral and pretty. The idea of this design is we just want a simplest track lamp beyond any complicated shape, just a cylinder on the track, nothing else. So we design the track adopter, put the power-supply in the cylinder, and make good heat management. Another advantage of this series is the big shielding angle up to 60 degree. It is very hard to see the led source even it lights straight down. It is a good series for home, store, museum, cafe, and etc. Just like a simple T-shirt, it can match almost any style of decoration. Three default finishing color, and four more custom made, three sizes and wattage, It could be a universal track light for any circumstance

SUPER SLIM LED TRACK SPOT LIGHT / 9W /DIA80MM VERSION

Super
slim
track
adopter



easy
track
installation
fast
and
stable



deep
recessed
reflector
high
shielding
angle



reflector
+lens make
perfect
light
10/23/38
degree
optional

SUPER SLIM LED TRACK SPOT LIGHT
12W /DIA102MM VERSION

DEFAULT 3 FINISHING COLOR AVAILABLE
4 MORE FINISHING COLOR CUSTOM MADE

GOOD SERIES FOR HOME, MUSEUM,
CAFÉ SHOP, RETAIL SHOP, AND ETC.



code JLSP177-WT
JLSP177-GD
JLSP177-SL

casing aluminum
finishing white paint
anodized gold
anodized silver
lamping CREE COB 1304 / 5 Watt
Lumens 430LM
CRI Ra>90
Beam 10 / 23 /38
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.41kg

lens available

default



narrow beam | spot | flood

surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037



code JLSP178-WT
JLSP178-GD
JLSP178-SL

casing aluminum
finishing white paint
anodized gold
anodized silver
lamping CREE COB 1507 / 9 Watt
Lumens 800LM
CRI Ra>90
Beam 10 / 23 /38
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.7kg

lens available

default



narrow beam | spot | flood

surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037



code JLSP179-WT
JLSP179-GD
JLSP179-SL

casing aluminum
finishing white paint
anodized gold
anodized silver
lamping CREE COB 1507 / 12 Watt
Lumens 900LM
CRI Ra>90
Beam 10 / 23 /38
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 1.07kg

lens available

default



narrow beam | spot | flood

surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037



code JLSP190-SL
casing aluminum
finishing anodized silver
lamping CREE COB 1512
20 Watt
Lumens 1600LM
CRI Ra>90
Beam 10 / 20 /30
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20 350° 90°

Net Weight 1.26kg

lens available



surface customizable
concrete grey paint similar to RAL7037
anodized gold sandblasted



code JLSP190-BK
casing aluminum
finishing anodized black
lamping CREE COB 1512
20 Watt
Lumens 1600LM
CRI Ra>90
Beam 10 / 20 /30
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20 350° 90°

Net Weight 1.26kg

lens available



surface customizable
concrete grey paint similar to RAL7037
anodized gold sandblasted



code JLSP190-WT
casing aluminum
finishing white coated
lamping CREE COB 1512
20 Watt
Lumens 1600LM
CRI Ra>90
Beam 10 / 20 /30
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20 350° 90°

Net Weight 1.26kg

lens available



surface customizable
concrete grey paint similar to RAL7037
anodized gold sandblasted

LED TRACK SPOT LIGHT



General info.

casing aluminum
CRI Ra >90
lamp color 2700K/3000K/4000K/6000K
installation 1 circuit / 3 line track

IP20

Net Weight 2.3kg

lens available



narrow beam

spot





Order Code	surface	lamping	Lumen	beam angle
JLSP176-SL-20W	anodized silver	CREE COB 1512 / 20W	1600 lm	15 / 24 degree
JLSP176-WT-20W	white paint	CREE COB 1512 / 20W	1600 lm	15 / 24 degree
JLSP176-BK-20W	black paint	CREE COB 1512 / 20W	1600 lm	15 / 24 degree
JLSP176-SL-25W	anodized silver	CREE COB 1816 / 25W	2000 lm	15 / 24 degree
JLSP176-WT-25W	white paint	CREE COB 1816 / 25W	2000 lm	15 / 24 degree
JLSP176-BK-25W	black paint	CREE COB 1816 / 25W	2000 lm	15 / 24 degree
JLSP176-SL-30W	anodized silver	CREE COB 1820 / 30W	2400 lm	15 / 24 degree
JLSP176-WT-30W	white paint	CREE COB 1820 / 30W	2400 lm	15 / 24 degree
JLSP176-BK-30W	black paint	CREE COB 1820 / 30W	2400 lm	15 / 24 degree

surface default

- anodized silver brushed circular
- white paint similar to RAL9003
- black paint equal to RAL9011

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold brushed circular



350° 90°

code JLSP117
casing aluminum
finishing white paint
lamping COB 5W
Lumens 430LM
CRI Ra>90
Beam 15 / 24 / 38 /60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20

Net Weight 0.42kg

reflector available

15°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood

adjust shielding angle by turning in and out the black cover

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



350° 90°

code JLSP122
casing aluminum
finishing white paint
lamping COB 12W
Lumens 900LM
CRI Ra>90
Beam 15 / 24 / 38 /60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20

Net Weight 1.08kg

reflector available

15°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood

adjust shielding angle by turning in and out the black cover

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP115	aluminum	white paint	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 1.0kg

reflector available: 15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP116	aluminum	white paint	COB 2x5W	Ra>90	860lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 1.65kg

reflector available: 15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP118	aluminum	white paint	COB 9W	Ra>90	800lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 0.65kg

reflector available: 15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP119	aluminum	white paint	COB 2x9W	Ra>90	1600lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 1.05kg

reflector available: 15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP120	aluminum	white paint	COB 12W	Ra>90	900lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 1.2kg

reflector available: 15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP121	aluminum	white paint	COB 2x12W	Ra>90	1800lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 1.64kg

reflector available: 15° narrow beam, 24° spot, 38° flood (default), 60° wide flood

LIGHT BY

DESIGN



350° 350°

code JLSP151-WT
casing aluminum
finishing white paint
lamping LED 12W
Lumens 600LM
CRI Ra>80
Beam 10 / 20 / 30 /60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20

Net Weight 0.95kg

Lens available

10°	20°	30° (default)	60°
narrow beam	spot	flood	wide flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



350° 350°

code JLSP152-WT
casing aluminum
finishing white paint
lamping LED 2x12W
Lumens 1200LM
CRI Ra>80
Beam 10 / 20 / 30 /60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20

Net Weight 1.3kg

Lens available

10°	20°	30° (default)	60°
narrow beam	spot	flood	wide flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP103
casing aluminum
finishing white paint
lamping LED 6x2W
Lumens 600LM
CRI Ra>80
Beam 15 / 30 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20 350° 90°

Net Weight 0.95kg

lens available



surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP104
casing aluminum
finishing white paint
lamping LED 6x2W
Lumens 600LM
CRI Ra>80
Beam 15 / 30 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20 350° 90°

Net Weight 0.95kg

lens available



surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP105
casing aluminum
finishing white paint
lamping LED 2x6x2W
Lumens 1200LM
CRI Ra>80
Beam 15 / 30 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/3 line track

IP20 350° 90°

Net Weight 1.38kg

lens available



surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037





code JLSP106
casing aluminum
finishing white paint
lamping LED 3W
Lumens 210LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.36kg

lens available



narrow beam | spot | flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP108
casing aluminum
finishing white paint
lamping LED 7W
Lumens 490LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.45kg

lens available



narrow beam | spot | flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP110
casing aluminum
finishing white paint
lamping LED 12W
Lumens 840LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.58kg

lens available



narrow beam | spot | flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP111
casing aluminum
finishing white paint
lamping COB 5W
Lumens 430LM
CRI Ra>90
Beam 10 / 24 / 38 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.36kg

reflector available

default

10°	24°	38°	60°
narrow beam	spot	flood	wide flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP112
casing aluminum
finishing white paint
lamping COB 9W
Lumens 800LM
CRI Ra>90
Beam 10 / 24 / 38 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.45kg

reflector available

default

10°	24°	38°	60°
narrow beam	spot	flood	wide flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code JLSP113
casing aluminum
finishing white paint
lamping COB 12W
Lumens 900LM
CRI Ra>90
Beam 10 / 24 / 38 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.58kg

reflector available

default

10°	24°	38°	60°
narrow beam	spot	flood	wide flood

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP166	aluminum	white paint	COB 5W	Ra>90	430lm	10 / 23 / 38	2700K/3000K /4000K/6000K

IP20 net weight 0.69kg

reflector available: 10° narrow beam; 23° default spot; 38° flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP167	aluminum	white paint	COB 12W	Ra>90	800lm	10 / 23 / 38	2700K/3000K /4000K/6000K

IP20 net weight 1.44kg

reflector available: 10° narrow beam; 23° default spot; 38° flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP134	aluminum	anodized silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 0.51kg

reflector available: 15° narrow beam; 24° spot; 38° default flood; 60° wide flood



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLSP135	aluminum	anodized silver	COB 12W	Ra>90	800lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20 net weight 1.54kg

reflector available: 15° narrow beam; 24° spot; 38° default flood; 60° wide flood

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLTR-LSP126-WT
casing aluminum
finishing white paint
lamping halogen Ar111 35W
Beam standard 36 degree
installation single circuit/3 line track
supplied with reflector
and philips halogen bulb
bulb can be easily changed
from the back of the reflector

IP20 90° 300°

Net Weight 1.06kg

reflector available

default



flood

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLTR-LSP127-WT
casing aluminum
finishing white paint
lamping halogen Ar111 2x35W
Beam standard 36 degree
installation single circuit/3 line track
supplied with reflector
and philips halogen bulb
bulb can be easily changed
from the back of the reflector

IP20 90° 300°

Net Weight 1.4kg

reflector available

default



flood

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLTR-LSP126-SL
casing aluminum
finishing anodized silver
lamping halogen Ar111 35W
Beam standard 36 degree
installation single circuit/3 line track
supplied with reflector
and philips halogen bulb
bulb can be easily changed
from the back of the reflector

IP20 90° 300°

Net Weight 1.06kg

reflector available

default



flood

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037



code JLTR-LSP127-SL
casing aluminum
finishing anodized silver
lamping halogen Ar111 2x35W
Beam standard 36 degree
installation single circuit/3 line track
supplied with reflector
and philips halogen bulb
bulb can be easily changed
from the back of the reflector

IP20 90° 300°

Net Weight 1.4kg

reflector available

default



flood

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037





code JLSP123
casing aluminum
finishing anodized black
lamping LED 6W
Lumens 420LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.3kg

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed linear
- anodized gold brushed linear
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

code JLSP124
casing aluminum
finishing anodized black
lamping LED 12W
Lumens 840LM
CRI Ra>80
Beam 10 / 20 / 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.6kg

lens available



narrow beam | spot | flood

surface customizable

- anodized silver brushed linear
- anodized gold brushed linear
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code JLSP125
casing aluminum
finishing anodized silver and black
lamping COB 12W
Lumens 900LM
CRI Ra>90
Beam 10 / 24 / 38 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.55kg

reflector available

10°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood

surface customizable

- white paint similar to RAL9003
- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



code JLSP114
casing aluminum
finishing white paint
lamping COB 5W
Lumens 430LM
CRI Ra>90
Beam 10 / 24 / 38 / 60 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation single circuit/2 line track

IP20 350° 90°

Net Weight 0.39kg

reflector available

10°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

tracks



Code	accessory type	length	color	head connector
JLTRC210WT	2 lines track (without earth connection)	1 Meter	white	included
JLTRC215WT	2 lines track (without earth connection)	1.5 Meter	white	included
JLTRC220WT	2 lines track (without earth connection)	2 Meter	white	included
JLTRC210BK	2 lines track (without earth connection)	1 Meter	black	included
JLTRC215BK	2 lines track (without earth connection)	1.5 Meter	black	included
JLTRC220BK	2 lines track (without earth connection)	2 Meter	black	included



Code	accessory type	length	color	head connector
JLTRC310WT	3 lines track (with earth connection)	1 Meter	white	included
JLTRC315WT	3 lines track (with earth connection)	1.5 Meter	white	included
JLTRC320WT	3 lines track (with earth connection)	2 Meter	white	included
JLTRC310BK	3 lines track (with earth connection)	1 Meter	black	included
JLTRC315BK	3 lines track (with earth connection)	1.5 Meter	black	included
JLTRC320BK	3 lines track (with earth connection)	2 Meter	black	included

track connectors

	Code	accessory type	color
	JLTRC401WT	2 lines track 180 degree connector	white
	JLTRC401BK	2 lines track 180 degree connector	black
	JLTRC402WT	3 lines track 180 degree connector	white
	JLTRC402BK	3 lines track 180 degree connector	black
	JLTRC403WT	2 lines track 90 degree connector	white
	JLTRC403BK	2 lines track 90 degree connector	black
	JLTRC404WT	3 lines track 90 degree connector	white
	JLTRC404BK	3 lines track 90 degree connector	black
	JLTRC405WT	2 lines track four ways connector	white
	JLTRC405BK	2 lines track four ways connector	black
	JLTRC406WT	3 lines track four ways connector	white
	JLTRC406BK	3 lines track four ways connector	black



LED RECESSED SPOT LIGHT

LET'S BEGIN FROM THE MINI ONES

LED DOT LIGHT

power-supply not included

The effect of this little tiny thing is twinkling stars on the roof when you install amounts of those lights. The led inside the lamp emits directly down to the ground and with no lense or any optic components, the led chips are shinning with oringinal lights,just like stars in the galaxy. We design this sery beacuse we want a roof like galaxy and the project effect proofs it to be real.

IP20 Dia 30mm installed in groups

code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-BK	aluminum	brushed black	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-WT	aluminum	white coated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-SL	aluminum	brushed silver	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-CR	aluminum	chrome plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-GD	aluminum	gold plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

code	casing	finishing	lamping	CRI	lumen	Beam	LED color
JLDC880-RG	aluminum	rose gold plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

LED DOT LIGHT



LDC880A series is a updated version for LDC880 series. Adding lens to the led chips, to prevent dazzle light directly from the led chips. Though its' light doesn't look light a shining star, it have got more soft light and give more light on the ground or objects on the ground. Installing those little fixtures by groups every other 30cm in the whole roof instead of installing a bigger recessed spot light every other 2 meter, it appears more fancy and attractive.

This series have got 4 default colors available and they almost match most of the ceiling color, no matter you want a harmony design or a conflict design. Except installed on the roof, it is also very good for bathroom. Just imaging lots of little light on the bathroom ceiling, far more fancy than a boring 5W spot light. And one more applicant is cabinet lighting. You can install this series in the shop cabinets , like cloth shop, wine shop and so on. It can be easily installed due to its little size and gives just enough light, no more and no less

lens available

default

10° narrow beam | 20° spot | 30° flood

LED DOT LIGHT
1W SERIES

JLDC880A-WT

JLDC880A-SL

JLDC880A-GD

JLDC880A-BK



Dia 20mm

installed in groups

power-supply not included

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC880A-WT	aluminum	brushed black	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC880A-SL	aluminum	brushed silver	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC880A-GD	aluminum	gold plated	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC880A-BK	aluminum	brushed black	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

lens available

default

10° narrow beam

20° spot

30° flood

LED DOT LIGHT
3W SERIES

surface customizable

chrome plated

concrete grey paint similar to RAL7037

IP20

Dia 30mm

installed in groups

power-supply not included

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC005A-WT	aluminum	white painting	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC005A-BK	aluminum	anodized black	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC005A-SL	aluminum	anodized silver	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC005A-GD	aluminum	gold plated	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

lens available

default

10° narrow beam | 20° spot | 30° flood

LED DOT LIGHT
3W SERIES
ROTATABLE

surface customizable

- chrome plated
- concrete grey paint similar to RAL7037



IP20

Dia 40mm

installed in groups/single

power-supply for single installation is included

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC001A-WT	aluminum	white painting	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC001A-BK	aluminum	anodized black	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC001A-SL	aluminum	anodized silver	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
JLDC001A-GD	aluminum	gold plated	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

GUIDE FOR INSTALLATION IN SERIES LDC880/LDC880A/LDC005A/LDC001A



Drill holes on the ceiling
20mm for LDC880/LDC880A
30mm for LDC005A
40mm for LDC001A



Installed power-supply on the ceiling
power-supply will be supplied separately by manufacturer.
Consult with seller's engineer for the specification of power-supply you need. 6-12pcs for one group is strongly recommended.



Connect the lamp each by each, using the junction cable supplied with the lamp and put the end connector to the lastlamp.
Connect the first lamp to the power-supply.
The default MAXIMUM distance between two lamps is 50cm.
If you would like to make it more than 50cm, the junction cables mustbe longer.



LED SPOT LIGHT

surface customizable | anodized silver brushed linear | concrete grey paint similar to RAL7037 | chrome plated

DEEP RECESSED
MINI COB SPOTLIGHT
6W UP TO 500LM CRI90
DIA56MM CUT DIA 50MM
FOUR COLORS OPTIONAL
THREE COLORS CUSTOMIZABLE

JLDC992-BK

JLDC992-WT

JLDC992-GD

JLDC992-SL

DEEP RECESSED
MINI COB SPOTLIGHT
6W UP TO 500LM CRI85
ROTATABLE FOUR COLORS
THREE COLORS CUSTOMIZABLE

JLDC993-BK

JLDC993-WT

JLDC993-GD

JLDC993-SL

LED SPOT LIGHT

Datasheet



IP20

cut-out dia 50mm

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC992-BK	aluminum	black paint	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K
JLDC992-WT	aluminum	white paint	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K
JLDC992-GD	aluminum	anodized gold	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K
JLDC992-SL	aluminum	anodized silver	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K

reflector available





IP20

cut-out dia 60mm

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC992-BK	aluminum	black paint	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K
JLDC992-WT	aluminum	white paint	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K
JLDC992-GD	aluminum	anodized gold	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K
JLDC992-SL	aluminum	anodized silver	COB 6W	Ra>90	500lm	2700K/3000K /4000K/6000K

reflector available



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

reflector available

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

anodized gold brushed circular

default

13° narrow beam

23° spot

Dia 65mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC994-SL	aluminum	brushed silver	COB 6W	Ra>90	500lm	13 / 23	2700K/3000K /4000K/6000K



65x145 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC995-SL	aluminum	brushed silver	COB 2x6W	Ra>90	1000lm	13 / 23	2700K/3000K /4000K/6000K



65x220 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC996-SL	aluminum	brushed silver	COB 3x6W	Ra>90	1500lm	13 / 23	2700K/3000K /4000K/6000K



145x145 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC997-SL	aluminum	brushed silver	COB 4x6W	Ra>90	2000lm	13 / 23	2700K/3000K /4000K/6000K

The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

reflector available

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

anodized gold brushed circular

default

13° narrow beam

23° spot

Dia 65mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC994-WT	aluminum	white paint	COB 6W	Ra>90	500lm	13 / 23	2700K/3000K /4000K/6000K



65x145 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC995-WT	aluminum	white paint	COB 2x6W	Ra>90	1000lm	13 / 23	2700K/3000K /4000K/6000K

65x220 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC996-WT	aluminum	white paint	COB 3x6W	Ra>90	1500lm	13 / 23	2700K/3000K /4000K/6000K



145x145 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC997-WT	aluminum	white paint	COB 4x6W	Ra>90	2000lm	13 / 23	2700K/3000K /4000K/6000K

The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

surface customizable | black paint equal to RAL9011 | concrete grey paint similar to RAL7037 | anodized gold brushed circular

JLDC926-WT

JLDC927-WT

JLDC928-WT

JLDC928-SL

JLDC927-SL

JLDC926-SL

LED SPOT LIGHT

Datasheet

IP20



cut-out dia 70mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC926-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	15° narrow beam; 24° spot; default 38° flood; 60° wide flood
JLDC926-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	



cut-out dia 90mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC927-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	15° narrow beam; 24° spot; default 38° flood; 60° wide flood
JLDC927-SL	aluminum	anodized silver	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	



cut-out dia 115mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC928-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	15° narrow beam; 24° spot; default 38° flood; 60° wide flood
JLDC928-SL	aluminum	anodized silver	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	

LED SPOT LIGHT

surface customizable | black paint equal to RAL9011 | concrete grey paint similar to RAL7037 | anodized gold brushed circular

JLDC926A-SL

JLDC928A-WT

JLDC927A-SL

JLDC927A-WT

JLDC928A-SL

JLDC926A-WT

LED SPOT LIGHT

Datasheet

IP20



cut-out dia 70mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC926A-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	15° narrow beam; 24° spot; default 38° flood; 60° wide flood
JLDC926A-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	



cut-out dia 90mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC927A-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	15° narrow beam; 24° spot; default 38° flood; 60° wide flood
JLDC927A-SL	aluminum	anodized silver	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	



cut-out dia 115mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
JLDC928A-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	15° narrow beam; 24° spot; default 38° flood; 60° wide flood
JLDC928A-SL	aluminum	anodized silver	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	



LED SPOT LIGHT

surface customizable | black paint equal to RAL9011 | concrete grey paint similar to RAL7037 | anodized gold brushed circular | chrome plated

JLDC978B

JLDC979B

JLDC978A

JLDC979A

LED SPOT LIGHT

reflector available

Datasheet

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC978B	aluminum	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC979B	aluminum	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC978A	acrylic cover aluminum heat sink	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC979A	acrylic cover aluminum heat sink	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/3000K /4000K/6000K

LED SPOT LIGHT

reflector available

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

anodized gold brushed circular

chrome plated

default 30° flood

Dia 70mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC935A	aluminum	white paint	LED 3W	Ra>80	300lm	30 degree	2700K/3000K /4000K/6000K

Dia 90mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC936A	aluminum	white paint	LED 5W	Ra>80	600lm	30 degree	2700K/3000K /4000K/6000K

Dia 115mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC938A	aluminum	white paint	LED 9W	Ra>80	900lm	30 degree	2700K/3000K /4000K/6000K

LED SPOT LIGHT

reflector available

surface customizable | white paint similar to RAL9003 | concrete grey paint similar to RAL7037 | anodized gold brushed circular | chrome plated

default 30° flood



Dia 55x170mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC984	aluminum	anodized black	Cree XML 8W	Ra>80	800lm	30 degree	2700K/3000K /4000K/6000K



Dia 22x170mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC985	aluminum	anodized black	Cree XML 8W	Ra>80	800lm	30 degree	2700K/3000K /4000K/6000K

The long heat sink need a minium 170mm installation space up the ceiling



JLDC984 installed from in the front of the ceiling







JLDC985 installed from the back of the ceiling

With the design principle of being as simple as possible, we design this series of recessed spot light. Although it cost a lot of aluminum material to make the lamp casing from a solid aluminum trunk, the front cover looks so entirety and elegant. It has got perfect shape by seeing in front, one piece, same color, perfect straight curve, big shielding angle.
By using CREE CXA series Cob chips, the CRI of this series can reach up to RA90, and very high lumen output efficiency, up to 80lm per watt.The installation is also easy with easy connector between lamp and the power-supply

This series have got three default color, white ,gold, and black. Also it has got three sizes ,from 5W to 20W, output will be from 430lm to 1800lm. The light angle can be 15/24/38/60 degree, from narrow beam to wide flood. It can fulfill most requirements of home lighting and architecture lighting.
The lamp body can be custom made to other colors if customer want something new in the ceiling. As we know, pure aluminum is very nice material ,it can be anodized or plated or power-coating, So this series will give customer choices as much as possible

COB 5W SERIES

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC988-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
LDC988-BK	aluminum	black paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC988-GD	aluminum	anodized gold	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

reflector available

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood



IP20

cut-out dia 72mm

surface customizable

concrete grey paint similar to RAL7037

COB 9W SERIES

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC989-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC989-BK	aluminum	black paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC989-GD	aluminum	anodized gold	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

reflector available

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood



IP20

cut-out dia 97mm

surface customizable

concrete grey paint similar to RAL7037



stainless steel installation spring



plug and lock connector between led and power-supply



JLDC988 up to 60 degree shielding angle



JLDC989 up to 57 degree shielding angle

COB 12W SERIES

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-BK	aluminum	black paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-GD	aluminum	anodized gold	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

reflector available

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood



IP20

cut-out dia 122mm

surface customizable

concrete grey paint similar to RAL7037

COB 20W SERIES

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-WT	aluminum	white paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-BK	aluminum	black paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-GD	aluminum	anodized gold	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

reflector available

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood



IP20

cut-out dia 122mm

surface customizable

concrete grey paint similar to RAL7037



stainless steel installation spring



plug and lock connector between led and power-supply



JLDC990 up to 55 degree shielding angle



JLDC991 up to 55 degree shielding angle

LED SPOT LIGHT HIGH POWER HIGH LUMENS

reflector available

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

default

10° narrow beam

23° spot

38° flood



cut-out dia140mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC207-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC208-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia140 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC209-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

LDC209 four steps installation





strong and solid heat sink makes good heat management



philips power-supply for the whole series

strong metal spring clips



locking connectors make easy and stable connection between lamp and power-supply

Related products LDC211 series in chapter LED grille light

LED SPOT LIGHT HIGH POWER HIGH LUMENS

reflector available

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

default

10° narrow beam

23° spot

38° flood



cut-out dia 140mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC207-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC208-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 140 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC209-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

JLDC209 four steps installation





strong and solid heat sink makes good heat management



philips power-supply for the whole series

strong metal spring clips



locking connectors make easy and stable connection between lamp and power-supply

Related products JLDC211 series in chapter LED grille light

LED SPOT LIGHT RIMLESS



surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037

RIMLESS
DEEP RECESSED
ROTATABLE
SPOTLIGHT UP TO 12W
EASY INSTALLATION



code JLDC342
casing aluminum / white painting
lamping cob 5W / Ra>90 /430LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia74mm



code JLDC343
casing aluminum / white painting
lamping cob 9W / Ra>90 /800LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia94mm



code JLDC344
casing aluminum / white painting
lamping cob 12W / Ra>90 /900LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia116mm

Installation Guide





IP20

code JLDC970
casing aluminum / white painting
lamping cob 12W / Ra>90 /900LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia150mm



IP20

code JLDC969
casing aluminum / white painting
lamping cob 5W / Ra>90 /430LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia115mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

15°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood





LED SPOT LIGHT FREE ROTATE



LAMP HEAD FREE ROTATE

code JLDC987-WT / JLDC987-BK

surface customizable — concrete grey paint similar to RAL7037 — anodized gold brushed circular

casing aluminum / white/black painting / lamping LED 9x1W / Ra>80 /630LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp head dia 16mm with acrylic decoration in front of the lense

LED SPOT LIGHT

reflector available

surface customizable — black paint equal to RAL9011 — concrete grey paint similar to RAL7037

default

10° narrow beam — 23° spot — 38° flood



IP20

code JLDC382
casing aluminum / white painting
lamping cob 6W / Ra>90 /500LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out dia 155 mm



IP20

code JLDC383
casing aluminum / white painting
lamping cob 2x6W / Ra>90 /1000LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out dia 155 mm



IP20

code JLDC384
casing aluminum / white painting
lamping cob 3x6W / Ra>90 /1500LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out dia 155 mm



IP20

code JLDC385
casing aluminum / white painting
lamping cob 4x6W / Ra>90 /2000LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out dia 155 mm

LED SPOT LIGHT

reflector available

surface customizable | white paint similar to RAL9003 | anodized silver sandblasted | anodized gold sandblasted

default 10° narrow beam | 23° spot | 38° flood



IP20

code JLDC371
casing aluminum / anodized black
lamping cob 6W / Ra>90 /500LM
Beam 10 / 23 /38 degree
2700K/3000K/4000K/6000K
installation cut-out dia75 mm



IP20

code JLDC372
casing aluminum / anodized black
lamping cob 2x6W / Ra>90 /1000LM
Beam 10 / 23 /38 degree
2700K/3000K/4000K/6000K
installation cut-out 210x77 mm



IP20

code JLDC373
casing aluminum / anodized black
lamping cob 3x6W / Ra>90 /1500LM
Beam 10 / 23 /38 degree
2700K/3000K/4000K/6000K
installation cut-out 320x77mm



deep recessed shielding angle up to 70 degree

universal turning vertical and horizontal 30 degree





LED GRILLE LIGHTS



IP20

code JLDC955
casing aluminum / white painting
lamping cob 5W / Ra>90 /430LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 90x90mm



IP20

code JLDC956
casing aluminum / white painting
lamping cob 2x5W / Ra>90 /860LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 165x90mm

IP20

code JLDC957
casing aluminum / white painting
lamping cob 3x5W / Ra>90 /1290LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 240x90mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

reflector available

15°	24°	38° default	60°
narrow beam	spot	flood	wide flood



IP20

code JLDC958
casing aluminum / white painting
lamping cob 9W / Ra>90 /800LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 110x110mm



IP20

code JLDC959
casing aluminum / white painting
lamping cob 2x9W / Ra>90 /1600LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 205x110mm



IP20

code JLDC960
casing aluminum / white painting
lamping cob 3x9W / Ra>90 /2400LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 300x110mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

reflector available

15°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood



IP20

code JLDC963
casing aluminum / white painting
lamping cob 3x12W / Ra>90 /2700LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K

installation cut-out 365x135mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

reflector available

default

15°	24°	38°	60°
narrow beam	spot	flood	wide flood



IP20

code JLDC961
casing aluminum / white painting
lamping cob 12W / Ra>90 /900LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K

installation cut-out 135x135mm



IP20

code JLDC962
casing aluminum / white painting
lamping cob 2x12W / Ra>90 /1800LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K

installation cut-out 250x135mm



IP20

code JLDC940
casing aluminum / white painting
lamping LED 3W / Ra>80 /300LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 90x90mm



IP20

code JLDC941
casing aluminum / white painting
lamping LED 2x3W / Ra>80 /600LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 165x90mm



IP20

code JLDC942
casing aluminum / white painting
lamping LED 3x3W / Ra>80 /900LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 240x90mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

Lens available

default

10° narrow beam

20° spot

30° flood



IP20

code JLDC946
casing aluminum / white painting
lamping LED 7W / Ra>80 /700LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 110x110mm



IP20

code JLDC947
casing aluminum / white painting
lamping LED 2x7W / Ra>80 /1400LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 205x110mm



IP20

code JLDC948
casing aluminum / white painting
lamping cob 3x7W / Ra>80 /2100LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 300x110mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

Lens available

10°	20°	30° (default)
narrow beam	spot	flood



IP20

code JLDC952
casing aluminum / white painting
lamping LED 12W / Ra>80 /1200LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 135x135mm



IP20

code JLDC953
casing aluminum / white painting
lamping LED 2x12W / Ra>80 /2400LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 250x135mm



IP20

code JLDC954
casing aluminum / white painting
lamping cob 3x12W / Ra>80 /3600LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 365x135mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

Lens available

10° narrow beam

20° spot

default 30° flood

1 2 3 4



IP20

code JLDC923
casing aluminum / white painting
lamping LED 6x2W / Ra>80 /660LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 135x135mm



IP20

code JLDC924
casing aluminum / white painting
lamping LED 2x6x2W / Ra>80 /1320LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 265x135mm











IP20

code JLDC925
casing aluminum / white painting
lamping LED 3x6x2W / Ra>80 /1980LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 395x135mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

Lens available

15° spot

30° flood

default 60° wide flood



code JLDC889
casing aluminum / white painting
lamping LED 3x3W / Ra>80 /360LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 105x105mm



code JLDC890
casing aluminum / white painting
lamping LED 2x3x3W / Ra>80 /720LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 204x105mm



code JLDC891
casing aluminum / white painting
lamping LED 3x3x3W / Ra>80 /1080LM
Beam 10 / 20 /30 degree
2700K/3000K/4000K/6000K
installation cut-out 303x105mm

surface customizable
black paint equal to RAL9011
concrete grey paint similar to RAL7037

Lens available
15° spot
30° flood
default 60° wide flood

FREE ROTATE
LED GRILLE LIGHTS



IP20

code JLDC317
casing aluminum / white painting
lamping cob 5W / Ra>90 /430LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 105x105mm



IP20

code JLDC318
casing aluminum / white painting
lamping cob 2x5W / Ra>90 /860LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 195x105mm



IP20

code JLDC319
casing aluminum / white painting
lamping cob 3x5W / Ra>90 /1290LM
Beam 15 / 24 /38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 285x105mm

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

reflector available

default

15° narrow beam

24° spot

38° flood

60° wide flood



The led head can be pulled out and in and rotatable horizontally 350 degree vertically 180 degree

This series are remarkable for its' highly free rotating lamp head. Good solution for wall washing and signboard lighting

FREE ROTATE
LED GRILLE LIGHTS

BIG VERSION



code JLDC320
casing aluminum / white painting
lamping cob 12W / Ra>90 /900LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 135x135mm



code JLDC321
casing aluminum / white painting
lamping cob 2x12W / Ra>90 /1800LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 300x135mm



code JLDC322
casing aluminum / white painting
lamping cob 3x12W / Ra>90 /2700LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out 440x135mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

15°	24°	38° (default)	60°
narrow beam	spot	flood	wide flood



The led head can be pulled out and in and rotatable horizontally 350 degree vertically 180 degree

This series are remarkable for its' highly free rotating lamp head. Good solution for wall washing and signboard lighting

HIGH CLASS / HIGH LUMENS
LED GRILLE LIGHTS

UP TO 28W FOR SINGLE HEAD
UP TO 6720 LUMENS FOR
3 HEADS LAMP

10/23/38 DEGREE BEAM ANGLE
SOLID AND EASY INSTALLATION

VERY GOOD HEAT
MANAGEMENT

SUPPLIED WITH
PHILIPS POWER-SUPPLY

20W/24W/28W AVAILABLE

LASER-CUT COVER SHEET
CAN BE CUSTOMIZED TO
OTHER SHAPE

ONE OF THE BEST CHOICE
FOR ARCHITECTURE
LIGHTING



cut-out 180x180mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC211-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC211-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC211-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out 365x180mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC212-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X20W	Ra>90	3200lm	10/23/38	2700K/3000K /4000K/6000K
JLDC212-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X24W	Ra>90	3840lm	10/23/38	2700K/3000K /4000K/6000K
JLDC212-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 2X28W	Ra>90	4480lm	10/23/38	2700K/3000K /4000K/6000K



cut-out 550x180mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC213-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X20W	Ra>90	4800lm	10/23/38	2700K/3000K /4000K/6000K
JLDC213-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X24W	Ra>90	5760lm	10/23/38	2700K/3000K /4000K/6000K
JLDC213-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 3X28W	Ra>90	6720lm	10/23/38	2700K/3000K /4000K/6000K





hiding-screwing out-screwing down
3 steps installation module makes
NO HARM to the roof and lamp itself
Very stable ceiling lamp installation

1.5mm thickness
Laser-cut integrated
steel cover sheet
gives enough intensity



quick pressing
connector
makes installation
easy

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

reflector available

default

10° narrow beam

23° spot

38° flood

15mm aluminum
front cover and
reflector makes
45 degree
shielding angle



Lense on the
central of
reflector
makes the light
soft and more
efficient

HIGH CLASS / HIGH LUMENS
LED GRILLE LIGHTS

RIMLESS VERSION







cut-out 185x180mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC214-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC214-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC214-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out 370x180mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC215-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X20W	Ra>90	3200lm	10/23/38	2700K/3000K /4000K/6000K
JLDC215-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 2X24W	Ra>90	3840lm	10/23/38	2700K/3000K /4000K/6000K
JLDC215-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 2X28W	Ra>90	4480lm	10/23/38	2700K/3000K /4000K/6000K



cut-out 555x180mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC216-20W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X20W	Ra>90	4800lm	10/23/38	2700K/3000K /4000K/6000K
JLDC216-24W	steel casing aluminum heat sink	white painting	CREE COB 1816 3X24W	Ra>90	5760lm	10/23/38	2700K/3000K /4000K/6000K
JLDC216-28W	steel casing aluminum heat sink	white painting	CREE COB 1820 3X28W	Ra>90	6720lm	10/23/38	2700K/3000K /4000K/6000K

easy installation
by putting by hands
put the lamp into
the ceiling hole with
one side oblique

The holding pieces
can be adjusted
by customer
according to the
thickness of the
ceiling board



quick pressing
connector
makes installation
easy

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

reflector available

default

10° narrow beam

23° spot

38° flood



15mm aluminum
front cover and
reflector makes
45 degree
shielding angle



Lense on the
central of
reflector
makes the light
soft and more
efficient

RIMLESS LED GRILLE LIGHTS





code JLDC356
casing aluminum / black painting
lamping cob 6W / Ra>90 /500LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out 93x93mm



code JLDC357
casing aluminum / black painting
lamping cob 2x6W / Ra>90 /1000LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out 165x93mm



code JLDC358
casing aluminum / black painting
lamping cob 3x6W / Ra>90 /1500LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out 240x93mm

reflector available

default

10° narrow beam

23° spot

38° flood

installation guide



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

RIMLESS LED GRILLE LIGHTS



code JLDC359
casing aluminum / black painting
lamping cob 9W / Ra>90 /800LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out 114x114mm



code JLDC360
casing aluminum / black painting
lamping cob 2x9W / Ra>90 /1600LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out 209x114mm



code JLDC361
casing aluminum / black painting
lamping cob 3x9W / Ra>90 /2400LM
Beam 10 / 23 / 38 degree
2700K/3000K/4000K/6000K
installation cut-out 304x114mm

installation guide



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

reflector available

10°	23° (default)	38°
narrow beam	spot	flood

RIMLESS LED GRILLE LIGHTS



IP20

code JLDC362
casing aluminum / black painting
lamping cob 12W / Ra>90 /900LM
Beam 10 / 23 /38 degree
2700K/3000K/4000K/6000K
installation cut-out 136x136mm





IP20

code JLDC363
casing aluminum / black painting
lamping cob 2x12W / Ra>90 /1800LM
Beam 10 / 23 /38 degree
2700K/3000K/4000K/6000K
installation cut-out 253x136mm



IP20

code JLDC364
casing aluminum / black painting
lamping cob 3x12W / Ra>90 /2700LM
Beam 10 / 23 /38 degree
2700K/3000K/4000K/6000K
installation cut-out 370x136mm

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

installation guide



reflector available

default

10° narrow beam

23° spot

38° flood



LED DOWN LIGHT

ANTI-GLARE
LED DOWNLIGHT



This series LED downlight has got 3 diffrent sizes and 3 different colores,so totally 9 items.
3 inches is Dia105mm by 59mm height,with cut-off Dia90mm
4 inches is Dia128mm by 59mm height,with cut-off Dia115mm
6 inches is Dia175mm by 59mm height,with cut-off Dia160mm

Those items are good at Kitchen,toilet ceiling and for bedside lighting,also passage is a good place to put this series,for the elegant out-looking and anti-glare shade.

The second vantage from this series is the lamp color,aluminium anodized silver and gold is giving a metallic looking,clear,modern but not vulgar like shinning cromed.

ANTI-GLARE
LED DOWNLIGHT

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

equal to 3 inch



cut-out Dia90mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC931A-SL	aluminum	anodized silver	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K
JLDC931A-GD	aluminum	anodized gold	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K
JLDC931A-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 4 inch



cut-out Dia115mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC932A-SL	aluminum	anodized silver	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K /4000K/6000K
JLDC932A-GD	aluminum	anodized gold	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K /4000K/6000K
JLDC932A-WT	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 6 inch



cut-out Dia160mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC934A-SL	aluminum	anodized silver	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K /4000K/6000K
JLDC934A-GD	aluminum	anodized gold	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K /4000K/6000K
JLDC934A-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K /4000K/6000K

ANTI-GLARE
LED DOWNLIGHT

We create this series to make a universal led down light for replacement of normal fluorescence down light. From 2 inch/size diameter 75mm to 5 inch/size diameter 160mm, you can always find the size you want. We use very economics SMD led chips inside, but very efficiency led, up to 100 lm per watt. Another advantage of this series is very slim lamp body due to the good heat management design, the height of total lamp is less than 60mm and it can fit for most of ceiling.
The front reflector is made of spun aluminum and chrome plated. Aluminum will never rust. Comparing to the traditional down light, this series is a very good alternative.

surface
customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

IP20

equal to 2 inch — Dia75mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC858C	aluminum	white paint	SMD 3W	Ra>80	300lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 3 inch — Dia90mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC859C	aluminum	white paint	SMD 4W	Ra>80	400lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 3.5 inch — Dia100mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC860C	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 4 inch — Dia115mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC861C	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 4.5 inch — Dia130mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC862C	aluminum	white paint	SMD 16W	Ra>80	1600lm	Acrylic cover	2700K/3000K /4000K/6000K

equal to 5 inch — Dia145mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC863C	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K /4000K/6000K

LED DOWNLIGHT

We call this series MOOOON,because the oringinal idea of the lamp comes from the FULL MOON,the moon at middle of the month is totally round and nothing defected.This series of lamp lights up just like full moon,very thin edge,the object is totally like a lighting ball from the ceiling,well-stacked and beautiful.

They have got four sizes 3 inches,4inches,5inches,and 6 inches.Also two colors available,painted white and anodized brushed silver.They give enough light,good for passage,balcony,toilet, kithchen,and etc.

surface
customizable

black paint
equal to RAL9011

concrete grey paint
similar to RAL7037

IP20



Dia60mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC964-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K



Dia90mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC965-WT	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia125mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC966-WT	aluminum	white paint	SMD 16W	Ra>80	1600lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia140mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC967-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/3000K /4000K/6000K

CEILING RECESSED LED PANNEL LIGHT ULTRA SLIM AND BRIGHTNESS

We call this type of lamp PANEL LIGHT, because the whole lamp is extremely slim ,just like a panel. The theory of panel light is putting the led on the side of the lamp casing, 90 degree opposite of the lighting direction. There are three layers of acrylic lighting unit , on the front is a very thin acrylic sheet to make the light soft, the middle layer is a diffuser which turning the lighting direction from side to downwards, the back layer is a reflector to reflect the lighting downwards. the led give lights to the acrylic panels, the three layers of acrylic make the light all downwards to the ground.

This type of PNAEL LIGHT is very slim, efficient, soft light and other lots of advantage. We have got four sizes from 105mm to 280mm, the watt from 6W to 24W, it can fulfill most requirements.

There are also round shape and square shape, black and white color, and also other color can be custom made.

LED PANEL DOWNLIGHT | DATASHEET

IP20 surface customizable concrete grey paint similar to RAL7037

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC201S-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC201-WT	aluminum	white paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K /4000K/6000K



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC202-WT	aluminum	white paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K /4000K/6000K



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC203-WT	aluminum	white paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC201S-BK	aluminum	black paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC201-BK	aluminum	black paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K /4000K/6000K



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC202-BK	aluminum	black paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K /4000K/6000K



code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC203-BK	aluminum	black paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K /4000K/6000K

CEILING RECESSED LED PANNEL LIGHT ULTRA SLIM AND BRIGHTNESS

We call this type of lamp PANEL LIGHT, because the whole lamp is extremely slim ,just like a panel. The theory of panel light is putting the led on the side of the lamp casing, 90 degree opposite of the lighting direction. There are three layers of acrylic lighting unit , on the front is a very thin acrylic sheet to make the light soft, the middle layer is a diffuser which turning the lighting direction from side to downwards, the back layer is a reflector to reflect the lighting downwards. the led give lights to the acrylic panels, the three layers of acrylic make the light all downwards to the ground.
This type of PNAEL LIGHT is very slim, efficient, soft light and other lots of advantage. We have got four sizes from 105mm to 280mm, the watt from 6W to 24W, it can fulfill most requirements. There are also round shape and square shape, black and white color, and also other color can be custom made.

LED PANEL DOWNLIGHT | DATASHEET

IP20 surface customizable concrete grey paint similar to RAL7037

Dia105x105mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC204S-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia155x155mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC204-WT	aluminum	white paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia205x205mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC205-WT	aluminum	white paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia280x280mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC206-WT	aluminum	white paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia105x105mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC204S-BK	aluminum	black paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia155x155mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC204-BK	aluminum	black paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia205x205mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC205-BK	aluminum	black paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K /4000K/6000K

Dia280x280mm

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC206-BK	aluminum	black paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K /4000K/6000K


LED
CABINET
LIGHTS

JLSD014-BK

JLSD013-BK

code JLSD014-BK

surface customizable anodized silver brushed linear anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLSD013-BK

surface customizable anodized silver brushed linear anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

JLSD014-CR

JLSD013-CR

code JLSD014-CR

surface customizable anodized silver brushed linear anodized silver sandblasted

casing aluminum / chrome plated / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLSD013-CR

surface customizable anodized silver brushed linear anodized silver sandblasted

casing aluminum / chrome plated / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board







code JLSD016

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1x1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLSD017

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 2x1W / Ra>80 /140LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLSD018

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 3x1W / Ra>80 /210LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code JLDC365

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1x1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 28mm hole precisely for installation / minimum 10mm thickness board

code JLDC368

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1x3W / Ra>80 / 120LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 40mm hole precisely for installation / minimum 10mm thickness board



code JLDC371

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping COB 6W / Ra>90 / 550LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 75mm hole precisely for installation / minimum 10mm thickness board

JLDC366

JLDC367

JLDC369

JLDC370

JLDC372

JLDC373



code JLDC366

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 2x1W / Ra>80 / 140LM /Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off 100x35mm hole precisely for installation / minimum 10mm thickness board



code JLDC367

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 3x1W / Ra>80 / 210LM /Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off 150x35mm hole precisely for installation / minimum 10mm thickness board



code JLDC369

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 2x3W / Ra>80 / 240LM /Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off 130x47mm hole precisely for installation / minimum 10mm thickness board



code JLDC370

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping LED 3x3W / Ra>80 / 360LM /Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off 195x47mm hole precisely for installation / minimum 10mm thickness board



code JLDC372

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping COB 2x6W / Ra>90 / 1100LM /Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off 210x77mm hole precisely for installation / minimum 10mm thickness board



code JLDC373

surface customizable — white paint similar to RAL9003 — anodized silver sandblasted

casing aluminum / anodized black / lamping COB 3x6W / Ra>90 / 1650LM /Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation CE IP20 cut-off 320x77mm hole precisely for installation / minimum 10mm thickness board

荣誉证书

LED OUTDOOR WALL LIGHTS

code JLWA215

casing aluminum / black painting

lamping COB 6W / Ra>90 /430LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA216

casing aluminum / black painting

lamping COB 2x6W / Ra>90 /860LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code JLWA253

casing aluminum / black painting

lamping COB 6W / Ra>90 /430LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA254

casing aluminum / black painting

lamping COB 2x6W / Ra>90 /860LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA217

casing aluminum / black painting

lamping COB 12W / Ra>90 /900LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA218

casing aluminum / black painting

lamping COB 2x12W / Ra>90 /1800LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code JLWA255

casing aluminum / black painting

lamping COB 12W / Ra>90 /900LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA256

casing aluminum / black painting

lamping COB 2x12W / Ra>90 /1800LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA173A

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA174A

casing aluminum / black painting

lamping COB 2x5W / Ra>90 /860LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code JLWA250
casing aluminum / black painting
lamping LED 1W / Ra>80 /70LM
Beam NO LENSE
2700K/3000K/4000K/6000K
installation IP65



surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037

code JLWA251
casing aluminum / black painting
lamping LED 2X1W / Ra>80 /140LM
Beam NO LENSE
2700K/3000K/4000K/6000K
installation IP65



surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA248

casing aluminum / black painting

lamping LED 2x3W / Ra>80 /240LM

Beam 10/20/30 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA249

casing aluminum / black painting

lamping LED 4x3W / Ra>80 /480LM

Beam 10/20/30 degree

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA213
casing aluminum / black painting
lamping COB 9W / Ra>90 /800LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code JLWA214
casing aluminum / black painting
lamping COB 9W / Ra>90 /800LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code JLWA210
casing aluminum / black painting
lamping COB 6W / Ra>90 /430LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code JLWA211
casing aluminum / black painting
lamping COB 6W / Ra>90 /430LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037



code JLWA135

casing aluminum / black painting

lamping LED 3W / Ra>80 /120LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP65

surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037



code JLWA139

casing aluminum / black painting

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA310

casing aluminum / black painting

lamping COB 5W / Ra>90 /430LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code JLWA311
casing aluminum / black painting
lamping COB 5W / Ra>90 /430LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65

surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037



code JLWA312
casing aluminum / black painting
lamping COB 5W / Ra>90 /430LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65

surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037





code JLWA291A

casing aluminum / black painting

lamping COB 2x6W / Ra>90 /860LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code JLWA292A
casing aluminum / black painting
lamping COB 2x6W / Ra>90 /860LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037



code JLWA293A
casing aluminum / black painting
lamping COB 2x9W / Ra>90 /1600LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP65

surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037

code JLWA300C-BK

casing aluminum / black painting

lamping LED 4X3W / Ra>80 /1200LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code JLWA300A-BK

casing aluminum / black painting

lamping LED 3W / Ra>80 /300LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA300B-BK

casing aluminum / black painting

lamping LED 2X3W / Ra>80 /600LM

Beam 8 degree /

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

JLWA300D-BK



JLWA300E-BK

JLWA300F-BK



JLWA300H-BK



code JLWA300D-BK

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 /500LM / up 80 degree+down 80 degree / 2700K/3000K/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code JLWA300E-BK

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 /500LM / up 90 degree+down 90 degree / 2700K/3000K/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code JLWA300F-BK

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 /500LM / up 60 degree+down 60 degree / 2700K/3000K/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code JLWA300H-BK

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 /500LM / up 60 degree+down 8 degree / 2700K/3000K/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape



code JLWA300J-BK

casing aluminum / black painting

lamping COB 2X3W / Ra>90 /500LM

Beam down 8 degree /

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA300G-BK

casing aluminum / black painting

lamping COB 2X3W / Ra>90 /500LM

Beam dismissed light /

2700K/3000K/4000K/6000K

installation IP65



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLWA288-BK
casing aluminum / black painting
lamping LED 2X3W / Ra>80 /600LM
Beam up and down light can be adjusted from 5 degree to 120 degree /
2700K/3000K/4000K/6000K
installation IP65

up and down light cover sheet adjustable



surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037

code JLWA288-WT
casing aluminum / white painting
lamping LED 2X3W / Ra>80 /600LM
Beam up and down light can be adjusted from 5 degree to 120 degree /
2700K/3000K/4000K/6000K
installation IP65

up and down light cover sheet adjustable



surface customizable
white paint similar to RAL9003
concrete grey paint similar to RAL7037

code JLWA279
casing aluminum / black painting
lamping LED 3W / Ra>80 /120LM
Beam down 8 degree /
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code JLWA280
casing aluminum / black painting
lamping LED 2X3W / Ra>80 /240LM
Beam up and down 8 degree /
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code JLWA281
casing aluminum / black painting
lamping up 3W/ down 6W / Ra>80 /670LM
Beam up 8 degree and down 38 degree
2700K/3000K/4000K/6000K
installation IP65



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

EUROPEAN ART
EUROPEAN ART
London







code JLODL007 / JLODL008

surface customizable — concrete grey paint similar to RAL7037 — anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / Acrylic diffuser / 2700K/3000K/4000K/6000K red / green / blue

installation CE IP65 cut-off dia50x120mm for installation box



code JLODL009 / JLODL010

surface customizable — concrete grey paint similar to RAL7037 — anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / Acrylic diffuser / 2700K/3000K/4000K/6000K red / green / blue

installation CE IP65 cut-off dia50x120mm for installation box



code JLODL025

surface customizable — concrete grey paint similar to RAL7037 — anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / two ways light / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 cut-off dia50x100mm for installation box



code JLODL026

surface customizable — concrete grey paint similar to RAL7037 — anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / three ways light / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 cut-off dia50x100mm for installation box



code JLODL027

surface customizable — concrete grey paint similar to RAL7037 — anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / four ways light / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 cut-off dia50x100mm for installation box

code JLODL043
casing aluminum / anodized black
lamping LED 1W / Ra>80 /70LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
red / green / blue
installation IP65

cut-off dia55x100mm
for installation box



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037

code JLODL044
casing aluminum / anodized black
lamping LED 1W / Ra>80 /70LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
red / green / blue
installation IP65

cut-off dia55x100mm
for installation box



surface
customizable
white paint
similar to RAL9003
concrete grey paint
similar to RAL7037





code JLODL041

casing aluminum / anodized black

lamping LED 1W / Ra>80 /70LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

red / green / blue

installation IP65

cut-off dia55x100mm
for installation box



surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037

code JLODL042

casing aluminum / anodized black

lamping LED 1W / Ra>80 /70LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

red / green / blue

installation IP65

cut-off dia55x100mm
for installation box



surface
customizable

white paint
similar to RAL9003

concrete grey paint
similar to RAL7037





LED UNDERGROUND LIGHT

12V / 24V / 220V INPUT UNDERGROUND SPOT LIGHT



code JLODL031

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 3W / Ra>80 /210LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page

code JLODL032

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 6W / Ra>80 /420LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL033

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 9W / Ra>80 /630LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL031-IN12

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 3W / Ra>80 /210LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



code JLODL032-IN12

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 6W / Ra>80 /420LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



code JLODL033-IN12

Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing aluminum+stainless steel / lamping LED 9W / Ra>80 /630LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page

JLODL031 installation













JLODL032 / JLODL033 installation





hole pattern

CODE	D1	D2	H1	H2
JLODL032	90	55	105	115
JLODL033	105	55	100	110











JLODL031-IN12 / JLODL032-IN12 / JLODL033-IN12 installation

CODE	Diameter	Depth
JLODL031-IN12	75mm	90mm
JLODL032-IN12	90mm	105mm
JLODL032-IN12	105mm	100mm











Lamp in a parallel circuit





DO NOT CONNECT THE LAMP WHEN THERE IS CIRCUIT
IN CASE LED CHIP DAMAGED

DO NOT CONNECT THE LAMP DIRECTLY
TO THE MAIN

OUTDOOR UNDERGROUND
MINI LED SPOTLIGHT
STAINLESS STEEL 316 COVER
COPPER LAMP CASING
CHROME PLATED
1W / 3W LED
10/20/30/45/60
DEGREE LENSE

IP67 WATERPROOF
220V / DC12/24V
INPUT OPTIONAL
SUPPLIED WITH
INSTALLATION CASE
AND EXTERNAL
OR BUILT-IN
POWER-SUPPLY



code JLODL020 stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+brass/ lamping LED 1W / Ra>80 /70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K red / green / blue /

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL024 stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+brass/ lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/ 6000K/red / green / blue

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL001 aluminum cover / aluminum heat sink / aluminum installation case

casing aluminum / lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K red / green / blue / RGB

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL020-IN12 stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+aluminum/ lamping LED 1W / Ra>80 /70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/ 6000K/red / green / blue

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



code JLODL024-IN12 stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/ 6000K/red / green / blue

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



code JLODL001-IN12 aluminum cover / aluminum heat sink / aluminum installation case

casing aluminum / lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K red / green / blue / RGB

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



JLODL020 / JLODL024 / JLODL001 installation

JLODL020 / JLODL024 / JLODL001
Single lamp installation



300mA 1x1W for ODL020
600mA 1x3W for ODL024/ODL001



JLODL024 / JLODL001
Installation in series



Constant current power supply			
Power supply	Out put current	Out put voltage	Load
2-3x 3W	600mA	DC5-12V	2-3pcs
4-6x 3W	600mA	DC12-22V	4-6pcs
6-10x 3W	600mA	DC20-36V	6-10pcs
10-14x 3W	600mA	DC30-50V	10-14pcs



JLODL020
Installation in series



Constant current power supply			
Power supply	Out put current	Out put voltage	Load
1-3x1W	300mA	DC3-11V	1-3pcs
4-7x1W	300mA	DC12-25V	4-7pcs
7-12x1W	300mA	DC20-43V	7-12pcs
12-20x1W	300mA	DC36-72V	12-20pcs
18-28x1W	300mA	DC50-100V	18-28pcs



JLODL020-IN12 / JLODL024-IN12 / JLODL001-IN12 installation



DO NOT CONNECT THE LAMP
DIRECTLY TO THE MAIN

STAINLESS STEEL HIGH POWER LED UNDERGROUND SPOT LIGHT



code JLODL028 Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping COB 5W / Ra>90 /430LM / Beam15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL029 Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping COB 9W / Ra>90 /800LM / Beam15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL030 Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping COB 12W / Ra>90 /900LM / Beam15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page



code JLODL028-IN12 Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping COB 5W / Ra>90 /430LM / Beam15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



code JLODL029-IN12 Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping COB 9W / Ra>90 /800LM / Beam15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page



code JLODL030-IN12 Stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+ aluminum / lamping COB 12W / Ra>90 /900LM / Beam15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page

COB 12W SERIES

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-BK	aluminum	black paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC990-GD	aluminum	anodized gold	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K

reflector available

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood



IP20

cut-out dia 122mm

surface customizable

concrete grey paint similar to RAL7037

COB 20W SERIES

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-WT	aluminum	white paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-BK	aluminum	black paint	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

code	casing	finishing	lamping	CRI	lumen	LED color
JLDC991-GD	aluminum	anodized gold	COB 20W	Ra>90	1700lm	2700K/3000K /4000K/6000K

reflector available

default

15° narrow beam | 24° spot | 38° flood | 60° wide flood



IP20

cut-out dia 122mm

surface customizable

concrete grey paint similar to RAL7037



stainless steel installation spring



plug and lock connector between led and power-supply



LDC990 up to 55 degree shielding angle



LDC991 up to 55 degree shielding angle



LED SPOT LIGHT HIGH POWER HIGH LUMENS

reflector available

surface customizable

black paint equal to RAL9011

concrete grey paint similar to RAL7037

default

10° narrow beam

23° spot

38° flood



cut-out dia140mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC207-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC207-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC208-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC208-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia140 mm

IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
JLDC209-20W	aluminum	white painting	CREE COB 1816 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-24W	aluminum	white painting	CREE COB 1816 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
JLDC209-28W	aluminum	white painting	CREE COB 1820 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

LDC209 four steps installation





strong and solid heat sink makes good heat management



philips power-supply for the whole series

strong metal spring clips



locking connectors make easy and stable connection between lamp and power-supply

Related products LDC211 series in chapter LED grille light

OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

concrete grey paint
similar to RAL7037

code JLSP183-IN220
casing aluminum
finishing black painting
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10/20/30 degree
led color 2700K/3000K/4000K/6000K
RED / GREEN / BLUE
Input AC220-240V
built-in power-supply
installation CE IP65

code JLSP183-IN12
Input DC12/24V
built-in power-supply
installation in parallel



surface
customizable

concrete grey paint
similar to RAL7037

code JLSP187-IN220
casing aluminum
finishing black painting
lamping LED 3W
Lumens 120LM
CRI Ra>80
Beam 10/20/30 degree
led color 2700K/3000K/4000K/6000K
RED / GREEN / BLUE
Input AC220-240V
built-in power-supply
installation CE IP65

code JLSP187-IN12
Input DC12/24V
built-in power-supply
installation in parallel

OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

concrete grey paint
similar to RAL7037

code JLFL027-IN220
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation IP65

code JLFL027-IN12
Input DC12/24V
built-in power-supply
installation in parallel



surface
customizable

concrete grey paint
similar to RAL7037

code JLFL028-IN220
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation IP65

code JLFL028-IN12
Input DC12/24V
built-in power-supply
installation in parallel

OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

concrete grey paint
similar to RAL7037

code JLODL034
casing aluminum
finishing black painting
lamping LED 3X1W
Lumens 210LM
CRI Ra>80
Beam 15/30/60 degree
led color 2700K/3000K/4000K/6000K
RED / GREEN / BLUE
Input AC220-240V
external power-supply
installation IP65

code JLODL034-12V
Input DC12/24V
external power-supply
installation in parallel



surface
customizable

concrete grey paint
similar to RAL7037

code JLODL035
casing aluminum
finishing black painting
lamping LED 6X1W
Lumens 420LM
CRI Ra>80
Beam 15/30/60 degree
led color 2700K/3000K/4000K/6000K
RED / GREEN / BLUE
Input AC220-240V
external power-supply
installation IP65

code JLODL035-12V
Input DC12/24V
external power-supply
installation in parallel



surface
customizable

concrete grey paint
similar to RAL7037

code JLODL036
casing aluminum
finishing black painting
lamping LED 9X1W
Lumens 630LM
CRI Ra>80
Beam 15/30/60 degree
led color 2700K/3000K/4000K/6000K
RED / GREEN / BLUE
Input AC220-240V
external power-supply
installation IP65

code JLODL036-12V
Input DC12/24V
external power-supply
installation in parallel

OUTDOOR SPOT LIGHT WITH SPIKE

code JLSP155
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
external power-supply
installation IP65

code JLSP155-12V
Input DC12/24V
external power-supply
installation in parallel

code JLSP156
casing aluminum
finishing black painting
lamping COB 9W
Lumens 800LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
external power-supply
installation IP65

code JLSP156-12V
Input DC12/24V
external power-supply
installation in parallel

code JLSP157
casing aluminum
finishing black painting
lamping COB 12W
Lumens 900LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
external power-supply
installation IP65

code JLSP157-12V
Input DC12/24V
external power-supply
installation in parallel







surface
customizable

concrete grey paint
similar to RAL7037

OUTDOOR SPOT LIGHT WITH SPIKE



code JLSP184-IN220
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation CE IP65

code JLSP184-IN12
Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037



code JLSP185-IN220
casing aluminum
finishing black painting
lamping COB 9W
Lumens 800LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation CE IP65

code JLSP185-IN12
Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037



code JLSP186-IN220
casing aluminum
finishing black painting
lamping COB 12W
Lumens 900LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation CE IP65

code JLSP186-IN12
Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037

OUTDOOR SPOT LIGHT WITH SPIKE

code JLSP188-IN220
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation IP65

code JLSP188-IN12
Input DC12/24V
built-in power-supply
installation in parallel

code JLSP189-IN220
casing aluminum
finishing black painting
lamping COB 12W
Lumens 900LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC220-240V
built-in power-supply
installation IP65

code JLSP189-IN12
Input DC12/24V
built-in power-supply
installation in parallel



surface
customizable
concrete grey paint
similar to RAL7037



surface
customizable
concrete grey paint
similar to RAL7037

LED GARDEN AND PATH LIGHTS



LED GARDEN AND PATH LIGHTS

code JLFL006
JLFL007
JLFL008

casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam Solid acrylic diffuser
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation IP65

code JLFL006-IN12
JLFL007-IN12
JLFL008-IN12

Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037







code	A/mm	B/mm	C/mm
JLFL006	60	450	100
JLFL007	60	650	100
JLFL007	60	800	100



code JLFL009
JLFL010
JLFL011

casing aluminum
finishing black painting
lamping COB 9W
Lumens 800LM
CRI Ra>90
Beam Solid acrylic diffuser
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation IP65

code JLFL009-IN12
JLFL010-IN12
JLFL011-IN12

Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037







code	A/mm	B/mm	C/mm
JLFL009	102	210	60
JLFL010	102	410	60
JLFL011	102	610	60

code JLFL020
JLFL021

casing aluminum
finishing black painting
lamping E14 socket
Supplied with
4W led candle lamp
Lumens 360LM
CRI Ra>80
Beam Acrylic diffuser
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
lamp inside changeable
installation IP65

surface
customizable
concrete grey paint
similar to RAL7037







code	A/mm	B/mm	C/mm
JLFL020	60	700	100
JLFL021	80	700	130

LED GARDEN AND PATH LIGHTS

code JLFL022
JLFL023
JLFL024

casing aluminum
finishing black painting
lamping E27 socket
Supplied with
4W led candle lamp
Lumens 360LM
CRI Ra>80
Beam Acrylic diffuser
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
lamp inside changeable
installation IP65

surface
customizable
concrete grey paint
similar to RAL7037







code	A/mm	B/mm	C/mm
JLFL022	102	350	150
JLFL023	102	550	150
JLFL024	102	750	150

code JLFL013
JLFL014
JLFL015

casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam Solid acrylic diffuser
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation IP65

code JLFL013-IN12
JLFL014-IN12
JLFL015-IN12

Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037





code	A/mm	B/mm	C/mm	D/mm	E/mm
JLFL013	60	820	200	320	207
JLFL014	60	1020	200	320	207
JLFL014	60	1220	200	320	207

LED GARDEN AND PATH LIGHTS

code JLFL016
JLFL017
JLFL018

casing aluminum
finishing black painting
lamping LED 1W
Lumens 70LM
CRI Ra>80
Beam Solid acrylic diffuser
led color 2700K/3000K/4000K/6000K
RED / GREEN / BLUE
Input AC100-240V
external power-supply
installation IP65

code JLFL016-12V
JLFL017-12V
JLFL018-12V

Input DC12/24V
external power-supply
installation in parallel

surface
customizable
concrete grey paint
similar to RAL7037









code	A/mm	B/mm	C/mm	D/mm
JLFL016	28	90	1000	250
JLFL017	28	90	800	250
JLFL018	28	90	600	250

code JLFL026
casing aluminum
finishing black painting
lamping SMD 10W
Lumens 1000LM
CRI Ra>80
Beam Solid acrylic diffuser
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation IP65

code JLFL026-12V
Input DC12/24V
built-in power-supply
installation in parallel

surface customizable
concrete grey paint similar to RAL7037







code	A/mm	B/mm	C/mm	D/mm
JLFL026	60	700	150	225



LED OUTDOOR CEILING LIGHTS

EXTERIOR

RECESSED MOUNTED

CEILING SPOTLIGHT

code JLDC337

casing aluminum / black painting

lamping COB 12W / Ra>90 /900LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65

cut-out dia 125mm



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLDC336

casing aluminum / black painting

lamping COB 9W / Ra>90 /800LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65

cut-out dia 100mm



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

code JLDC335

casing aluminum / black painting

lamping COB 6W / Ra>90 /500LM

Beam 15/24/38/60 degree

2700K/3000K/4000K/6000K

installation IP65

cut-out dia 80mm



surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

EXTERIOR
SURFACE MOUNTED
CEILING DOWNLIGHT



code JLBL183

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 /430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code JLBL184

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 /900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code JLBL185

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 20W / Ra>90 /1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65

EXTERIOR
SURFACE MOUNTED
CEILING DOWNLIGHT

code JLBL186

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 /430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code JLBL187

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 /900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65



code JLBL188

surface customizable — white paint similar to RAL9003 — concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 20W / Ra>90 /1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65





ACCESEAZĂ **WEBSITE** John Light

seek the brightest.



JOHNLIGHT S.R.L.

Mobil: +40 786 219 920
E-mail: office&johnlight.ro
C.U.I. RO 31220600
Nr. O.R.C. J/31/53/2013
RO39BTRLRONCRT0280233701 (RON)

www.johnlight.ro